

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	121	PM _{2.5}	1
2	Agra	Very Poor	366	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	158	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM _{2.5}	1
6	Alwar	Moderate	152	PM ₁₀	1
7	Amaravati	Good	20	O ₃	1
8	Ambala	Poor	279	PM _{2.5}	1
9	Amritsar	Poor	272	PM _{2.5}	1
10	Ankleshwar	Poor	285	PM _{2.5}	1
11	Asansol	Satisfactory	98	PM ₁₀	1
12	Aurangabad	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	334	PM _{2.5}	1
14	Bahadurgarh	Severe	416	PM _{2.5}	1
15	Ballabgarh	Very Poor	383	PM _{2.5}	1
16	Bengaluru	Satisfactory	58	CO, PM _{2.5} , NO ₂	7
17	Bhiwadi	Severe	446	PM _{2.5}	1
18	Bhiwani	Very Poor	334	PM _{2.5}	1
19	Bhopal	Moderate	137	PM ₁₀	1
20	Bilaspur	Satisfactory	51	PM ₁₀	1
21	Brajrajnagar	Good	45	со	1
22	Bulandshahr	Severe	438	PM _{2.5}	1
23	Chamarajanagar	Good	49	PM _{2.5}	1
24	Chandigarh	Moderate	120	O ₃ , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan,
 Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur,
 Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	133	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Very Poor	343	PM _{2.5}	1
27	Chennai	Satisfactory	52	CO, PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Good	34	03	1
29	Chikkamagaluru	Good	32	NO ₂	1
30	Coimbatore	Satisfactory	52	PM _{2.5}	1
31	Damoh	Moderate	127	PM _{2.5}	1
32	Darbhanga	Poor	252	PM _{2.5}	1
33	Davanagere	Satisfactory	60	PM _{2.5}	1
34	Delhi	Severe	437	PM _{2.5} , PM ₁₀	32
35	Dewas	Satisfactory	74	PM ₁₀	1
36	Dharuhera	Severe	453	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Moderate	148	PM _{2.5}	1
38	Eloor	Satisfactory	68	PM ₁₀	1
39	Ernakulam	Satisfactory	53	СО	1
40	Faridabad	Severe	423	PM _{2.5} , PM ₁₀	3
41	Fatehabad	Poor	299	PM _{2.5}	1
42	Firozabad	Very Poor	327	PM _{2.5}	1
43	Gandhinagar	Moderate	160	PM _{2.5} , PM ₁₀	3
44	Gaya	Moderate	120	PM _{2.5} , PM ₁₀	2
45	Ghaziabad	Severe	441	PM _{2.5}	4
46	Gorakhpur	Poor	297	PM _{2.5}	1
47	Greater Noida	Severe	408	PM _{2.5}	2
48	Gurugram	Severe	441	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	140	PM _{2.5}	2
50	Gwalior	Very Poor	331	PM _{2.5}	1
51	Hajipur	Moderate	188	PM _{2.5}	1
52	Hapur	Very Poor	383	PM _{2.5}	1
53	Hisar	Very Poor	371	PM _{2.5}	1
54	Howrah	Moderate	123	PM _{2.5} , PM ₁₀	3
55	Hubballi	Satisfactory	55	PM ₁₀	1
56	Hyderabad	Satisfactory	63	PM ₁₀ , PM _{2.5}	5
57	Indore	Moderate	113	PM ₁₀	1
58	Jabalpur	Poor	298	PM _{2.5}	1
59	Jaipur	Poor	300	PM _{2.5}	2
60	Jalandhar	Poor	261	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Severe	406	PM _{2.5}	1
62	Jodhpur	Poor	235	PM _{2.5}	1
63	Kaithal	Poor	282	PM _{2.5}	1
64	Kalaburgi	Satisfactory	98	PM _{2.5}	1
65	Kalyan	Poor	207	PM _{2.5}	1
66	Kannur	Satisfactory	59	со	1
67	Kanpur	Poor	226	PM _{2.5}	4
68	Karnal	Poor	254	PM _{2.5}	1
69	Katni	Poor	299	PM _{2.5}	1
70	Khanna	Poor	238	PM _{2.5}	1
71	Kochi	Good	50	PM ₁₀	1
72	Kohima	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	39	SO ₂	1
74	Kolkata	Moderate	102	PM _{2.5} , PM ₁₀	7
75	Kollam	Good	50	PM _{2.5}	1
76	Koppal	Good	42	со	1
77	Kota	Very Poor	337	PM _{2.5}	1
78	Kozhikode	Satisfactory	54	PM ₁₀	1
79	Kurukshetra	Poor	267	PM _{2.5}	1
80	Lucknow	Poor	222	PM _{2.5} , PM ₁₀	6
81	Ludhiana	Poor	215	PM _{2.5}	1
82	Mandi Gobindgarh	Poor	265	PM ₁₀	1
83	Mandideep	Moderate	112	PM ₁₀	1
84	Mandikhera	Very Poor	347	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Severe	414	PM _{2.5}	1
86	Manglore	Moderate	140	PM ₁₀	1
87	Medikeri	Good	27	PM _{2.5}	1
88	Meerut	Very Poor	327	PM _{2.5}	3
89	Moradabad	Poor	285	PM _{2.5}	2
90	Motihari	Poor	267	PM _{2.5}	1
91	Mumbai	Moderate	195	PM _{2.5}	20
92	Munger	Poor	246	PM _{2.5}	1
93	Muzaffarnagar	Very Poor	331	PM _{2.5}	1
94	Muzaffarpur	Poor	230	PM _{2.5}	2
95	Mysuru	Satisfactory	54	PM ₁₀	1
96	Nagpur	Satisfactory	88	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Very Poor	304	PM _{2.5}	1
98	Nashik	Moderate	165	PM _{2.5}	1
99	Navi Mumbai	Poor	207	PM _{2.5} , PM ₁₀	3
100	Noida	Severe	464	PM _{2.5} , PM ₁₀	4
101	Pali	Moderate	117	PM ₁₀	1
102	Palwal	Poor	266	PM ₁₀	1
103	Panchkula	Satisfactory	72	PM _{2.5}	1
104	Panipat	Very Poor	303	PM ₁₀	1
105	Patiala	Poor	281	PM _{2.5}	1
106	Patna	Moderate	166	PM _{2.5} , PM ₁₀	5
107	Pithampur	Moderate	175	PM _{2.5}	1
108	Prayagraj	Poor	268	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Moderate	197	PM _{2.5}	3
110	Raichur	Satisfactory	53	PM ₁₀	1
111	Rajamahendravaram	Good	45	03	1
112	Ramanagara	Good	37	PM _{2.5}	1
113	Ratlam	Moderate	170	PM _{2.5}	1
114	Rohtak	Very Poor	389	PM _{2.5}	1
115	Rupnagar	Moderate	180	PM ₁₀	1
116	Sagar	Good	50	PM _{2.5}	1
117	Sasaram	Moderate	148	PM ₁₀	1
118	Satna	Satisfactory	61	PM ₁₀	1
119	Shivamogga	Good	41	СО	1
120	Siliguri	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Moderate	199	PM ₁₀	1
122	Sirsa	Poor	281	PM _{2.5}	1
123	Sonipat	Very Poor	324	PM _{2.5}	1
124	Srinagar	Moderate	106	PM ₁₀	1
125	Talcher	Good	34	PM ₁₀	1
126	Thane	Poor	218	PM ₁₀	1
127	Thiruvananthapuram	Good	34	PM ₁₀ , NO ₂	2
128	Thoothukudi	Satisfactory	94	со	1
129	Tirupati	Satisfactory	54	со	1
130	Udaipur	Poor	221	PM _{2.5}	1
131	Udupi	Poor	272	03	1
132	Ujjain	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vapi	Poor	207	PM _{2.5}	1
134	Varanasi	Poor	236	PM _{2.5}	4
135	Vatva	Poor	223	PM _{2.5}	1
136	Vijayapura	Good	45	PM ₁₀	1
137	Visakhapatnam	Good	33	СО	1
138	Vrindavan	Very Poor	376	PM _{2.5}	1
139	Yadgir	Good	39	PM _{2.5}	1
140	Yamunanagar	Poor	274	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Gadag, Gummidipoondi, Haldia, Hassan,
 Jorapokhar, Maihar, Naharlagun, Nandesari, Puducherry, Shillong, Solapur,
 Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.