

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	91	PM _{2.5}	1
2	Ahmedabad	Moderate	162	O ₃	1
3	Ajmer	Satisfactory	98	O ₃	1
4	Alwar	Satisfactory	58	O ₃	1
5	Ambala	Satisfactory	55	PM _{2.5}	1
6	Amritsar	Satisfactory	80	PM ₁₀	1
7	Ankleshwar	Moderate	106	PM ₁₀	1
8	Asanol	Good	43	PM ₁₀	1
9	Aurangabad	Good	49	O ₃	1
10	Bagalkot	Satisfactory	56	O ₃	1
11	Bahadurgarh	Moderate	111	PM _{2.5}	1
12	Bathinda	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	48	PM ₁₀ , CO, O ₃	10
14	Bhiwadi	Moderate	124	PM _{2.5}	1
15	Bhopal	Moderate	147	PM _{2.5}	1
16	Brajrajnagar	Satisfactory	92	PM ₁₀	1
17	Bulandshahr	Moderate	104	PM ₁₀	1
18	Chandigarh	Good	37	PM ₁₀	1
19	Chandrapur	Satisfactory	72	O ₃ , PM ₁₀	2
20	Charkhi Dadri	Poor	233	PM _{2.5}	1
21	Chennai	Satisfactory	54	O ₃ , CO	4
22	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
23	Damoh	Satisfactory	54	PM ₁₀	1
24	Delhi	Moderate	125	O ₃	28

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Aizawl, Amaravati,
 Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi,
 Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari,
 Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	83	PM ₁₀	1
26	Dharuhera	Satisfactory	81	03	1
27	Eloor	Good	42	PM ₁₀	1
28	Faridabad	Satisfactory	82	PM _{2.5} , CO	2
29	Fatehabad	Moderate	109	PM ₁₀	1
30	Gandhinagar	Satisfactory	66	PM ₁₀	1
31	Gaya	Moderate	136	03	2
32	Ghaziabad	Moderate	113	PM ₁₀ , PM _{2.5}	4
33	Greater Noida	Moderate	120	PM _{2.5} , PM ₁₀	2
34	Gurugram	Moderate	146	O ₃ , PM _{2.5}	4
35	Guwahati	Satisfactory	51	PM _{2.5}	1
36	Gwalior	Moderate	116	O ₃ , PM _{2.5}	2

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Motors calculated for today's bulletin for Aizawl, Amaravati,
 Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi,
 Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari,
 Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hajipur	Moderate	129	PM ₁₀	1
38	Hapur	Moderate	119	PM ₁₀	1
39	Hisar	Moderate	135	PM ₁₀	1
40	Howrah	Good	48	O ₃ , NO ₂	3
41	Hyderabad	Good	46	O ₃ , NO ₂ , PM ₁₀	6
42	Indore	Satisfactory	86	PM ₁₀	1
43	Jabalpur	Satisfactory	94	03	1
44	Jaipur	Satisfactory	81	O ₃ , PM _{2.5}	3
45	Jalandhar	Good	46	PM ₁₀	1
46	Jind	Moderate	114	PM ₁₀	1
47	Jodhpur	Moderate	101	PM _{2.5}	1
48	Jorapokhar	Satisfactory	94	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters t calculated for today's bulletin for Aizawl, Amaravati,
 Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi,
 Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari,
 Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Satisfactory	96	PM ₁₀	1
50	Kannur	Satisfactory	52	PM ₁₀	1
51	Kanpur	Satisfactory	57	O ₃	1
52	Karnal	Moderate	136	PM _{2.5}	1
53	Katni	Moderate	106	O ₃	1
54	Khanna	Satisfactory	63	PM ₁₀	1
55	Kochi	Good	49	СО	1
56	Kolkata	Good	49	O ₃	7
57	Kota	Satisfactory	74	PM ₁₀	1
58	Kozhikode	Good	33	PM ₁₀	1
59	Kurukshetra	Moderate	107	PM ₁₀	1
60	Lucknow	Satisfactory	70	PM _{2.5}	4

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	51	PM ₁₀	1
62	Maihar	Satisfactory	52	NO ₂	1
63	Mandideep	Moderate	124	PM _{2.5}	1
64	Mandikhera	Satisfactory	67	PM ₁₀	1
65	Manesar	Satisfactory	88	PM _{2.5}	1
66	Meerut	Moderate	154	PM ₁₀	1
67	Mumbai	Satisfactory	81	O ₃ , SO ₂ , PM ₁₀	8
68	Muzaffarnagar	Moderate	115	PM _{2.5}	1
69	Muzaffarpur	Satisfactory	70	03	1
70	Mysuru	Good	49	03	1
71	Nagpur	Satisfactory	76	O ₃	1
72	Narnaul	Satisfactory	74	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	88	03	1
74	Navi Mumbai	Satisfactory	77	O ₃ , PM ₁₀	2
75	Noida	Moderate	132	PM _{2.5} , CO	3
76	Pali	Satisfactory	90	PM ₁₀	1
77	Palwal	Satisfactory	97	PM ₁₀	1
78	Panchkula	Good	36	NO ₂	1
79	Panipat	Poor	239	PM ₁₀	1
80	Patiala	Satisfactory	57	PM ₁₀	1
81	Patna	Satisfactory	55	PM ₁₀ , O ₃	3
82	Pithampur	Satisfactory	88	PM ₁₀	1
83	Pune	Good	50	со	1
84	Rajamahendravaram	Satisfactory	54	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	157	PM _{2.5}	1
86	Rohtak	Moderate	130	PM _{2.5}	1
87	Rupnagar	Satisfactory	56	PM ₁₀	1
88	Sagar	Satisfactory	57	PM ₁₀	1
89	Satna	Satisfactory	56	PM ₁₀	1
90	Siliguri	Good	44	PM ₁₀	1
91	Singrauli	Satisfactory	93	PM ₁₀	1
92	Sirsa	Moderate	102	PM ₁₀	1
93	Solapur	Good	45	PM ₁₀	1
94	Sonipat	Moderate	172	PM ₁₀	1
95	Thane	Satisfactory	66	PM ₁₀	1
96	Thiruvananthapuram	Good	46	03	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Satisfactory	52	O ₃	1
98	Ujjain	Moderate	119	O ₃	1
99	Vapi	Satisfactory	74	PM _{2.5}	1
100	Varanasi	Moderate	180	O ₃	1
101	Vatva	Satisfactory	72	PM ₁₀	1
102	Yamunanagar	Satisfactory	84	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Moters to calculated for today's bulletin for Aizawl, Amaravati, Ballabgarh, Bhiwani, Chikkaballapur, Coimbatore, Ernakulam, Hubballi, Kalaburgi, Kalyan, Kollam, Mandi Gobindgarh, Moradabad, Nandesari, Ramanagara, Shillong, Talcher, Udaipur, Vijayapura, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.