

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	162	PM <sub>2.5</sub>	1
2	Agra	Moderate	199	PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	99	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	8
4	Aizawl	Good	35	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	97	PM <sub>10</sub>	1
6	Alwar	Satisfactory	84	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	85	PM <sub>2.5</sub>	1
8	Ambala	Poor	225	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	138	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	158	PM <sub>2.5</sub>	1
11	Araria	Satisfactory	87	NO <sub>2</sub>	1
12	Arrah	Moderate	106	NO <sub>2</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	111	PM <sub>2.5</sub>	1
14	Bagalkot	Good	41	PM <sub>10</sub>	1
15	Baghpat	Poor	256	PM <sub>2.5</sub>	1
16	Bahadurgarh	Poor	208	PM <sub>2.5</sub>	1
17	Ballabgarh	Poor	289	PM <sub>2.5</sub>	1
18	Bengaluru	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	9
19	Bettiah	Satisfactory	77	PM <sub>10</sub>	1
20	Bhagalpur	Satisfactory	98	NO <sub>2</sub> , PM <sub>10</sub>	2
21	Bhiwadi	Poor	271	PM <sub>2.5</sub>	1
22	Bhiwani	Poor	211	PM <sub>2.5</sub>	1
23	Bhopal	Moderate	182	PM <sub>2.5</sub>	1
24	Bidar	Moderate	102	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	55	PM <sub>10</sub>	1
26	Bulandshahr	Poor	235	PM <sub>2.5</sub>	1
27	Buxar	Moderate	180	PM <sub>2.5</sub>	1
28	Chamarajanagar	Good	31	PM <sub>10</sub>	1
29	Chandigarh	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	2
30	Chandrapur	Satisfactory	72	PM <sub>2.5</sub>	2
31	Charkhi Dadri	Poor	227	PM <sub>2.5</sub>	1
32	Chennai	Satisfactory	65	PM <sub>10</sub>	7
33	Chhapra	Moderate	129	PM <sub>2.5</sub>	1
34	Chikkaballapur	Satisfactory	61	PM <sub>2.5</sub>	1
35	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
36	Coimbatore	Satisfactory	99	NO <sub>2</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	163	PM <sub>2.5</sub>	1
38	Darbhanga	Satisfactory	69	PM <sub>10</sub>	1
39	Davanagere	Satisfactory	74	PM <sub>10</sub>	1
40	Delhi	Poor	286	PM <sub>2.5</sub>	35
41	Dewas	Moderate	151	PM <sub>2.5</sub>	1
42	Dharuhera	Poor	212	PM <sub>2.5</sub>	1
43	Eloor	Satisfactory	70	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	93	PM <sub>2.5</sub>	1
45	Faridabad	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	4
46	Fatehabad	Moderate	169	PM <sub>2.5</sub>	1
47	Firozabad	Poor	255	PM <sub>2.5</sub>	1
48	Gadag	Good	50	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	63	SO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gaya	Satisfactory	55	СО	1
51	Ghaziabad	Poor	268	PM <sub>2.5</sub>	4
52	Gorakhpur	Good	40	PM <sub>2.5</sub>	1
53	Greater Noida	Moderate	166	PM <sub>2.5</sub>	2
54	Gurugram	Poor	257	PM <sub>2.5</sub>	4
55	Guwahati	Poor	234	PM <sub>2.5</sub>	2
56	Gwalior	Very Poor	313	PM <sub>2.5</sub>	1
57	Hajipur	Good	43	PM <sub>10</sub>	1
58	Haldia	Poor	232	PM <sub>2.5</sub>	1
59	Hapur	Poor	289	PM <sub>2.5</sub>	1
60	Hassan	Satisfactory	54	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	296	PM <sub>2.5</sub>	1
62	Howrah	Poor	257	PM <sub>2.5</sub>	3
63	Hubballi	Moderate	114	PM <sub>10</sub>	1
64	Hyderabad	Satisfactory	92	PM <sub>2.5</sub>	5
65	Indore	Moderate	136	PM <sub>2.5</sub>	1
66	Jabalpur	Poor	220	PM <sub>2.5</sub>	1
67	Jaipur	Moderate	118	PM <sub>10</sub> , PM <sub>2.5</sub>	2
68	Jalandhar	Moderate	134	PM <sub>2.5</sub>	1
69	Jodhpur	Moderate	156	PM <sub>2.5</sub>	1
70	Kaithal	Moderate	162	PM <sub>2.5</sub>	1
71	Kalaburgi	Moderate	104	PM <sub>10</sub>	1
72	Kalyan	Moderate	132	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# •

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	88	PM <sub>2.5</sub>	1
74	Kanpur	Satisfactory	89	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
75	Karnal	Moderate	122	PM <sub>10</sub>	1
76	Katihar	Satisfactory	71	PM <sub>10</sub>	1
77	Katni	Moderate	180	PM <sub>2.5</sub>	1
78	Khanna	Moderate	116	PM <sub>10</sub>	1
79	Kishanganj	Moderate	121	PM <sub>2.5</sub>	1
80	Kochi	Moderate	144	PM <sub>2.5</sub>	1
81	Kolkata	Poor	260	PM <sub>2.5</sub>	7
82	Kollam	Moderate	120	PM <sub>10</sub>	1
83	Koppal	Satisfactory	52	PM <sub>10</sub>	1
84	Kota	Moderate	181	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# od Minimal Impact

Coou	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	54	PM <sub>10</sub>	1
86	Kurukshetra	Moderate	144	PM <sub>2.5</sub>	1
87	Lucknow	Moderate	125	PM <sub>2.5</sub>	6
88	Ludhiana	Poor	217	PM <sub>2.5</sub>	1
89	Madikeri	Good	46	PM <sub>10</sub>	1
90	Maihar	Satisfactory	99	со	1
91	Mandi Gobindgarh	Poor	257	PM <sub>2.5</sub>	1
92	Mandideep	Satisfactory	87	PM <sub>2.5</sub>	1
93	Mandikhera	Moderate	104	PM <sub>2.5</sub>	1
94	Manesar	Poor	283	PM <sub>2.5</sub>	1
95	Manglore	Good	44	PM <sub>2.5</sub>	1
96	Meerut	Poor	263	PM <sub>2.5</sub>	3

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	186	PM <sub>2.5</sub>	3
98	Mumbai	Moderate	155	PM <sub>2.5</sub>	18
99	Munger	Moderate	101	PM <sub>2.5</sub>	1
100	Muzaffarnagar	Poor	294	PM <sub>2.5</sub>	1
101	Muzaffarpur	Satisfactory	68	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	3
102	Mysuru	Satisfactory	61	03	1
103	Nagpur	Satisfactory	74	СО	1
104	Naharlagun	Moderate	130	O <sub>3</sub>	1
105	Narnaul	Moderate	159	PM <sub>2.5</sub>	1
106	Nashik	Moderate	115	PM <sub>2.5</sub>	1
107	Navi Mumbai	Moderate	161	PM <sub>2.5</sub>	2
108	Noida	Poor	222	PM <sub>2.5</sub>	3

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	108	PM <sub>2.5</sub>	1
110	Palwal	Moderate	129	PM <sub>10</sub>	1
111	Panchkula	Moderate	113	PM <sub>2.5</sub>	1
112	Panipat	Poor	207	PM <sub>10</sub>	1
113	Patiala	Moderate	120	PM <sub>10</sub>	1
114	Patna	Satisfactory	89	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	5
115	Pithampur	Moderate	139	PM <sub>10</sub>	1
116	Prayagraj	Good	50	PM <sub>2.5</sub>	2
117	Puducherry	Satisfactory	51	PM <sub>10</sub>	1
118	Pune	Moderate	184	PM <sub>2.5</sub>	2
119	Purnia	Satisfactory	84	PM <sub>2.5</sub>	1
120	Raichur	Satisfactory	89	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	119	PM <sub>2.5</sub>	1
122	Rajgir	Moderate	148	PM <sub>2.5</sub>	1
123	Ramanagara	Satisfactory	75	PM <sub>2.5</sub>	1
124	Ratlam	Satisfactory	89	PM <sub>10</sub>	1
125	Rohtak	Moderate	189	PM <sub>2.5</sub>	1
126	Rupnagar	Moderate	191	PM <sub>10</sub>	1
127	Sagar	Satisfactory	63	PM <sub>2.5</sub>	1
128	Sasaram	Moderate	166	PM <sub>2.5</sub>	1
129	Satna	Good	50	PM <sub>10</sub>	1
130	Shillong	Good	19	PM <sub>2.5</sub>	1
131	Shivamogga	Good	50	PM <sub>10</sub>	1
132	Siliguri	Satisfactory	53	O <sub>3</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	225	PM <sub>2.5</sub>	1
134	Sirsa	Moderate	196	PM <sub>2.5</sub>	1
135	Siwan	Moderate	144	PM <sub>2.5</sub>	1
136	Sonipat	Moderate	174	PM <sub>10</sub>	1
137	Srinagar	Moderate	101	PM <sub>10</sub>	1
138	Talcher	Moderate	116	NO <sub>2</sub>	1
139	Thane	Moderate	176	PM <sub>10</sub>	1
140	Thiruvananthapuram	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	2
141	Thoothukudi	Good	38	PM <sub>10</sub>	1
142	Thrissur	Satisfactory	68	PM <sub>10</sub>	1
143	Tirupati	Satisfactory	66	PM <sub>2.5</sub>	1
144	Udaipur	Moderate	124	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Good	32	03	1
146	Ujjain	Moderate	102	PM <sub>2.5</sub>	1
147	Vapi	Moderate	157	PM <sub>2.5</sub>	1
148	Varanasi	Satisfactory	61	PM <sub>2.5</sub> , NO <sub>2</sub>	4
149	Vatva	Moderate	119	PM <sub>10</sub>	1
150	Vijayapura	Good	41	PM <sub>10</sub>	1
151	Visakhapatnam	Moderate	108	PM <sub>10</sub>	1
152	Vrindavan	Moderate	182	PM <sub>2.5</sub>	1
153	Yadgir	Satisfactory	71	PM <sub>10</sub>	1
154	Yamunanagar	Poor	256	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bhilai, Bihar Sharif, Brajrajnagar, Durgapur, Gummidipoondi, Jind, Jorapokhar, Kohima, Kolar, Manguraha, Motihari, Nandesari, Saharsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.