

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	41	PM <sub>10</sub>	1
2	Agra	Good	23	SO <sub>2</sub>	4
3	Ahmedabad	Satisfactory	84	O <sub>3</sub> , PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	87	PM <sub>10</sub>	1
6	Alwar	Satisfactory	79	PM <sub>10</sub>	1
7	Amaravati	Good	36	O <sub>3</sub>	1
8	Ambala	Satisfactory	94	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	93	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	87	PM <sub>2.5</sub>	1
11	Arrah	Satisfactory	82	NO <sub>2</sub>	1
12	Asansol	Satisfactory	76	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	62	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	87	PM <sub>10</sub>	1
15	Baddi	Moderate	195	O <sub>3</sub>	1
16	Bagalkot	Good	38	со	1
17	Baghpat	Satisfactory	57	PM <sub>2.5</sub>	1
18	Bahadurgarh	Satisfactory	73	PM <sub>10</sub>	1
19	Bareilly	Good	29	CO, PM <sub>10</sub>	2
20	Bathinda	Moderate	152	PM <sub>10</sub>	1
21	Belgaum	Satisfactory	58	PM <sub>2.5</sub>	1
22	Bengaluru	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub>	6
23	Bettiah	Good	26	O <sub>3</sub>	1
24	Bhagalpur	Satisfactory	56	NO <sub>2</sub> , O <sub>3</sub>	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhilai	Good	21	SO <sub>2</sub>	1
26	Bhiwadi	Poor	215	NO <sub>2</sub>	1
27	Bhiwani	Moderate	134	PM <sub>2.5</sub>	1
28	Bhopal	Satisfactory	77	PM <sub>10</sub> , CO	2
29	Bihar Sharif	Satisfactory	62	со	1
30	Bilaspur	Satisfactory	51	PM <sub>10</sub>	1
31	Bulandshahr	Good	40	PM <sub>10</sub>	1
32	Buxar	Satisfactory	91	со	1
33	Chamarajanagar	Good	39	PM <sub>10</sub>	1
34	Chandigarh	Moderate	120	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Chandrapur	Good	39	со	1
36	Charkhi Dadri	Moderate	138	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	96	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	7
38	Chhapra	Satisfactory	91	PM <sub>10</sub>	1
39	Chikkaballapur	Satisfactory	75	PM <sub>10</sub>	1
40	Chikkamagaluru	Good	38	PM <sub>2.5</sub>	1
41	Darbhanga	Good	50	PM <sub>10</sub>	1
42	Davanagere	Good	40	PM <sub>10</sub>	1
43	Dehradun	Moderate	181	O <sub>3</sub>	1
44	Delhi	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	33
45	Dewas	Good	27	PM <sub>2.5</sub>	1
46	Dharuhera	Moderate	109	PM <sub>10</sub>	1
47	Dindigul	Good	46	PM <sub>10</sub>	1
48	Durgapur	Satisfactory	72	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Good	48	со	1
50	Ernakulam	Satisfactory	64	со	1
51	Faridabad	Satisfactory	65	PM <sub>10</sub> , O <sub>3</sub>	4
52	Fatehabad	Moderate	109	PM <sub>10</sub>	1
53	Firozabad	Good	34	PM <sub>2.5</sub> , SO <sub>2</sub>	2
54	Gandhinagar	Satisfactory	59	PM <sub>10</sub>	1
55	Gangtok	Good	15	SO <sub>2</sub>	1
56	Gaya	Satisfactory	61	PM <sub>10</sub> , CO, O <sub>3</sub>	3
57	Ghaziabad	Satisfactory	69	PM <sub>10</sub>	4
58	Gorakhpur	Good	48	SO <sub>2</sub>	1
59	Greater Noida	Good	50	PM <sub>10</sub>	2
60	Gurugram	Satisfactory	73	PM <sub>10</sub>	2

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	43	PM <sub>10</sub>	1
62	Gwalior	Good	34	SO <sub>2</sub>	1
63	Hajipur	Good	29	PM <sub>10</sub>	1
64	Haldia	Good	25	со	1
65	Hapur	Good	27	PM <sub>10</sub>	1
66	Hassan	Good	43	NO <sub>2</sub>	1
67	Haveri	Good	45	PM <sub>2.5</sub>	1
68	Hisar	Moderate	131	PM <sub>2.5</sub>	1
69	Howrah	Good	26	PM <sub>10</sub> , CO	3
70	Hubballi	Satisfactory	67	со	1
71	Hyderabad	Satisfactory	55	CO, PM <sub>2.5</sub>	11
72	Imphal	Moderate	102	O <sub>3</sub>	1

Notes:

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Good	48	PM <sub>10</sub>	1
74	Jabalpur	Satisfactory	96	СО	1
75	Jaipur	Satisfactory	76	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	3
76	Jalandhar	Moderate	101	PM <sub>10</sub>	1
77	Jhansi	Good	28	SO <sub>2</sub>	1
78	Jind	Moderate	105	PM <sub>2.5</sub>	1
79	Jodhpur	Moderate	142	PM <sub>2.5</sub>	1
80	Kaithal	Satisfactory	90	PM <sub>10</sub>	1
81	Kalaburgi	Satisfactory	66	PM <sub>2.5</sub>	1
82	Kalyan	Satisfactory	75	PM <sub>10</sub>	1
83	Kannur	Satisfactory	66	PM <sub>10</sub>	1
84	Kanpur	Good	25	CO, O <sub>3</sub>	4

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Satisfactory	67	PM <sub>10</sub>	1
86	Katihar	Satisfactory	73	со	1
87	Katni	Good	47	PM <sub>10</sub>	1
88	Khanna	Satisfactory	73	PM <sub>10</sub>	1
89	Kishanganj	Good	39	03	1
90	Kohima	Good	35	PM <sub>10</sub>	1
91	Kolkata	Good	35	O <sub>3</sub> , NO <sub>2</sub> , PM <sub>10</sub>	7
92	Kota	Satisfactory	74	PM <sub>2.5</sub>	1
93	Kurukshetra	Moderate	126	PM <sub>2.5</sub>	1
94	Lucknow	Good	41	CO, O <sub>3</sub> , SO <sub>2</sub>	6
95	Ludhiana	Moderate	120	PM <sub>10</sub>	1
96	Madikeri	Good	34	03	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	18	PM <sub>10</sub>	1
98	Mandi Gobindgarh	Satisfactory	56	PM <sub>10</sub>	1
99	Mandideep	Good	43	PM <sub>10</sub>	1
100	Mandikhera	Satisfactory	65	PM <sub>10</sub>	1
101	Manesar	Satisfactory	56	PM <sub>2.5</sub>	1
102	Manglore	Satisfactory	62	PM <sub>10</sub>	1
103	Meerut	Satisfactory	74	PM <sub>10</sub> , CO	3
104	Moradabad	Good	42	PM <sub>10</sub> , O <sub>3</sub>	6
105	Motihari	Good	41	O <sub>3</sub>	1
106	Mumbai	Satisfactory	66	PM <sub>2.5</sub> , CO, NO <sub>2</sub>	15
107	Muzaffarnagar	Satisfactory	80	со	1
108	Muzaffarpur	Satisfactory	59	CO, PM <sub>10</sub>	3

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	56	PM <sub>10</sub>	1
110	Nagpur	Good	42	со	1
111	Narnaul	Satisfactory	87	PM <sub>10</sub>	1
112	Nashik	Satisfactory	55	PM <sub>2.5</sub>	1
113	Navi Mumbai	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	3
114	Noida	Satisfactory	59	CO, PM <sub>10</sub>	3
115	Pali	Moderate	153	03	1
116	Palwal	Good	50	PM <sub>2.5</sub>	1
117	Panipat	Moderate	174	PM <sub>10</sub>	1
118	Patiala	Satisfactory	79	PM <sub>10</sub>	1
119	Patna	Satisfactory	53	PM <sub>10</sub> , NO <sub>2</sub>	6
120	Pithampur	Satisfactory	76	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Good	44	PM <sub>2.5</sub> , SO <sub>2</sub>	2
122	Raichur	Satisfactory	74	со	1
123	Rajamahendravaram	Good	34	со	1
124	Ramanagara	Good	50	03	1
125	Ramanathapuram	Satisfactory	60	PM <sub>10</sub>	1
126	Rupnagar	Moderate	137	PM <sub>10</sub>	1
127	Saharsa	Good	50	PM <sub>10</sub>	1
128	Sasaram	Satisfactory	57	NO <sub>2</sub>	1
129	Satna	Good	30	PM <sub>10</sub>	1
130	Shillong	Good	20	SO <sub>2</sub>	1
131	Shivamogga	Satisfactory	51	03	1
132	Siliguri	Good	34	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Satisfactory	83	NO <sub>2</sub>	1
134	Sirsa	Moderate	156	O <sub>3</sub>	1
135	Sivasagar	Good	12	со	1
136	Solapur	Moderate	142	NO <sub>2</sub>	1
137	Talcher	Satisfactory	66	со	1
138	Thane	Satisfactory	64	PM <sub>10</sub>	1
139	Thiruvananthapuram	Satisfactory	56	CO, PM <sub>10</sub>	2
140	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
141	Thrissur	Good	48	PM <sub>10</sub>	1
142	Tirupati	Good	49	со	1
143	Tiruppur	Moderate	106	PM <sub>10</sub>	1
144	Udaipur	Satisfactory	87	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Satisfactory	71	PM <sub>10</sub>	1
146	Varanasi	Good	40	PM <sub>10</sub> , NO <sub>2</sub>	4
147	Vatva	Satisfactory	58	PM <sub>10</sub>	1
148	Vijayapura	Good	40	PM <sub>10</sub>	1
149	Visakhapatnam	Good	50	со	1
150	Vrindavan	Good	46	SO <sub>2</sub>	1
151	Yamunanagar	Satisfactory	57	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ankleshwar, Araria,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.