

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	140	PM _{2.5}	1
2	Agra	Moderate	158	PM _{2.5}	1
3	Ahmedabad	Moderate	117	PM ₁₀	1
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Satisfactory	65	03	1
6	Alwar	Satisfactory	67	PM _{2.5}	1
7	Amaravati	Moderate	193	PM _{2.5}	1
8	Ambala	Satisfactory	95	PM ₁₀	1
9	Amritsar	Satisfactory	69	со	1
10	Asansol	Poor	245	PM _{2.5}	1
11	Bagalkot	Satisfactory	52	NO ₂	1
12	Bahadurgarh	Moderate	114	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	91	PM ₁₀	1
14	Bathinda	Good	37	PM ₁₀	1
15	Bengaluru	Moderate	104	O ₃ , PM ₁₀ , PM _{2.5}	5
16	Bhiwadi	Poor	219	PM _{2.5}	1
17	Bhiwani	Satisfactory	96	03	1
18	Bhopal	Moderate	131	PM _{2.5}	1
19	Brajrajnagar	Moderate	113	PM _{2.5}	1
20	Bulandshahr	Poor	233	PM _{2.5}	1
21	Chandigarh	Satisfactory	74	PM ₁₀	1
22	Chandrapur	Moderate	122	PM _{2.5} , PM ₁₀	2
23	Charkhi Dadri	Moderate	135	PM ₁₀	1
24	Chennai	Satisfactory	73	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	75	PM ₁₀	1
26	Chikkamagaluru	Satisfactory	56	03	1
27	Damoh	Moderate	174	PM _{2.5}	1
28	Delhi	Moderate	160	PM _{2.5}	38
29	Dewas	Satisfactory	82	PM ₁₀	1
30	Dharuhera	Moderate	120	PM _{2.5}	1
31	Eloor	Satisfactory	64	O ₃	1
32	Ernakulam	Satisfactory	90	PM _{2.5}	1
33	Faridabad	Moderate	120	PM _{2.5} , PM ₁₀	4
34	Fatehabad	Satisfactory	82	PM _{2.5}	1
35	Gandhinagar	Moderate	104	PM ₁₀	1
36	Gaya	Satisfactory	94	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	243	PM _{2.5}	3
38	Greater Noida	Poor	256	PM _{2.5}	2
39	Gurugram	Moderate	101	PM _{2.5} , PM ₁₀	4
40	Guwahati	Moderate	194	PM ₁₀	1
41	Gwalior	Poor	261	PM _{2.5}	1
42	Hajipur	Moderate	145	PM ₁₀	1
43	Hapur	Satisfactory	63	PM ₁₀	1
44	Hisar	Moderate	102	PM _{2.5}	1
45	Howrah	Poor	290	PM _{2.5}	3
46	Hubballi	Moderate	110	PM ₁₀	1
47	Hyderabad	Moderate	120	PM _{2.5} , PM ₁₀	4
48	Indore	Satisfactory	77	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	145	PM _{2.5}	1
50	Jaipur	Satisfactory	65	PM ₁₀ , CO, O ₃	3
51	Jalandhar	Good	50	PM ₁₀	1
52	Jind	Satisfactory	69	PM _{2.5}	1
53	Jodhpur	Moderate	107	PM ₁₀	1
54	Jorapokhar	Satisfactory	71	PM ₁₀	1
55	Kaithal	Satisfactory	59	PM ₁₀	1
56	Kalaburgi	Moderate	106	PM ₁₀	1
57	Kalyan	Satisfactory	95	PM ₁₀	1
58	Kannur	Satisfactory	97	PM _{2.5}	1
59	Kanpur	Poor	214	PM _{2.5}	1
60	Karnal	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	96	PM ₁₀	1
62	Kochi	Satisfactory	77	PM ₁₀	1
63	Kohima	Satisfactory	82	PM _{2.5}	1
64	Kolkata	Very Poor	306	PM _{2.5}	6
65	Kota	Moderate	114	PM _{2.5}	1
66	Kozhikode	Satisfactory	64	PM ₁₀	1
67	Kurukshetra	Satisfactory	74	PM _{2.5}	1
68	Lucknow	Moderate	182	PM _{2.5} , PM ₁₀	4
69	Ludhiana	Satisfactory	62	PM ₁₀	1
70	Maihar	Satisfactory	94	PM _{2.5}	1
71	Mandi Gobindgarh	Moderate	119	PM _{2.5}	1
72	Mandideep	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Satisfactory	57	NO ₂	1
74	Manesar	Satisfactory	74	PM _{2.5}	1
75	Medikeri	Satisfactory	53	03	1
76	Meerut	Moderate	156	PM _{2.5} , PM ₁₀	3
77	Moradabad	Moderate	191	PM _{2.5}	1
78	Mumbai	Moderate	105	PM _{2.5} , CO, PM ₁₀	15
79	Muzaffarnagar	Moderate	109	PM ₁₀	1
80	Muzaffarpur	Poor	271	PM _{2.5} , PM ₁₀	2
81	Nagpur	Satisfactory	72	PM _{2.5}	1
82	Narnaul	Moderate	121	PM ₁₀	1
83	Nashik	Satisfactory	68	PM _{2.5}	1
84	Navi Mumbai	Moderate	153	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Moderate	176	PM _{2.5} , PM ₁₀	4
86	Pali	Satisfactory	65	PM ₁₀	1
87	Palwal	Moderate	106	со	1
88	Panchkula	Moderate	183	PM _{2.5}	1
89	Panipat	Moderate	118	PM ₁₀	1
90	Patiala	Satisfactory	57	PM ₁₀	1
91	Patna	Poor	218	PM _{2.5} , PM ₁₀	4
92	Pithampur	Satisfactory	91	PM _{2.5}	1
93	Pune	Moderate	108	PM _{2.5} , CO	3
94	Rajamahendravaram	Moderate	195	PM _{2.5}	1
95	Ratlam	Moderate	105	PM ₁₀	1
96	Rohtak	Satisfactory	97	NO ₂	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Satisfactory	81	PM _{2.5}	1
98	Satna	Satisfactory	76	PM ₁₀	1
99	Shillong	Satisfactory	80	PM _{2.5}	1
100	Shivamogga	Satisfactory	62	PM ₁₀	1
101	Siliguri	Very Poor	328	PM _{2.5}	1
102	Singrauli	Poor	262	PM _{2.5}	1
103	Sirsa	Satisfactory	84	NO ₂	1
104	Talcher	Moderate	130	PM ₁₀	1
105	Thane	Moderate	120	PM ₁₀	1
106	Thiruvananthapuram	Satisfactory	62	PM ₁₀	2
107	Thoothukudi	Satisfactory	65	03	1
108	Thrissur	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Satisfactory	90	PM _{2.5}	1
110	Udaipur	Moderate	141	PM _{2.5}	1
111	Ujjain	Moderate	137	PM _{2.5}	1
112	Vapi	Moderate	138	PM _{2.5}	1
113	Varanasi	Moderate	129	PM ₁₀	1
114	Vatva	Moderate	121	PM ₁₀	1
115	Vijayapura	Satisfactory	62	PM ₁₀	1
116	Visakhapatnam	Poor	259	PM _{2.5}	1
117	Yadgir	Satisfactory	72	PM ₁₀	1
118	Yamunanagar	Poor	201	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Baghpat, Chamarajanagar, Coimbatore, Katni, Kollam, Mysuru, Nandesari, Ramanagara, Rupnagar, Solapur, Sonipat as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.