

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	373	PM <sub>2.5</sub>	1
2	Ajmer	Satisfactory	94	PM <sub>10</sub>	1
3	Alwar	Moderate	113	PM <sub>2.5</sub>	1
4	Amaravati	Moderate	120	PM <sub>2.5</sub>	1
5	Ambala	Very Poor	350	PM <sub>2.5</sub>	1
6	Amritsar	Poor	240	PM <sub>2.5</sub>	1
7	Ankleshwar	Moderate	185	PM <sub>10</sub>	1
8	Asansol	Poor	230	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	91	PM <sub>10</sub>	1
10	Bagalkot	Moderate	141	PM <sub>2.5</sub>	1
11	Baghpat	Severe	464	PM <sub>2.5</sub>	1
12	Bahadurgarh	Severe	452	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	361	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	151	PM <sub>2.5</sub>	1
15	Bengaluru	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	9
16	Bhiwadi	Severe	432	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	152	O <sub>3</sub>	1
18	Brajrajnagar	Moderate	177	PM <sub>2.5</sub>	1
19	Bulandshahr	Severe	469	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	180	PM <sub>2.5</sub>	1
21	Chandrapur	Moderate	134	PM <sub>10</sub>	2
22	Charkhi Dadri	Very Poor	362	PM <sub>2.5</sub>	1
23	Chennai	Satisfactory	59	PM <sub>2.5</sub>	3
24	Chikkaballapur	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	85	PM <sub>10</sub>	1
26	Damoh	Moderate	154	PM <sub>10</sub>	1
27	Delhi	Severe	450	PM <sub>2.5</sub>	35
28	Dewas	Moderate	137	PM <sub>10</sub>	1
29	Dharuhera	Severe	434	PM <sub>2.5</sub>	1
30	Eloor	Good	41	O <sub>3</sub>	1
31	Ernakulam	Satisfactory	83	СО	1
32	Faridabad	Severe	436	PM <sub>2.5</sub>	4
33	Fatehabad	Severe	416	PM <sub>2.5</sub>	1
34	Gandhinagar	Satisfactory	91	PM <sub>10</sub>	1
35	Gaya	Satisfactory	73	O <sub>3</sub>	1
36	Ghaziabad	Severe	464	PM <sub>2.5</sub>	4

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Severe	457	PM <sub>2.5</sub>	2
38	Gurugram	Severe	443	PM <sub>2.5</sub>	3
39	Guwahati	Poor	272	PM <sub>2.5</sub>	1
40	Gwalior	Very Poor	312	PM <sub>2.5</sub>	1
41	Hajipur	Moderate	156	PM <sub>10</sub>	1
42	Hapur	Severe	442	PM <sub>10</sub>	1
43	Hisar	Very Poor	367	PM <sub>2.5</sub>	1
44	Howrah	Poor	240	PM <sub>2.5</sub>	3
45	Hubballi	Moderate	125	PM <sub>10</sub>	1
46	Hyderabad	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	6
47	Indore	Moderate	172	PM <sub>2.5</sub>	1
48	Jabalpur	Moderate	162	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Poor	236	PM <sub>2.5</sub>	3
50	Jalandhar	Poor	280	PM <sub>2.5</sub>	1
51	Jind	Severe	427	PM <sub>2.5</sub>	1
52	Jodhpur	Poor	249	PM <sub>2.5</sub>	1
53	Kaithal	Severe	422	PM <sub>2.5</sub>	1
54	Kalaburgi	Moderate	126	PM <sub>10</sub>	1
55	Kalyan	Moderate	168	PM <sub>2.5</sub>	1
56	Kannur	Satisfactory	55	СО	1
57	Kanpur	Very Poor	356	PM <sub>2.5</sub>	1
58	Karnal	Very Poor	349	PM <sub>10</sub>	1
59	Katni	Poor	245	PM <sub>2.5</sub>	1
60	Khanna	Poor	258	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Moderate	107	PM <sub>10</sub>	1
62	Kolkata	Poor	243	PM <sub>2.5</sub>	6
63	Kollam	Moderate	113	PM <sub>2.5</sub>	1
64	Kota	Moderate	103	PM <sub>10</sub>	1
65	Kozhikode	Satisfactory	76	PM <sub>10</sub>	1
66	Kurukshetra	Very Poor	377	PM <sub>2.5</sub>	1
67	Lucknow	Very Poor	349	PM <sub>10</sub> , PM <sub>2.5</sub>	4
68	Ludhiana	Poor	247	PM <sub>2.5</sub>	1
69	Mandi Gobindgarh	Poor	227	PM <sub>2.5</sub>	1
70	Mandideep	Moderate	154	PM <sub>2.5</sub>	1
71	Mandikhera	Very Poor	317	PM <sub>2.5</sub>	1
72	Manesar	Very Poor	388	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Severe	453	PM <sub>10</sub> , PM <sub>2.5</sub>	2
74	Moradabad	Severe	489	PM <sub>2.5</sub>	1
75	Mumbai	Moderate	163	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	9
76	Muzaffarnagar	Severe	439	PM <sub>10</sub>	1
77	Muzaffarpur	Poor	258	PM <sub>2.5</sub> , O <sub>3</sub>	2
78	Mysuru	Satisfactory	51	PM <sub>2.5</sub>	1
79	Nagpur	Satisfactory	72	PM <sub>2.5</sub>	1
80	Nandesari	Moderate	127	СО	1
81	Narnaul	Poor	243	PM <sub>2.5</sub>	1
82	Nashik	Moderate	106	O <sub>3</sub>	1
83	Navi Mumbai	Poor	206	PM <sub>2.5</sub>	2
84	Noida	Severe	450	PM <sub>2.5</sub>	4

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	136	PM <sub>10</sub>	1
86	Palwal	Poor	233	PM <sub>10</sub>	1
87	Panchkula	Poor	259	PM <sub>2.5</sub>	1
88	Panipat	Very Poor	400	PM <sub>10</sub>	1
89	Patiala	Poor	274	PM <sub>2.5</sub>	1
90	Patna	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	6
91	Pithampur	Moderate	122	PM <sub>10</sub>	1
92	Pune	Satisfactory	60	PM <sub>2.5</sub>	1
93	Rajamahendravaram	Satisfactory	80	O <sub>3</sub>	1
94	Ramanagara	Satisfactory	73	PM <sub>2.5</sub>	1
95	Ratlam	Moderate	162	PM <sub>10</sub>	1
96	Rohtak	Very Poor	393	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Poor	247	PM <sub>2.5</sub>	1
98	Sagar	Poor	217	PM <sub>2.5</sub>	1
99	Satna	Satisfactory	68	PM <sub>10</sub>	1
100	Shillong	Good	47	PM <sub>2.5</sub>	1
101	Siliguri	Very Poor	323	PM <sub>2.5</sub>	1
102	Singrauli	Poor	215	PM <sub>10</sub>	1
103	Sirsa	Poor	290	PM <sub>2.5</sub>	1
104	Solapur	Moderate	103	PM <sub>10</sub>	1
105	Sonipat	Very Poor	391	PM <sub>10</sub>	1
106	Talcher	Moderate	161	O <sub>3</sub>	1
107	Thane	Poor	232	PM <sub>10</sub>	1
108	Thiruvananthapuram	Satisfactory	74	PM <sub>10</sub> , CO	2

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thrissur	Satisfactory	84	PM <sub>2.5</sub>	1
110	Tirupati	Satisfactory	68	PM <sub>2.5</sub>	1
111	Udaipur	Moderate	102	PM <sub>10</sub>	1
112	Ujjain	Poor	235	O <sub>3</sub>	1
113	Vapi	Poor	266	PM <sub>2.5</sub>	1
114	Varanasi	Poor	251	PM <sub>10</sub>	1
115	Vatva	Moderate	183	PM <sub>10</sub>	1
116	Vijayapura	Satisfactory	87	PM <sub>10</sub>	1
117	Visakhapatnam	Moderate	157	PM <sub>2.5</sub>	1
118	Yadgir	Moderate	102	O <sub>3</sub>	1
119	Yamunanagar	Very Poor	344	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	/ery Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ahmedabad, Aizawl, Bhiwani, Coimbatore, Jorapokhar, Kochi, Maihar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.