

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	146	PM _{2.5}	1
2	Ahmedabad	Moderate	120	PM _{2.5}	1
3	Ajmer	Moderate	118	PM ₁₀	1
4	Alwar	Moderate	105	PM ₁₀	1
5	Amaravati	Moderate	128	PM ₁₀	1
6	Ambala	Moderate	176	OZONE	1
7	Amritsar	Moderate	127	PM _{2.5}	1
8	Ankleshwar	Satisfactory	90	PM ₁₀	1
9	Asanol	Moderate	112	PM ₁₀	1
10	Aurangabad	Satisfactory	87	PM _{2.5}	1
11	Baghpat	Very Poor	367	PM ₁₀	1
12	Bahadurgarh	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Severe	414	PM ₁₀	1
14	Bathinda	Satisfactory	89	PM ₁₀	1
15	Bengaluru	Moderate	101	PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Very Poor	321	PM ₁₀	1
17	Bhiwani	Poor	236	PM _{2.5}	1
18	Bulandshahr	Poor	270	PM ₁₀	1
19	Chandrapur	Moderate	149	PM ₁₀	2
20	Chennai	Satisfactory	61	со	2
21	Chikkaballapur	Satisfactory	86	PM ₁₀	1
22	Damoh	Satisfactory	80	PM ₁₀	1
23	Delhi	Poor	294	PM ₁₀	33
24	Dewas	Moderate	152	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Durgapur	Satisfactory	94	PM ₁₀	1
26	Faridabad	Poor	229	OZONE	1
27	Fatehabad	Poor	286	PM ₁₀	1
28	GandhiNagar	Moderate	101	PM ₁₀	1
29	Gaya	Moderate	120	PM _{2.5}	1
30	Ghaziabad	Very Poor	357	PM ₁₀	3
31	Greater_Noida	Poor	290	PM ₁₀	1
32	Gurugram	Very Poor	303	PM _{2.5}	1
33	Guwahati	Moderate	119	PM _{2.5}	1
34	Hapur	Very Poor	365	PM ₁₀	1
35	Hisar	Poor	229	PM _{2.5}	1
36	Howrah	Satisfactory	99	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	130	PM ₁₀	4
38	Jaipur	Moderate	154	PM ₁₀	3
39	Jind	Poor	251	PM _{2.5}	1
40	Jodhpur	Poor	297	PM _{2.5}	1
41	Jorapokhar	Moderate	200	OZONE	1
42	Kaithal	Moderate	167	PM _{2.5}	1
43	Kanpur	Moderate	142	PM _{2.5}	1
44	Karnal	Poor	228	PM _{2.5}	1
45	Khanna	Satisfactory	75	PM ₁₀	1
46	Kolkata	Satisfactory	90	PM ₁₀	1
47	Kota	Satisfactory	86	PM ₁₀	1
48	Kurukshetra	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Severe	415	PM ₁₀	1
50	Lucknow	Moderate	112	PM _{2.5} , OZONE	4
51	Ludhiana	Satisfactory	90	PM _{2.5}	1
52	Maihar	Moderate	111	PM ₁₀	1
53	Mandideep	Moderate	175	PM ₁₀	1
54	Mandikhera	Moderate	188	PM _{2.5}	1
55	Manesar	Poor	247	PM _{2.5}	1
56	Moradabad	Moderate	195	PM ₁₀	1
57	Mumbai	Satisfactory	94	со	1
58	Muzaffarnagar	Poor	235	OZONE	1
59	Muzaffarpur	Poor	244	PM _{2.5}	1
60	Nagpur	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Moderate	149	PM ₁₀	1
62	Nashik	Satisfactory	70	PM ₁₀	1
63	Navi Mumbai	Moderate	114	со	1
64	Noida	Very Poor	312	PM ₁₀	1
65	Pali	Moderate	153	PM ₁₀	1
66	Palwal	Very Poor	386	PM _{2.5}	1
67	Panchkula	Satisfactory	57	OZONE	1
68	Panipat	Moderate	180	PM ₁₀	1
69	Patiala	Moderate	149	PM ₁₀	1
70	Patna	Poor	228	OZONE	1
71	Pithampur	Moderate	130	PM ₁₀	1
72	Pune	Moderate	101	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	96	PM ₁₀	1
74	Rohtak	Poor	250	PM _{2.5}	1
75	Rupnagar	Moderate	163	PM _{2.5}	1
76	Satna	Satisfactory	94	PM ₁₀	1
77	Siliguri	Moderate	112	PM ₁₀	1
78	Singrauli	Poor	264	PM ₁₀	1
79	Sirsa	Poor	240	PM _{2.5}	1
80	Sonipat	Very Poor	331	PM _{2.5}	1
81	Talcher	Moderate	177	PM ₁₀	1
82	Thane	Satisfactory	62	PM ₁₀	1
83	Thiruvananthapuram	Satisfactory	95	PM ₁₀	1
84	Tirupati	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Satisfactory	70	PM ₁₀	1
86	Ujjain	Moderate	121	OZONE	1
87	Vapi	Satisfactory	95	PM ₁₀	1
88	Varanasi	Poor	234	PM ₁₀	1
89	Vatva	Moderate	124	PM ₁₀	1
90	Visakhapatnam	Moderate	161	PM ₁₀	1
91	Yamunanagar	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Dharuhera, Jalandhar, Kalaburagi, Mandi Gobindgarh, Ratlam, Solapur, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.