

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	129	PM _{2.5}	1
2	Agra	Satisfactory	98	PM _{2.5} , O ₃	5
3	Ahmedabad	Moderate	103	O ₃	8
4	Ajmer	Satisfactory	88	PM ₁₀	1
5	Akola	Good	48	PM _{2.5}	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Ambala	Satisfactory	98	СО	1
8	Amravati	Satisfactory	56	PM ₁₀	2
9	Amritsar	Moderate	101	PM _{2.5}	1
10	Ankleshwar	Moderate	106	PM ₁₀	1
11	Araria	Satisfactory	77	PM _{2.5}	1
12	Ariyalur	Good	38	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	161	PM _{2.5}	1
14	Asansol	Satisfactory	57	PM _{2.5}	1
15	Aurangabad (Bihar)	Satisfactory	70	со	1
16	Aurangabad (Maharashtra)	Good	46	PM ₁₀	2
17	Baddi	Moderate	103	PM ₁₀	1
18	Badlapur	Satisfactory	61	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Moderate	128	PM ₁₀	1
21	Bahadurgarh	Satisfactory	100	PM ₁₀	1
22	Ballabgarh	Moderate	111	PM ₁₀	1
23	Banswara	Satisfactory	62	PM ₁₀	1
24	Baran	Satisfactory	80	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	70	PM ₁₀	2
26	Baripada	Good	48	PM ₁₀	1
27	Barmer	Moderate	147	PM ₁₀	1
28	Bathinda	Satisfactory	70	PM ₁₀	1
29	Belapur	Good	49	PM ₁₀	1
30	Bengaluru	Good	44	PM ₁₀ , PM _{2.5}	9
31	Bhagalpur	Moderate	142	PM _{2.5}	2
32	Bharatpur	Moderate	123	PM ₁₀	1
33	Bhilai	Good	39	PM ₁₀ , PM _{2.5}	3
34	Bhilwara	Satisfactory	65	PM _{2.5}	1
35	Bhiwadi	Moderate	175	PM ₁₀	1
36	Bhiwani	Satisfactory	85	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	71	03	1
38	Bidar	Satisfactory	61	со	1
39	Bihar Sharif	Good	37	PM ₁₀	1
40	Bikaner	Moderate	158	PM ₁₀	1
41	Bileipada	Moderate	115	PM ₁₀	1
42	Brajrajnagar	Satisfactory	70	PM ₁₀	1
43	Bulandshahr	Moderate	169	PM ₁₀	1
44	Bundi	Satisfactory	96	03	1
45	Byrnihat	Poor	257	PM _{2.5}	1
46	Chamarajanagar	Good	45	PM ₁₀	1
47	Chandigarh	Satisfactory	79	PM ₁₀	3
48	Chandrapur	Satisfactory	83	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	67	PM ₁₀	1
50	Chennai	Satisfactory	84	NO ₂	1
51	Chhapra	Moderate	105	PM ₁₀	1
52	Chikkaballapur	Good	38	PM _{2.5}	1
53	Chikkamagaluru	Good	38	03	1
54	Chittoor	Good	33	O ₃	1
55	Chittorgarh	Satisfactory	77	PM ₁₀	1
56	Churu	Satisfactory	83	PM ₁₀	1
57	Damoh	Satisfactory	84	PM ₁₀	1
58	Dausa	Moderate	143	PM ₁₀	1
59	Davanagere	Good	17	O ₃	1
60	Dehradun	Moderate	115	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dewas, Dindigul, Dungarpur, Durgapur, Eloor, Ernakulam, Gum

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	129	PM _{2.5} , PM ₁₀	35
62	Dhanbad	Satisfactory	84	NO ₂	1
63	Dharuhera	Moderate	158	PM ₁₀	1
64	Dharwad	Satisfactory	52	со	1
65	Dholpur	Satisfactory	100	PM ₁₀	1
66	Dhule	Satisfactory	52	PM _{2.5}	1
67	Faridabad	Moderate	123	PM ₁₀ , PM _{2.5}	3
68	Fatehabad	Poor	236	03	1
69	Firozabad	Satisfactory	88	PM ₁₀	2
70	Gadag	Good	38	со	1
71	Gandhinagar	Satisfactory	62	PM _{2.5} , PM ₁₀	2
72	Gangtok	Satisfactory	62	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	75	PM ₁₀ , PM _{2.5}	3
74	Ghaziabad	Moderate	152	PM _{2.5}	4
75	Gorakhpur	Satisfactory	59	PM ₁₀	1
76	Greater Noida	Poor	280	PM ₁₀ , O ₃	2
77	Gurugram	Moderate	186	PM _{2.5}	4
78	Guwahati	Satisfactory	62	CO, PM ₁₀	4
79	Hajipur	Satisfactory	75	PM ₁₀	1
80	Haldia	Good	49	03	1
81	Hanumangarh	Moderate	152	PM ₁₀	1
82	Hapur	Moderate	116	PM _{2.5}	1
83	Haveri	Good	43	со	1
84	Hosur	Good	45	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dewas, Dindigul, Dungarpur, Durgapur, Eloor, Ernakulam, Gummidipoondi,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Good	49	PM ₁₀	3
86	Hubballi	Good	44	со	2
87	Hyderabad	Satisfactory	77	PM ₁₀ , PM _{2.5}	8
88	Imphal	Satisfactory	71	SO ₂	1
89	Jabalpur	Satisfactory	88	PM ₁₀	3
90	Jaipur	Moderate	104	O ₃ , PM ₁₀	4
91	Jaisalmer	Moderate	111	PM ₁₀	1
92	Jalandhar	Satisfactory	72	PM ₁₀	1
93	Jalgaon	Satisfactory	92	PM ₁₀	1
94	Jalna	Good	37	03	1
95	Jhalawar	Satisfactory	73	PM ₁₀	1
96	Jhansi	Satisfactory	94	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Poor	208	PM _{2.5}	1
98	Jind	Satisfactory	96	со	1
99	Jodhpur	Satisfactory	82	PM ₁₀	4
100	Kadapa	Good	32	PM _{2.5}	1
101	Kaithal	Satisfactory	70	PM _{2.5}	1
102	Kalaburgi	Satisfactory	53	PM ₁₀	1
103	Kannur	Satisfactory	70	PM ₁₀	1
104	Kanpur	Satisfactory	77	PM ₁₀	4
105	Karauli	Satisfactory	54	O ₃	1
106	Karnal	Satisfactory	69	PM ₁₀	1
107	Kashipur	Good	37	PM _{2.5}	1
108	Katihar	Moderate	101	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore, Darbhange

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Satisfactory	55	PM ₁₀	1
110	Khanna	Satisfactory	67	PM ₁₀	1
111	Khurja	Poor	205	PM _{2.5}	1
112	Kishanganj	Satisfactory	57	03	1
113	Kochi	Satisfactory	53	PM ₁₀	1
114	Kohima	Satisfactory	58	PM ₁₀	1
115	Kolhapur	Good	44	O ₃	2
116	Kolkata	Good	43	PM ₁₀	7
117	Kollam	Satisfactory	85	PM ₁₀	1
118	Korba	Good	30	CO, PM ₁₀	2
119	Kota	Satisfactory	85	O ₃ , PM ₁₀	3
120	Kunjemura	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Satisfactory	75	PM ₁₀	1
122	Lucknow	Satisfactory	76	PM ₁₀ , PM _{2.5}	5
123	Ludhiana	Satisfactory	65	PM ₁₀	1
124	Madikeri	Good	38	PM _{2.5}	1
125	Mahad	Good	35	PM _{2.5}	1
126	Maihar	Good	40	со	1
127	Mandi Gobindgarh	Satisfactory	84	PM ₁₀	1
128	Mandikhera	Good	40	PM ₁₀	1
129	Manesar	Poor	201	PM _{2.5}	1
130	Mangalore	Good	50	PM ₁₀	1
131	Manguraha	Good	34	со	1
132	Meerut	Moderate	193	NO ₂ , PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Moderate	109	PM _{2.5} , PM ₁₀	6
134	Motihari	Moderate	148	PM _{2.5}	1
135	Mumbai	Satisfactory	68	CO, PM ₁₀	22
136	Munger	Moderate	130	PM _{2.5}	1
137	Muzaffarnagar	Moderate	106	PM ₁₀	1
138	Muzaffarpur	Satisfactory	97	CO, PM _{2.5}	3
139	Mysuru	Good	50	PM ₁₀	1
140	Nagaon	Satisfactory	75	PM ₁₀	1
141	Nagaur	Moderate	105	PM ₁₀	1
142	Nagpur	Satisfactory	69	PM ₁₀	4
143	Nalbari	Satisfactory	89	PM ₁₀	1
144	Nanded	Good	44	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Moderate	139	СО	1
146	Nashik	Satisfactory	55	PM ₁₀ , CO	4
147	Navi Mumbai	Satisfactory	83	O ₃ , PM _{2.5}	6
148	Nayagarh	Satisfactory	68	PM ₁₀	1
149	Noida	Moderate	140	PM ₁₀	3
150	Ooty	Good	32	PM ₁₀	1
151	Pali	Satisfactory	93	PM ₁₀	1
152	Palwal	Good	40	PM ₁₀	1
153	Panchkula	Satisfactory	74	PM _{2.5}	1
154	Panipat	Satisfactory	69	PM ₁₀	1
155	Parbhani	Good	45	PM ₁₀	1
156	Patiala	Satisfactory	66	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dewas, Dindigul, Dungarpur, Durgapur, Eloor, Ernakulam, Gummid

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Moderate	144	PM ₁₀ , PM _{2.5}	6
158	Pimpri Chinchwad	Satisfactory	51	NO ₂	3
159	Pratapgarh	Satisfactory	75	03	1
160	Prayagraj	Satisfactory	96	PM _{2.5} , PM ₁₀	3
161	Puducherry	Satisfactory	52	PM ₁₀	1
162	Pune	Satisfactory	86	NO ₂ , PM _{2.5}	8
163	Purnia	Satisfactory	74	PM _{2.5}	1
164	Raichur	Satisfactory	69	со	1
165	Raipur	Satisfactory	67	PM ₁₀ , NO ₂	4
166	Rairangpur	Satisfactory	68	PM ₁₀	1
167	Rajamahendravaram	Good	36	03	1
168	Rajgir	Satisfactory	88	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajsamand	Satisfactory	82	PM ₁₀	1
170	Ratlam	Satisfactory	66	PM ₁₀	1
171	Rishikesh	Good	46	PM ₁₀	1
172	Rohtak	Satisfactory	72	PM _{2.5}	1
173	Rourkela	Satisfactory	83	PM ₁₀	3
174	Rupnagar	Moderate	108	PM ₁₀	1
175	Sagar	Satisfactory	68	СО	1
176	Saharsa	Moderate	107	PM ₁₀	1
177	Samastipur	Moderate	160	PM _{2.5}	1
178	Sangli	Good	34	O ₃	1
179	Satna	Moderate	130	PM ₁₀	1
180	Sawai Madhopur	Satisfactory	66	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good
Satisfactory
Moderate
Poor
Very Poor
Severe
Moderate Poor Very Poor

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Good	40	PM ₁₀ , PM _{2.5}	2
182	Shivamogga	Satisfactory	51	O ₃	1
183	Sikar	Moderate	111	03	1
184	Silchar	Good	24	со	1
185	Siliguri	Good	50	PM ₁₀	1
186	Singrauli	Satisfactory	71	SO ₂	1
187	Sirohi	Satisfactory	56	PM ₁₀	1
188	Sirsa	Moderate	145	PM ₁₀	1
189	Sivasagar	Good	35	PM ₁₀	1
190	Solapur	Good	47	PM _{2.5} , PM ₁₀	3
191	Sonipat	Moderate	155	PM _{2.5}	1
192	Sri Ganganagar	Moderate	153	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Suakati	Satisfactory	67	PM ₁₀	1
194	Surat	Poor	274	PM _{2.5}	1
195	Talcher	Satisfactory	69	PM _{2.5}	1
196	Tensa	Satisfactory	60	PM _{2.5}	1
197	Thane	Satisfactory	67	PM ₁₀	2
198	Thiruvananthapuram	Good	40	PM ₁₀ , CO	2
199	Thoothukudi	Satisfactory	57	PM ₁₀	1
200	Thrissur	Satisfactory	59	PM ₁₀	1
201	Tirupati	Good	37	СО	1
202	Tirupur	Good	40	PM ₁₀	1
203	Tonk	Satisfactory	87	PM ₁₀	1
204	Tumakuru	Satisfactory	69	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur, Beisar, Buxar, Chengalpattu, Chhal, Ceimbatere, Guddalere, Darbhanga

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Good	36	O ₃	1
206	Udaipur	Satisfactory	84	PM ₁₀	1
207	Udupi	Satisfactory	73	03	1
208	Ulhasnagar	Good	49	PM _{2.5}	1
209	Vapi	Moderate	116	со	1
210	Varanasi	Good	42	PM ₁₀	4
211	Vatva	Moderate	117	PM ₁₀	1
212	Vijayawada	Satisfactory	59	NO ₂	2
213	Visakhapatnam	Satisfactory	91	PM ₁₀	1
214	Vrindavan	Satisfactory	66	PM ₁₀	1
215	Yamunanagar	Satisfactory	97	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Begusarai, Belgaum, Bettiah, Bhiwandi, Bilaspur,

Boisar, Buxar, Chengalpattu, Chhal, Coimbatore, Cuddalore, Darbhanga,
Dewas, Dindigul, Dungarpur, Durgapur, Eloor, Ernakulam, Gummidipoon

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.