

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	230	PM _{2.5}	1
2	Ahmedabad	Poor	241	PM ₁₀	1
3	Aizawl	Satisfactory	68	PM _{2.5}	1
4	Ajmer	Moderate	114	PM ₁₀	1
5	Alwar	Satisfactory	90	PM ₁₀	1
6	Amaravati	Satisfactory	58	PM ₁₀	1
7	Ambala	Moderate	101	PM ₁₀	1
8	Amritsar	Satisfactory	92	PM ₁₀	1
9	Ankleshwar	Moderate	190	NO ₂	1
10	Asansol	Moderate	199	PM _{2.5}	1
11	Bagalkot	Good	43	03	1
12	Baghpat	Poor	234	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	235	PM _{2.5}	1
14	Ballabgarh	Poor	203	PM _{2.5}	1
15	Bathinda	Moderate	176	PM ₁₀	1
16	Bengaluru	Satisfactory	70	CO, PM ₁₀ , PM _{2.5}	8
17	Bhiwadi	Very Poor	323	PM ₁₀	1
18	Bhiwani	Moderate	122	PM ₁₀	1
19	Bhopal	Moderate	130	PM ₁₀	1
20	Bidar	Moderate	101	PM ₁₀	1
21	Brajrajnagar	Poor	284	PM _{2.5}	1
22	Bulandshahr	Poor	233	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	83	PM ₁₀	1
24	Chandigarh	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	181	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	167	PM ₁₀	1
27	Chennai	Satisfactory	73	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Satisfactory	76	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	63	PM ₁₀	1
30	Damoh	Satisfactory	52	PM _{2.5}	1
31	Davanagere	Moderate	105	PM ₁₀	1
32	Delhi	Poor	255	PM ₁₀	30
33	Dharuhera	Poor	290	PM ₁₀	1
34	Durgapur	Poor	284	PM _{2.5}	1
35	Eloor	Good	48	со	1
36	Ernakulam	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	268	PM ₁₀ , PM _{2.5}	4
38	Fatehabad	Moderate	121	PM ₁₀	1
39	Gandhinagar	Moderate	116	PM ₁₀	1
40	Gaya	Moderate	102	PM _{2.5} , O ₃	2
41	Ghaziabad	Poor	276	PM ₁₀ , PM _{2.5}	4
42	Greater Noida	Very Poor	301	PM ₁₀	2
43	Gummidipoondi	Moderate	191	PM _{2.5}	1
44	Gurugram	Poor	273	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Poor	264	PM ₁₀	2
46	Gwalior	Moderate	158	PM ₁₀	1
47	Hajipur	Moderate	186	PM _{2.5}	1
48	Hapur	Moderate	166	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	187	PM _{2.5}	1
50	Howrah	Moderate	151	PM _{2.5}	3
51	Hubballi	Moderate	109	PM ₁₀	1
52	Hyderabad	Moderate	103	PM ₁₀ , PM _{2.5}	6
53	Indore	Moderate	147	PM ₁₀	1
54	Jabalpur	Moderate	148	PM ₁₀	1
55	Jaipur	Moderate	148	PM ₁₀ , PM _{2.5}	3
56	Jalandhar	Moderate	111	PM ₁₀	1
57	Jind	Moderate	151	PM _{2.5}	1
58	Jodhpur	Moderate	147	PM _{2.5}	1
59	Jorapokhar	Moderate	118	PM ₁₀	1
60	Kaithal	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	90	PM ₁₀	1
62	Kalyan	Poor	241	PM ₁₀	1
63	Kannur	Moderate	122	PM ₁₀	1
64	Kanpur	Moderate	176	PM _{2.5}	2
65	Karnal	Satisfactory	95	PM _{2.5}	1
66	Katni	Poor	241	PM ₁₀	1
67	Khanna	Moderate	122	PM ₁₀	1
68	Kohima	Moderate	154	PM ₁₀	1
69	Kolar	Satisfactory	58	NO ₂	1
70	Kolkata	Moderate	148	PM _{2.5} , O ₃ , PM ₁₀	6
71	Kollam	Moderate	104	PM ₁₀	1
72	Kota	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	81	PM ₁₀	1
74	Kurukshetra	Moderate	125	PM ₁₀	1
75	Lucknow	Poor	240	PM _{2.5} , NO ₂ , PM ₁₀	4
76	Ludhiana	Moderate	113	PM ₁₀	1
77	Maihar	Satisfactory	72	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	124	PM ₁₀	1
79	Mandideep	Satisfactory	68	NO ₂	1
80	Mandikhera	Moderate	103	PM ₁₀	1
81	Manesar	Poor	268	PM _{2.5}	1
82	Manglore	Moderate	109	PM _{2.5}	1
83	Medikeri	Satisfactory	58	PM ₁₀	1
84	Meerut	Poor	228	NO ₂ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	213	PM _{2.5}	1
86	Mumbai	Poor	211	PM _{2.5} , PM ₁₀	17
87	Muzaffarnagar	Moderate	166	PM ₁₀	1
88	Muzaffarpur	Moderate	144	PM _{2.5}	1
89	Mysuru	Satisfactory	64	PM ₁₀	1
90	Nandesari	Moderate	112	со	1
91	Narnaul	Moderate	130	PM ₁₀	1
92	Nashik	Satisfactory	97	PM _{2.5}	1
93	Navi Mumbai	Poor	238	PM _{2.5} , O ₃ , PM ₁₀	3
94	Noida	Poor	250	PM ₁₀ , PM _{2.5}	2
95	Pali	Moderate	157	PM _{2.5}	1
96	Palwal	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	47	PM _{2.5}	1
98	Panipat	Moderate	183	PM ₁₀	1
99	Patiala	Moderate	116	PM ₁₀	1
100	Patna	Moderate	190	PM _{2.5} , PM ₁₀	5
101	Pithampur	Moderate	112	PM ₁₀	1
102	Puducherry	Good	43	PM ₁₀	1
103	Pune	Moderate	111	PM _{2.5} , CO, PM ₁₀	6
104	Rajamahendravaram	Moderate	102	PM ₁₀	1
105	Ramanagara	Satisfactory	77	O ₃	1
106	Rohtak	Moderate	191	PM _{2.5}	1
107	Rupnagar	Satisfactory	97	PM ₁₀	1
108	Sagar	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Moderate	105	PM ₁₀	1
110	Shillong	Moderate	144	PM ₁₀	1
111	Shivamogga	Satisfactory	56	03	1
112	Siliguri	Poor	248	PM _{2.5}	1
113	Singrauli	Poor	236	PM _{2.5}	1
114	Sirsa	Satisfactory	97	PM ₁₀	1
115	Sonipat	Moderate	194	PM ₁₀	1
116	Srinagar	Satisfactory	79	PM ₁₀	1
117	Talcher	Moderate	179	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	78	PM ₁₀	2
119	Thoothukudi	Satisfactory	62	PM ₁₀	1
120	Thrissur	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	56	NO ₂	1
122	Udaipur	Moderate	112	PM ₁₀	1
123	Udupi	Satisfactory	86	O ₃	1
124	Ujjain	Moderate	123	PM ₁₀	1
125	Vapi	Moderate	161	PM ₁₀	1
126	Varanasi	Poor	201	PM _{2.5}	1
127	Vijayapura	Satisfactory	61	PM ₁₀	1
128	Visakhapatnam	Moderate	143	PM ₁₀	1
129	Yadgir	Satisfactory	88	PM ₁₀	1
130	Yamunanagar	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Aurangabad, Coimbatore, Dewas, Gadag, Haldia, Kochi, Koppal, Nagpur, Raichur, Ratlam, Solapur, Thane, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.