

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	176	PM _{2.5}	1
2	Agra	Poor	263	PM _{2.5}	3
3	Ahmedabad	Moderate	126	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Satisfactory	98	PM ₁₀	1
6	Alwar	Moderate	115	PM _{2.5}	1
7	Amaravati	Moderate	152	PM _{2.5}	1
8	Ambala	Poor	290	PM _{2.5}	1
9	Amritsar	Poor	222	PM ₁₀	1
10	Ankleshwar	Poor	210	PM _{2.5}	1
11	Asansol	Moderate	169	03	1
12	Aurangabad	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	56	PM _{2.5}	1
14	Baghpat	Very Poor	320	PM _{2.5}	1
15	Bahadurgarh	Very Poor	374	PM _{2.5}	1
16	Bathinda	Moderate	145	PM ₁₀	1
17	Bengaluru	Satisfactory	55	PM ₁₀ , PM _{2.5} , NO ₂	7
18	Bettiah	Very Poor	320	PM ₁₀	1
19	Bhagalpur	Very Poor	304	PM _{2.5}	2
20	Bhilai	Satisfactory	74	PM ₁₀	1
21	Bhiwadi	Very Poor	335	PM _{2.5}	1
22	Bhiwani	Poor	253	PM _{2.5}	1
23	Bhopal	Moderate	115	PM ₁₀	1
24	Brajrajnagar	Moderate	106	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Very Poor	343	PM _{2.5}	1
26	Chamarajanagar	Good	36	PM ₁₀	1
27	Chandigarh	Moderate	141	PM _{2.5} , PM ₁₀	2
28	Chandrapur	Moderate	112	PM _{2.5} , PM ₁₀	2
29	Charkhi Dadri	Very Poor	336	PM _{2.5}	1
30	Chennai	Good	40	O ₃ , CO, PM _{2.5}	8
31	Chikkaballapur	Good	29	СО	1
32	Chikkamagaluru	Good	40	PM ₁₀	1
33	Damoh	Moderate	139	PM _{2.5}	1
34	Darbhanga	Very Poor	356	PM _{2.5}	1
35	Delhi	Very Poor	389	PM _{2.5}	30
36	Dewas	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	270	PM _{2.5}	1
38	Eloor	Satisfactory	77	PM ₁₀	1
39	Ernakulam	Good	43	СО	1
40	Faridabad	Poor	276	PM _{2.5} , PM ₁₀ , CO	4
41	Fatehabad	Poor	248	PM _{2.5}	1
42	Firozabad	Poor	261	PM _{2.5}	1
43	Gandhinagar	Satisfactory	70	PM _{2.5} , PM ₁₀	3
44	Gaya	Poor	286	PM _{2.5}	3
45	Ghaziabad	Very Poor	365	PM _{2.5}	4
46	Gorakhpur	Moderate	187	PM _{2.5}	1
47	Greater Noida	Very Poor	350	PM _{2.5}	2
48	Gurugram	Very Poor	395	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	178	PM _{2.5}	2
50	Gwalior	Moderate	186	PM _{2.5}	2
51	Haldia	Moderate	129	PM ₁₀	1
52	Hapur	Very Poor	340	PM _{2.5}	1
53	Hisar	Very Poor	387	PM _{2.5}	1
54	Howrah	Poor	226	PM _{2.5}	3
55	Hyderabad	Moderate	160	PM _{2.5}	4
56	Indore	Moderate	125	PM ₁₀	1
57	Jabalpur	Moderate	136	PM ₁₀	1
58	Jaipur	Moderate	154	PM _{2.5}	2
59	Jalandhar	Poor	214	PM _{2.5}	1
60	Jind	Very Poor	347	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	167	PM _{2.5}	1
62	Kaithal	Very Poor	303	PM _{2.5}	1
63	Kalaburgi	Moderate	157	PM _{2.5}	1
64	Kannur	Satisfactory	54	PM _{2.5}	1
65	Kanpur	Poor	267	PM _{2.5}	3
66	Karnal	Poor	283	PM ₁₀	1
67	Katihar	Very Poor	331	PM ₁₀	1
68	Katni	Poor	257	PM _{2.5}	1
69	Khanna	Moderate	149	PM _{2.5}	1
70	Kochi	Good	47	со	1
71	Kohima	Satisfactory	92	PM _{2.5}	1
72	Kolkata	Moderate	178	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Poor	221	PM _{2.5}	1
74	Kozhikode	Good	48	PM ₁₀	1
75	Kurukshetra	Very Poor	305	PM _{2.5}	1
76	Lucknow	Poor	288	PM _{2.5}	5
77	Ludhiana	Moderate	133	PM ₁₀	1
78	Maihar	Satisfactory	84	PM _{2.5}	1
79	Mandideep	Moderate	125	PM ₁₀	1
80	Mandikhera	Satisfactory	80	со	1
81	Medikeri	Good	21	O ₃	1
82	Meerut	Poor	299	PM _{2.5}	3
83	Moradabad	Poor	299	PM _{2.5}	2
84	Motihari	Very Poor	398	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	120	PM _{2.5} , PM ₁₀	20
86	Muzaffarnagar	Very Poor	326	PM _{2.5}	1
87	Muzaffarpur	Very Poor	346	PM _{2.5}	2
88	Mysuru	Good	36	PM ₁₀	1
89	Nagpur	Satisfactory	78	PM ₁₀	1
90	Naharlagun	Satisfactory	92	PM ₁₀	1
91	Nandesari	Satisfactory	100	СО	1
92	Narnaul	Very Poor	306	PM _{2.5}	1
93	Nashik	Satisfactory	97	PM _{2.5}	1
94	Navi Mumbai	Moderate	140	PM _{2.5} , PM ₁₀	3
95	Noida	Very Poor	356	PM _{2.5}	3
96	Pali	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Poor	248	PM ₁₀	1
98	Panchkula	Moderate	137	PM _{2.5}	1
99	Panipat	Moderate	145	PM _{2.5}	1
100	Patiala	Poor	217	PM _{2.5}	1
101	Patna	Very Poor	353	PM _{2.5} , PM ₁₀	6
102	Pithampur	Moderate	131	PM _{2.5}	1
103	Prayagraj	Poor	262	PM _{2.5}	3
104	Puducherry	Satisfactory	59	СО	1
105	Pune	Moderate	154	PM _{2.5} , NO ₂	3
106	Purnia	Very Poor	320	PM _{2.5}	1
107	Rajamahendravaram	Moderate	194	PM _{2.5}	1
108	Rajgir	Very Poor	360	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	35	O ₃	1
110	Ratlam	Moderate	121	PM ₁₀	1
111	Rohtak	Very Poor	303	PM _{2.5}	1
112	Rupnagar	Poor	281	PM _{2.5}	1
113	Sagar	Satisfactory	87	PM _{2.5}	1
114	Sasaram	Very Poor	390	PM _{2.5}	1
115	Satna	Satisfactory	73	PM ₁₀	1
116	Shivamogga	Good	43	PM ₁₀	1
117	Siliguri	Satisfactory	90	PM ₁₀	1
118	Singrauli	Poor	294	PM _{2.5}	1
119	Sirsa	Poor	249	PM _{2.5}	1
120	Siwan	Very Poor	385	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Moderate	182	PM ₁₀	1
122	Talcher	Moderate	145	PM _{2.5}	1
123	Thane	Poor	249	PM ₁₀	1
124	Thiruvananthapuram	Good	31	NO ₂ , PM ₁₀	2
125	Thoothukudi	Good	14	NO ₂	1
126	Tirupati	Good	42	со	1
127	Udaipur	Moderate	126	PM ₁₀	1
128	Ujjain	Moderate	142	PM ₁₀	1
129	Vapi	Moderate	120	PM _{2.5}	1
130	Varanasi	Poor	238	PM _{2.5}	3
131	Vatva	Moderate	131	PM ₁₀	1
132	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Moderate	122	PM ₁₀	1
134	Vrindavan	Poor	271	PM _{2.5}	1
135	Yamunanagar	Very Poor	312	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Bihar Sharif, Bilaspur, Buxar, Chhapra, Coimbatore, Davanagere, Dharuhera, Gadag, Gummidipoondi, Hajipur, Hassan, Hubballi, Jorapokhar, Kalyan, Kishanganj, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Raichur, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.