

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	81	PM _{2.5}	1
2	Agra	Moderate	115	PM ₁₀	3
3	Ahmedabad	Satisfactory	83	NO ₂ , PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	25	SO ₂	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Satisfactory	64	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Moderate	120	PM ₁₀	1
9	Amritsar	Satisfactory	90	PM ₁₀	1
10	Ankleshwar	Moderate	120	PM _{2.5}	1
11	Asansol	Satisfactory	88	PM ₁₀	1
12	Bagalkot	Good	34	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	113	PM ₁₀	1
14	Bahadurgarh	Satisfactory	84	PM _{2.5}	1
15	Ballabgarh	Poor	221	PM _{2.5}	1
16	Bengaluru	Good	49	CO, NO ₂ , O ₃	7
17	Bhiwadi	Moderate	170	PM _{2.5}	1
18	Bhiwani	Satisfactory	99	PM _{2.5}	1
19	Bhopal	Moderate	105	PM ₁₀	1
20	Bilaspur	Satisfactory	88	PM ₁₀	1
21	Brajrajnagar	Good	44	со	1
22	Bulandshahr	Moderate	121	PM _{2.5}	1
23	Chamarajanagar	Good	48	PM ₁₀	1
24	Chandigarh	Moderate	121	O ₃ , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad,
 Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula,
 Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	54	PM ₁₀	2
26	Charkhi Dadri	Moderate	128	PM _{2.5}	1
27	Chennai	Satisfactory	51	PM ₁₀ , CO, PM _{2.5}	7
28	Chikkaballapur	Good	34	NO ₂	1
29	Chikkamagaluru	Satisfactory	67	NO ₂	1
30	Damoh	Good	38	PM _{2.5}	1
31	Delhi	Moderate	127	PM ₁₀ , PM _{2.5} , O ₃	38
32	Dewas	Satisfactory	65	PM ₁₀	1
33	Dharuhera	Satisfactory	89	PM _{2.5}	1
34	Durgapur	Moderate	119	PM ₁₀	1
35	Eloor	Good	50	со	1
36	Ernakulam	Good	44	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	236	03	1
38	Firozabad	Satisfactory	81	PM ₁₀	1
39	Gandhinagar	Satisfactory	62	PM ₁₀ , CO	3
40	Gaya	Satisfactory	76	PM _{2.5} , PM ₁₀	2
41	Ghaziabad	Moderate	151	PM _{2.5} , PM ₁₀	3
42	Gorakhpur	Satisfactory	64	PM ₁₀	1
43	Greater Noida	Moderate	140	PM ₁₀	2
44	Gummidipoondi	Moderate	117	PM _{2.5}	1
45	Gurugram	Moderate	139	PM _{2.5}	3
46	Guwahati	Satisfactory	93	SO ₂ , PM ₁₀	2
47	Gwalior	Satisfactory	81	PM ₁₀ , PM _{2.5}	2
48	Hajipur	Moderate	113	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	38	PM ₁₀	1
50	Hapur	Moderate	158	O ₃	1
51	Hassan	Good	39	PM ₁₀	1
52	Hisar	Satisfactory	89	PM _{2.5}	1
53	Howrah	Satisfactory	68	PM ₁₀	3
54	Hyderabad	Good	46	NO ₂ , PM ₁₀ , CO	5
55	Indore	Satisfactory	82	PM ₁₀	1
56	Jabalpur	Satisfactory	77	PM ₁₀	1
57	Jaipur	Satisfactory	78	PM ₁₀ , O ₃	2
58	Jalandhar	Moderate	101	PM _{2.5}	1
59	Jind	Satisfactory	90	PM ₁₀	1
60	Jodhpur	Moderate	157	PM _{2.5}	1

Possible Health Impacts

d Minimal Impact

Good	Willima Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad,
 Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula,
 Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	91	PM ₁₀	1
62	Kalaburgi	Good	46	PM ₁₀	1
63	Kalyan	Satisfactory	61	PM ₁₀	1
64	Kannur	Good	40	со	1
65	Kanpur	Satisfactory	96	O ₃ , PM ₁₀	4
66	Karnal	Satisfactory	78	PM _{2.5}	1
67	Katni	Moderate	117	PM ₁₀	1
68	Khanna	Moderate	107	PM _{2.5}	1
69	Kochi	Good	40	со	1
70	Kohima	Satisfactory	73	PM ₁₀	1
71	Kolar	Good	43	со	1
72	Kolkata	Satisfactory	66	PM ₁₀ , PM _{2.5} , CO	6

Possible Health Impacts

Afternal Inneres

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad,
 Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula,
 Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	90	СО	1
74	Koppal	Satisfactory	59	O ₃	1
75	Kota	Satisfactory	69	PM _{2.5}	1
76	Kozhikode	Good	43	PM ₁₀	1
77	Kurukshetra	Moderate	172	03	1
78	Lucknow	Satisfactory	74	PM ₁₀ , CO, PM _{2.5}	6
79	Ludhiana	Moderate	101	PM ₁₀	1
80	Maihar	Good	38	PM _{2.5}	1
81	Mandi Gobindgarh	Poor	239	PM _{2.5}	1
82	Mandideep	Moderate	121	PM ₁₀	1
83	Mandikhera	Satisfactory	72	PM _{2.5}	1
84	Manesar	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manglore	Satisfactory	66	PM ₁₀	1
86	Medikeri	Good	33	O ₃	1
87	Meerut	Moderate	135	O ₃ , PM ₁₀	3
88	Moradabad	Moderate	127	PM ₁₀	1
89	Mumbai	Satisfactory	61	PM ₁₀ , CO, O ₃	19
90	Muzaffarnagar	Moderate	110	PM ₁₀	1
91	Muzaffarpur	Satisfactory	83	PM _{2.5} , PM ₁₀	2
92	Mysuru	Good	40	PM ₁₀	1
93	Naharlagun	Satisfactory	58	PM ₁₀	1
94	Narnaul	Satisfactory	65	PM _{2.5}	1
95	Nashik	Satisfactory	51	PM _{2.5}	1
96	Navi Mumbai	Satisfactory	54	CO, PM ₁₀	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Moderate	122	PM ₁₀ , PM _{2.5}	3
98	Pali	Satisfactory	69	PM _{2.5}	1
99	Palwal	Satisfactory	100	PM ₁₀	1
100	Panipat	Moderate	108	PM ₁₀	1
101	Patiala	Satisfactory	80	PM ₁₀	1
102	Patna	Satisfactory	98	PM ₁₀	5
103	Pithampur	Satisfactory	81	PM _{2.5}	1
104	Prayagraj	Satisfactory	69	PM ₁₀ , PM _{2.5}	3
105	Puducherry	Satisfactory	55	03	1
106	Pune	Satisfactory	62	SO ₂ , CO, PM ₁₀	5
107	Raichur	Good	29	PM ₁₀	1
108	Rajamahendravaram	Good	29	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	43	O ₃	1
110	Ratlam	Satisfactory	98	PM ₁₀	1
111	Rohtak	Moderate	132	PM _{2.5}	1
112	Rupnagar	Satisfactory	64	PM ₁₀	1
113	Sagar	Satisfactory	73	PM ₁₀	1
114	Satna	Satisfactory	59	PM ₁₀	1
115	Shillong	Good	16	PM _{2.5}	1
116	Shivamogga	Good	36	PM ₁₀	1
117	Siliguri	Satisfactory	63	PM ₁₀	1
118	Singrauli	Moderate	169	PM ₁₀	1
119	Sirsa	Satisfactory	99	PM ₁₀	1
120	Sonipat	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Satisfactory	71	PM ₁₀	1
122	Talcher	Satisfactory	77	со	1
123	Thiruvananthapuram	Good	40	03	2
124	Thoothukudi	Good	37	NO ₂	1
125	Thrissur	Good	50	03	1
126	Tirupati	Good	41	со	1
127	Udaipur	Satisfactory	89	PM ₁₀	1
128	Ujjain	Satisfactory	96	PM ₁₀	1
129	Varanasi	Satisfactory	90	PM ₁₀	2
130	Vatva	Moderate	151	PM _{2.5}	1
131	Vijayapura	Good	42	PM ₁₀	1
132	Visakhapatnam	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda,
 Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad,
 Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula,
 Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vrindavan	Moderate	101	PM ₁₀	1
134	Yadgir	Good	27	SO ₂	1
135	Yamunanagar	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Fatehabad, Gadag, Hubballi, Jorapokhar, Motihari, Nagpur, Nandesari, Panchkula, Solapur, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.