

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	261	PM _{2.5}	2
2	Agra	Satisfactory	84	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	171	NO ₂	1
4	Ajmer	Moderate	152	PM _{2.5}	1
5	Alwar	Satisfactory	90	PM _{2.5}	1
6	Amaravati	Good	41	03	1
7	Ambala	Moderate	172	PM _{2.5}	1
8	Amritsar	Poor	290	PM _{2.5}	1
9	Anantapur	Satisfactory	55	03	1
10	Ankleshwar	Poor	268	PM _{2.5}	1
11	Araria	Very Poor	348	PM _{2.5}	1
12	Ariyalur	Good	36	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	383	PM _{2.5}	1
14	Asansol	Poor	261	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	276	PM _{2.5}	1
16	Baddi	Very Poor	341	PM _{2.5}	1
17	Baghpat	Poor	235	PM _{2.5}	1
18	Bahadurgarh	Moderate	159	PM _{2.5}	1
19	Ballabgarh	Poor	279	PM _{2.5}	1
20	Bareilly	Moderate	133	PM _{2.5} , PM ₁₀	2
21	Bathinda	Moderate	156	PM _{2.5}	1
22	Begusarai	Severe	439	PM _{2.5}	1
23	Belgaum	Moderate	156	PM ₁₀	1
24	Bengaluru	Satisfactory	54	PM ₁₀	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Severe	434	PM _{2.5}	2
26	Bhiwadi	Poor	202	PM _{2.5}	1
27	Bhiwani	Moderate	181	PM _{2.5}	1
28	Bhopal	Moderate	154	PM ₁₀ , PM _{2.5}	2
29	Bidar	Satisfactory	69	SO ₂	1
30	Bilaspur	Satisfactory	68	СО	1
31	Bileipada	Poor	262	PM _{2.5}	1
32	Brajrajnagar	Satisfactory	66	PM ₁₀	1
33	Bulandshahr	Poor	232	PM _{2.5}	1
34	Byrnihat	Very Poor	337	PM _{2.5}	1
35	Chamarajanagar	Good	42	PM ₁₀	1
36	Chandigarh	Poor	250	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	136	O ₃	2
38	Charkhi Dadri	Poor	239	PM _{2.5}	1
39	Chengalpattu	Satisfactory	91	PM ₁₀	1
40	Chennai	Satisfactory	57	PM _{2.5} , CO	8
41	Chhapra	Severe	450	PM ₁₀	1
42	Chikkaballapur	Satisfactory	55	PM ₁₀	1
43	Chikkamagaluru	Good	33	PM ₁₀	1
44	Coimbatore	Satisfactory	82	PM _{2.5}	1
45	Damoh	Good	42	PM ₁₀	1
46	Darbhanga	Severe	419	PM _{2.5}	1
47	Dehradun	Poor	296	PM _{2.5}	1
48	Delhi	Very Poor	306	PM _{2.5}	38

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Satisfactory	91	PM _{2.5}	1
50	Dharuhera	Poor	296	PM _{2.5}	1
51	Dindigul	Poor	221	NO ₂	1
52	Durgapur	Moderate	148	PM _{2.5}	1
53	Faridabad	Very Poor	310	PM _{2.5}	4
54	Firozabad	Moderate	112	PM _{2.5} , PM ₁₀	2
55	Gadag	Moderate	108	PM ₁₀	1
56	Gandhinagar	Satisfactory	82	PM ₁₀	1
57	Gangtok	Moderate	182	PM _{2.5}	1
58	Gaya	Poor	260	PM _{2.5}	3
59	Ghaziabad	Poor	239	PM _{2.5} , PM ₁₀	4
60	Gorakhpur	Moderate	160	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Poor	287	PM _{2.5}	2
62	Gurugram	Poor	257	PM _{2.5}	4
63	Guwahati	Moderate	185	PM _{2.5}	3
64	Gwalior	Poor	218	PM _{2.5}	3
65	Hajipur	Poor	248	PM _{2.5}	1
66	Haldia	Moderate	152	PM ₁₀	1
67	Hapur	Moderate	127	PM _{2.5}	1
68	Haveri	Satisfactory	68	PM ₁₀	1
69	Hosur	Satisfactory	86	СО	1
70	Howrah	Poor	234	PM _{2.5}	3
71	Hubballi	Satisfactory	82	PM ₁₀	2
72	Hyderabad	Satisfactory	89	PM ₁₀	12

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	106	PM _{2.5} , SO ₂	2
74	Indore	Moderate	106	PM ₁₀	1
75	Jabalpur	Moderate	167	PM ₁₀	1
76	Jaipur	Moderate	194	PM _{2.5} , PM ₁₀	3
77	Jalandhar	Poor	283	PM _{2.5}	1
78	Jhansi	Moderate	105	PM ₁₀	1
79	Jind	Poor	274	PM _{2.5}	1
80	Jodhpur	Poor	281	PM _{2.5}	1
81	Kaithal	Poor	208	PM _{2.5}	1
82	Kalyan	Poor	208	PM ₁₀	1
83	Kanchipuram	Satisfactory	58	SO ₂	1
84	Kannur	Satisfactory	73	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	163	PM _{2.5}	4
86	Karnal	Moderate	165	PM _{2.5}	1
87	Katihar	Severe	422	PM _{2.5}	1
88	Katni	Poor	222	PM _{2.5}	1
89	Keonjhar	Moderate	199	PM _{2.5}	1
90	Khanna	Moderate	159	PM _{2.5}	1
91	Kishanganj	Very Poor	321	PM _{2.5}	1
92	Kochi	Satisfactory	89	PM _{2.5}	1
93	Kohima	Moderate	101	PM ₁₀	1
94	Kolkata	Poor	217	PM _{2.5}	7
95	Kollam	Satisfactory	73	PM ₁₀	1
96	Koppal	Satisfactory	66	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kota	Moderate	186	PM _{2.5}	1
98	Kurukshetra	Poor	210	PM _{2.5}	1
99	Lucknow	Poor	262	PM _{2.5}	6
100	Ludhiana	Very Poor	312	PM _{2.5}	1
101	Madikeri	Good	32	03	1
102	Maihar	Good	28	PM ₁₀	1
103	Mandi Gobindgarh	Very Poor	316	PM _{2.5}	1
104	Mandideep	Moderate	166	PM _{2.5}	1
105	Mandikhera	Satisfactory	84	PM ₁₀	1
106	Manesar	Moderate	196	PM _{2.5}	1
107	Mangalore	Satisfactory	62	PM ₁₀	1
108	Manguraha	Very Poor	311	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Meerut	Poor	264	PM ₁₀	3
110	Moradabad	Moderate	109	PM _{2.5}	6
111	Motihari	Very Poor	315	PM ₁₀	1
112	Mumbai	Poor	238	PM _{2.5} , PM ₁₀	17
113	Munger	Very Poor	370	PM ₁₀	1
114	Muzaffarnagar	Very Poor	339	PM _{2.5}	1
115	Muzaffarpur	Very Poor	365	PM _{2.5}	3
116	Mysuru	Satisfactory	53	O ₃	1
117	Nagpur	Moderate	119	PM _{2.5}	1
118	Nalbari	Moderate	197	PM _{2.5}	1
119	Narnaul	Moderate	134	PM ₁₀	1
120	Navi Mumbai	Very Poor	311	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Noida	Poor	296	PM _{2.5}	4
122	Ooty	Satisfactory	73	PM ₁₀	1
123	Pali	Moderate	169	PM ₁₀	1
124	Palwal	Satisfactory	65	PM _{2.5}	1
125	Panchkula	Moderate	167	PM _{2.5}	1
126	Panipat	Moderate	159	PM ₁₀	1
127	Patiala	Moderate	167	PM _{2.5}	1
128	Patna	Very Poor	382	PM ₁₀ , PM _{2.5}	6
129	Pithampur	Moderate	104	PM ₁₀	1
130	Prayagraj	Satisfactory	100	PM ₁₀	3
131	Puducherry	Good	36	PM ₁₀	1
132	Purnia	Very Poor	395	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Raichur	Good	43	PM _{2.5}	1
134	Rairangpur	Poor	260	PM _{2.5}	1
135	Rajamahendravaram	Good	46	PM ₁₀	1
136	Rajgir	Very Poor	382	PM _{2.5}	1
137	Ramanagara	Good	41	PM ₁₀	1
138	Ramanathapuram	Good	32	PM ₁₀	1
139	Ratlam	Satisfactory	82	PM ₁₀	1
140	Rohtak	Moderate	156	PM _{2.5}	1
141	Rourkela	Poor	222	PM ₁₀	1
142	Rupnagar	Moderate	184	PM ₁₀	1
143	Sagar	Satisfactory	56	PM ₁₀ , CO	2
144	Salem	Satisfactory	70	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Very Poor	400	PM _{2.5}	1
146	Satna	Satisfactory	88	PM ₁₀	1
147	Shillong	Moderate	142	PM _{2.5}	1
148	Shivamogga	Good	46	PM ₁₀	1
149	Siliguri	Poor	262	PM _{2.5}	1
150	Singrauli	Moderate	179	NO ₂	1
151	Sirsa	Poor	284	PM _{2.5}	1
152	Sivasagar	Good	36	PM _{2.5}	1
153	Siwan	Severe	429	PM _{2.5}	1
154	Solapur	Satisfactory	97	PM ₁₀	1
155	Srinagar	Moderate	105	PM ₁₀	1
156	Suakati	Moderate	177	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Very Poor	321	PM _{2.5}	1
158	Talcher	Poor	201	PM _{2.5}	1
159	Thane	Poor	209	PM ₁₀	1
160	Thiruvananthapuram	Good	50	PM _{2.5} , CO	2
161	Thoothukudi	Good	25	PM ₁₀	1
162	Thrissur	Satisfactory	62	03	1
163	Tirupati	Satisfactory	56	NO ₂	1
164	Tirupur	Satisfactory	69	PM ₁₀	1
165	Udaipur	Moderate	181	PM _{2.5}	1
166	Udupi	Moderate	104	со	1
167	Ujjain	Moderate	143	PM ₁₀	1
168	Vapi	Very Poor	362	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Varanasi	Satisfactory	76	PM _{2.5}	4
170	Vatva	Moderate	116	PM ₁₀	1
171	Vijayapura	Satisfactory	53	PM ₁₀	1
172	Visakhapatnam	Satisfactory	93	PM ₁₀	1
173	Yadgir	Good	47	PM ₁₀	1
174	Yamunanagar	Poor	201	PM _{2.5}	1
175	vellore	Satisfactory	65	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad Notes: (Maharashtra), Bagalkot, Baripada, Bettiah, Bhilai, Bihar Sharif, Buxar, Chittoor, Davanagere, Dharwad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hassan, Hisar, Jorapokhar, Kalaburgi, Khurja, Kolar, Korba, Kozhikode, Naharlagun, Nandesari, Nashik, Nayagarh, Pune, Raipur, Saharsa, Sasaram, Sonipat, Tensa, Tumakuru, Vrindavan as data was not available. # Some stations have data available at 3PM

 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.