

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	43	PM ₁₀	1
2	Agra	Good	47	03	6
3	Ahmedabad	Satisfactory	63	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	18	со	1
5	Akola	Satisfactory	95	PM ₁₀	1
6	Alwar	Satisfactory	55	PM ₁₀	1
7	Amaravati	Good	39	со	1
8	Ambala	Satisfactory	57	03	1
9	Amravati	Good	41	CO, PM ₁₀	2
10	Amritsar	Satisfactory	56	PM ₁₀	1
11	Anantapur	Satisfactory	64	PM ₁₀	1
12	Ankleshwar	Satisfactory	93	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts No.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Byrnih

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	41	PM ₁₀	1
14	Ariyalur	Good	34	NO ₂	1
15	Arrah	Satisfactory	92	PM ₁₀	1
16	Asansol	Good	40	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	60	PM ₁₀	2
18	Baddi	Satisfactory	59	PM ₁₀	1
19	Badlapur	Good	37	PM _{2.5}	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Satisfactory	79	03	1
22	Bahadurgarh	Satisfactory	65	PM _{2.5}	1
23	Ballabgarh	Satisfactory	77	PM _{2.5}	1
24	Banswara	Satisfactory	58	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, - Aurangabad (Bihar), Begusarai, Beisar, Brajrajnagar, Buxar, Byrni

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	77	PM ₁₀	1
26	Bareilly	Good	37	O ₃	1
27	Baripada	Good	42	PM ₁₀	1
28	Barmer	Satisfactory	60	PM ₁₀	1
29	Bathinda	Satisfactory	98	PM _{2.5}	1
30	Belapur	Satisfactory	55	со	1
31	Belgaum	Good	46	СО	1
32	Bengaluru	Good	44	PM ₁₀ , CO	10
33	Bettiah	Moderate	156	PM ₁₀	1
34	Bhagalpur	Satisfactory	54	СО	2
35	Bharatpur	Good	42	СО	1
36	Bhilai	Good	29	NO ₂ , CO	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Satisfactory	62	PM _{2.5}	1
38	Bhiwadi	Moderate	105	PM ₁₀	1
39	Bhiwandi	Satisfactory	95	PM _{2.5}	1
40	Bhiwani	Poor	224	PM _{2.5}	1
41	Bhopal	Satisfactory	96	PM ₁₀ , CO	2
42	Bidar	Good	41	NH ₃	1
43	Bihar Sharif	Good	37	O ₃	1
44	Bikaner	Satisfactory	82	O ₃	1
45	Bilaspur	Moderate	132	со	1
46	Bileipada	Good	36	PM ₁₀	1
47	Bulandshahr	Good	43	PM ₁₀	1
48	Bundi	Moderate	107	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Darbhanga, Dholpur, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Manesar, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula,

Panipat, Pratapgarh, Purnia, Sonipat, Surat, Talcher, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	43	PM ₁₀	1
50	Chandigarh	Satisfactory	64	O ₃ , PM ₁₀	3
51	Chandrapur	Good	48	PM ₁₀	1
52	Charkhi Dadri	Satisfactory	68	PM ₁₀	1
53	Chennai	Satisfactory	64	PM ₁₀ , NO ₂	7
54	Chhal	Good	44	СО	1
55	Chhapra	Moderate	153	PM ₁₀	1
56	Chikkaballapur	Good	41	PM ₁₀	1
57	Chittoor	Good	42	O ₃	1
58	Chittorgarh	Good	45	PM ₁₀	1
59	Churu	Satisfactory	93	O ₃	1
60	Coimbatore	Satisfactory	64	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Cuddalore	Moderate	190	NO ₂	1
62	Damoh	Good	20	со	1
63	Dausa	Moderate	196	PM ₁₀	1
64	Davanagere	Satisfactory	70	PM ₁₀	1
65	Dehradun	Satisfactory	93	03	1
66	Delhi	Satisfactory	86	PM ₁₀ , PM _{2.5}	34
67	Dewas	Satisfactory	55	со	1
68	Dhanbad	Moderate	168	со	1
69	Dharuhera	Moderate	194	PM _{2.5}	1
70	Dharwad	Satisfactory	71	PM ₁₀	1
71	Dhule	Satisfactory	68	PM ₁₀	1
72	Dindigul	Good	41	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts N

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Durgapur	Good	45	PM ₁₀	1
74	Eloor	Satisfactory	67	PM ₁₀	1
75	Faridabad	Moderate	143	PM ₁₀	1
76	Fatehabad	Moderate	191	03	1
77	Gandhinagar	Good	48	PM _{2.5} , O ₃	3
78	Gangtok	Good	48	SO ₂	1
79	Gaya	Satisfactory	65	O ₃	3
80	Ghaziabad	Satisfactory	90	PM _{2.5} , PM ₁₀	4
81	Gorakhpur	Satisfactory	55	PM ₁₀	1
82	Greater Noida	Moderate	117	PM ₁₀ , O ₃	2
83	Gummidipoondi	Satisfactory	79	PM ₁₀	1
84	Gurugram	Moderate	158	PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Byrni

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Satisfactory	56	PM _{2.5} , SO ₂	4
86	Gwalior	Satisfactory	72	PM _{2.5} , CO	4
87	Hajipur	Satisfactory	75	PM ₁₀	1
88	Haldia	Good	39	03	1
89	Hanumangarh	Poor	284	PM ₁₀	1
90	Hapur	Good	37	PM _{2.5}	1
91	Hisar	Satisfactory	92	PM _{2.5}	1
92	Hosur	Good	43	PM ₁₀	1
93	Howrah	Satisfactory	53	NO ₂	3
94	Hubballi	Moderate	116	СО	2
95	Hyderabad	Satisfactory	61	PM ₁₀ , NO ₂	11
96	Indore	Satisfactory	69	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Satisfactory	53	O ₃ , CO	2
98	Jaipur	Satisfactory	91	PM _{2.5} , PM ₁₀	6
99	Jaisalmer	Satisfactory	82	PM ₁₀	1
100	Jalandhar	Satisfactory	69	PM ₁₀	1
101	Jalgaon	Satisfactory	56	PM ₁₀	1
102	Jalna	Satisfactory	60	PM _{2.5}	1
103	Jhalawar	Good	50	O ₃	1
104	Jhansi	Moderate	102	PM ₁₀	1
105	Jhunjhunu	Moderate	193	03	1
106	Jind	Satisfactory	77	со	1
107	Jodhpur	Satisfactory	66	PM _{2.5}	5
108	Kadapa	Good	31	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kaithal	Satisfactory	54	O ₃	1
110	Kanchipuram	Good	37	PM ₁₀	1
111	Kannur	Satisfactory	76	PM ₁₀	1
112	Kanpur	Satisfactory	80	со	3
113	Karauli	Satisfactory	75	03	1
114	Karnal	Good	36	PM ₁₀	1
115	Katihar	Moderate	122	СО	1
116	Katni	Good	38	PM ₁₀	1
117	Keonjhar	Good	25	PM ₁₀	1
118	Khanna	Satisfactory	60	со	1
119	Khurja	Satisfactory	83	PM _{2.5}	1
120	Kishanganj	Good	47	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kochi	Satisfactory	76	со	1
122	Kohima	Satisfactory	52	PM ₁₀	1
123	Kolhapur	Good	48	PM ₁₀	2
124	Kolkata	Good	32	03	7
125	Kollam	Satisfactory	56	PM ₁₀	1
126	Koppal	Good	21	SO ₂	1
127	Korba	Good	32	NO ₂ , O ₃	2
128	Kota	Satisfactory	70	PM _{2.5} , PM ₁₀	3
129	Kurukshetra	Satisfactory	55	PM _{2.5}	1
130	Lucknow	Satisfactory	69	PM ₁₀	5
131	Ludhiana	Moderate	118	PM ₁₀	1
132	Madikeri	Good	14	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Good	29	PM ₁₀	1
134	Maihar	Good	50	СО	1
135	Mandi Gobindgarh	Good	46	PM ₁₀	1
136	Mandideep	Moderate	119	03	1
137	Mandikhera	Satisfactory	64	PM ₁₀	1
138	Mangalore	Satisfactory	58	PM ₁₀	1
139	Meerut	Satisfactory	66	CO, PM ₁₀	3
140	Moradabad	Satisfactory	73	PM _{2.5}	6
141	Motihari	Satisfactory	53	PM ₁₀	1
142	Mumbai	Satisfactory	58	CO, SO ₂	16
143	Munger	Moderate	176	со	1
144	Muzaffarnagar	Satisfactory	84	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Moderate	112	со	3
146	Mysuru	Good	45	PM ₁₀	1
147	Nagaon	Satisfactory	51	03	1
148	Nagaur	Good	43	PM ₁₀	1
149	Nagpur	Good	43	CO, PM ₁₀	4
150	Nanded	Moderate	167	со	1
151	Narnaul	Good	38	PM _{2.5}	1
152	Nashik	Good	38	PM ₁₀	4
153	Navi Mumbai	Moderate	165	PM ₁₀	4
154	Nayagarh	Good	30	NO ₂	1
155	Noida	Satisfactory	88	NO ₂ , PM ₁₀	4
156	Ooty	Good	50	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts No

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Darbhanga, Dholpur, Ernakulam, Firozabad,

Notes: Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Manesar, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Panipat, Pratapgarh, Purnia, Sonipat, Surat, Talcher, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	93	PM ₁₀	1
158	Palwal	Satisfactory	60	O ₃	1
159	Parbhani	Satisfactory	67	PM ₁₀	1
160	Patiala	Satisfactory	61	03	1
161	Patna	Moderate	144	PM _{2.5}	6
162	Pimpri Chinchwad	Good	41	CO, PM ₁₀	3
163	Pithampur	Satisfactory	58	PM ₁₀	1
164	Prayagraj	Satisfactory	74	SO ₂ , PM ₁₀	3
165	Puducherry	Satisfactory	52	PM ₁₀	1
166	Pune	Moderate	104	NO ₂ , CO	4
167	Raichur	Satisfactory	55	PM ₁₀	1
168	Raipur	Satisfactory	62	PM ₁₀ , NO ₂	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Good	30	PM ₁₀	1
170	Rajamahendravaram	Good	38	PM ₁₀	1
171	Rajgir	Good	20	PM ₁₀	1
172	Rajsamand	Moderate	103	PM ₁₀	1
173	Ramanagara	Good	50	03	1
174	Ramanathapuram	Good	30	PM ₁₀	1
175	Ratlam	Good	40	NO ₂	1
176	Rishikesh	Good	30	PM ₁₀	1
177	Rohtak	Satisfactory	64	PM _{2.5}	1
178	Rourkela	Good	22	со	2
179	Rupnagar	Moderate	151	PM ₁₀	1
180	Sagar	Satisfactory	51	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Aurangabad (Bihar), Begusarai, Beisar, Brajrajnagar, Buxar, Byrni

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Satisfactory	53	со	1
182	Salem	Satisfactory	98	SO ₂	1
183	Samastipur	Satisfactory	64	PM ₁₀	1
184	Sangli	Good	31	PM ₁₀	1
185	Sasaram	Good	28	03	1
186	Satna	Satisfactory	67	PM ₁₀	1
187	Sawai Madhopur	Satisfactory	79	PM _{2.5}	1
188	Shillong	Good	23	SO ₂	1
189	Shivamogga	Satisfactory	65	03	1
190	Sikar	Satisfactory	74	03	1
191	Silchar	Good	25	со	1
192	Siliguri	Good	39	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, ngabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, By

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	74	PM ₁₀	1
194	Sirohi	Satisfactory	53	PM ₁₀	1
195	Sirsa	Moderate	141	03	1
196	Sivasagar	Good	17	NO ₂	1
197	Siwan	Moderate	116	PM ₁₀	1
198	Solapur	Satisfactory	98	PM ₁₀	3
199	Sri Ganganagar	Moderate	184	PM ₁₀	1
200	Srinagar	Satisfactory	67	PM ₁₀	1
201	Suakati	Good	46	O ₃	1
202	Tensa	Good	22	O ₃	1
203	Thane	Good	29	PM ₁₀ , NO ₂	2
204	Thiruvananthapuram	Good	22	PM ₁₀ , CO	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Byrni

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Darbhanga, Dholpur, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Manesar, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Panipat, Pratapgarh, Purnia, Sonipat, Surat, Talcher, Tumakuru, Udupi,

vellore as data was not available.
Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Satisfactory	56	03	1
206	Thrissur	Good	45	PM ₁₀	1
207	Tirupati	Good	39	PM ₁₀	1
208	Tirupur	Satisfactory	52	PM ₁₀	1
209	Tonk	Satisfactory	82	PM ₁₀	1
210	Tumidih	Good	36	PM ₁₀	1
211	Udaipur	Good	49	NO ₂	1
212	Ujjain	Satisfactory	73	СО	1
213	Vapi	Satisfactory	61	СО	1
214	Varanasi	Good	41	SO ₂ , CO	4
215	Vatva	Satisfactory	81	PM ₁₀	1
216	Vijayapura	Good	49	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts No.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Darbhanga, Dholpur, Ernakulam, Firozabad,

Notes: Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kolar, Kozhikode, Kunjemura, Latur, Manesar, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula, Panipat, Pratapgarh, Purnia, Sonipat, Surat, Talcher, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayawada	Good	43	O ₃	1
218	Visakhapatnam	Moderate	112	PM ₁₀	1
219	Vrindavan	Good	42	PM ₁₀	1
220	Yadgir	Good	40	PM ₁₀	1
221	Yamunanagar	Satisfactory	78	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:
Chengalpattu, Chikkamagaluru, Darbhanga, Dholpur, Ernakulam, Firozabad,
Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur,
Kolar, Kozhikode, Kunjemura, Latur, Manesar, Manguraha, Milupara, MiraBhayandar, Naharlagun, Nalbari, Nandesari, Palkalaiperur, Panchkula,

ngabad (Bihar), Begusarai, Beisar, Brajrajnagar, Buxar, Byrnih

Panipat, Pratapgarh, Purnia, Sonipat, Surat, Talcher, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.