

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂ , PM ₁₀	2
2	Agra	Good	40	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	60	SO ₂	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Poor	202	PM ₁₀	1
6	Alwar	Satisfactory	95	PM ₁₀	1
7	Amaravati	Good	26	O ₃	1
8	Ambala	Moderate	131	PM ₁₀	1
9	Amritsar	Satisfactory	90	PM ₁₀	1
10	Anantapur	Good	47	PM ₁₀	1
11	Ankleshwar	Satisfactory	62	PM ₁₀	1
12	Araria	Satisfactory	60	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	82	NO ₂	1
14	Asansol	Good	49	O ₃	1
15	Aurangabad (Bihar)	Satisfactory	75	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	87	PM ₁₀	1
17	Baddi	Satisfactory	97	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Satisfactory	59	PM ₁₀	1
20	Bahadurgarh	Satisfactory	73	PM ₁₀	1
21	Ballabgarh	Satisfactory	70	PM ₁₀	1
22	Bareilly	Good	50	PM _{2.5} , PM ₁₀	2
23	Bathinda	Moderate	116	PM ₁₀	1
24	Begusarai	Good	46	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Good	48	PM ₁₀	2
26	Bhagalpur	Satisfactory	58	NO ₂ , O ₃	2
27	Bhilai	Good	25	NO ₂	1
28	Bhiwadi	Moderate	182	NO ₂	1
29	Bhiwani	Satisfactory	80	PM _{2.5}	1
30	Bhopal	Satisfactory	76	PM ₁₀	1
31	Bihar Sharif	Good	42	со	1
32	Bilaspur	Satisfactory	56	PM ₁₀	1
33	Bulandshahr	Satisfactory	60	PM ₁₀	1
34	Chamarajanagar	Good	38	PM ₁₀	1
35	Chandigarh	Satisfactory	61	O ₃ , PM ₁₀	3
36	Chandrapur	Good	47	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Satisfactory	78	PM _{2.5}	1
38	Chennai	Satisfactory	62	PM ₁₀ , CO	8
39	Chhapra	Satisfactory	95	PM ₁₀	1
40	Chikkaballapur	Good	29	со	1
41	Chikkamagaluru	Good	35	NO ₂	1
42	Coimbatore	Good	30	со	1
43	Darbhanga	Satisfactory	61	PM ₁₀	1
44	Davanagere	Good	17	PM ₁₀	1
45	Dehradun	Satisfactory	66	03	1
46	Delhi	Satisfactory	85	CO, PM ₁₀	34
47	Dewas	Good	41	PM ₁₀	1
48	Durgapur	Satisfactory	52	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Good	50	PM ₁₀	1
50	Ernakulam	Good	30	со	1
51	Faridabad	Satisfactory	88	PM _{2.5} , PM ₁₀ , O ₃	4
52	Fatehabad	Satisfactory	99	PM ₁₀	1
53	Firozabad	Poor	238	03	1
54	Gadag	Good	47	NO ₂	1
55	Gandhinagar	Good	31	PM ₁₀	1
56	Gaya	Satisfactory	54	PM ₁₀ , PM _{2.5}	3
57	Ghaziabad	Satisfactory	76	CO, PM ₁₀	4
58	Gorakhpur	Good	47	SO ₂	1
59	Greater Noida	Satisfactory	78	PM ₁₀	2
60	Gummidipoondi	Good	17	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	178	PM ₁₀ , PM _{2.5}	2
62	Guwahati	Satisfactory	62	PM ₁₀ , O ₃	2
63	Hajipur	Satisfactory	58	PM ₁₀	1
64	Hapur	Satisfactory	57	PM ₁₀	1
65	Hassan	Good	20	SO ₂	1
66	Haveri	Satisfactory	60	со	1
67	Hisar	Moderate	130	PM _{2.5}	1
68	Hosur	Satisfactory	97	со	1
69	Howrah	Good	32	со	3
70	Hubballi	Satisfactory	52	со	1
71	Hyderabad	Good	44	CO, PM ₁₀ , NO ₂	12
72	Imphal	Satisfactory	80	O ₃ , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	54	NO ₂	1
74	Jabalpur	Satisfactory	58	PM ₁₀	1
75	Jaipur	Satisfactory	56	O ₃ , PM _{2.5}	2
76	Jalandhar	Satisfactory	90	PM ₁₀	1
77	Jhansi	Satisfactory	63	PM ₁₀	1
78	Jind	Satisfactory	82	PM _{2.5}	1
79	Jodhpur	Moderate	116	PM ₁₀	1
80	Kaithal	Satisfactory	69	PM _{2.5}	1
81	Kalyan	Good	46	PM ₁₀	1
82	Kannur	Satisfactory	53	PM _{2.5}	1
83	Kanpur	Satisfactory	62	PM _{2.5} , PM ₁₀	4
84	Karnal	Satisfactory	67	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Satisfactory	89	PM ₁₀	1
86	Katni	Satisfactory	70	PM ₁₀	1
87	Khanna	Satisfactory	64	PM ₁₀	1
88	Khurja	Satisfactory	79	PM _{2.5}	1
89	Kishanganj	Good	44	03	1
90	Kochi	Poor	285	PM _{2.5}	1
91	Kohima	Good	40	PM ₁₀	1
92	Kolkata	Good	38	O ₃ , PM ₁₀	7
93	Kollam	Satisfactory	64	PM ₁₀	1
94	Koppal	Satisfactory	56	O ₃	1
95	Kota	Satisfactory	64	PM ₁₀	1
96	Kurukshetra	Satisfactory	56	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	58	PM ₁₀ , PM _{2.5}	6
98	Ludhiana	Moderate	115	PM ₁₀	1
99	Madikeri	Good	22	SO ₂	1
100	Maihar	Good	48	со	1
101	Mandi Gobindgarh	Satisfactory	75	PM ₁₀	1
102	Mandideep	Satisfactory	98	SO ₂	1
103	Mandikhera	Satisfactory	66	PM ₁₀	1
104	Manglore	Good	49	PM ₁₀	1
105	Manguraha	Good	28	PM ₁₀	1
106	Meerut	Satisfactory	74	PM ₁₀	3
107	Moradabad	Satisfactory	58	CO, PM ₁₀ , PM _{2.5}	5
108	Motihari	Good	50	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	71	CO, PM ₁₀	13
110	Munger	Satisfactory	71	PM ₁₀	1
111	Muzaffarnagar	Satisfactory	78	PM ₁₀	1
112	Muzaffarpur	Satisfactory	63	PM ₁₀ , O ₃ , CO	3
113	Mysuru	Good	37	03	1
114	Nagpur	Satisfactory	59	03	1
115	Narnaul	Satisfactory	58	PM _{2.5}	1
116	Navi Mumbai	Satisfactory	64	CO, PM _{2.5}	2
117	Noida	Satisfactory	77	PM ₁₀ , CO	4
118	Ooty	Good	47	SO ₂	1
119	Pali	Satisfactory	82	PM ₁₀	1
120	Palwal	Satisfactory	77	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Satisfactory	59	со	1
122	Panipat	Moderate	124	PM ₁₀	1
123	Patiala	Good	45	PM ₁₀	1
124	Patna	Satisfactory	71	PM ₁₀ , NO ₂	6
125	Pithampur	Satisfactory	97	PM ₁₀	1
126	Prayagraj	Satisfactory	60	PM _{2.5} , O ₃	2
127	Puducherry	Satisfactory	51	PM ₁₀	1
128	Purnia	Satisfactory	65	со	1
129	Rajamahendravaram	Good	15	со	1
130	Ramanagara	Good	37	03	1
131	Ramanathapuram	Good	49	PM ₁₀	1
132	Ratlam	Good	37	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sagar	Good	49	со	1
134	Salem	Satisfactory	66	SO ₂	1
135	Samastipur	Satisfactory	81	PM ₁₀	1
136	Sasaram	Satisfactory	64	PM ₁₀	1
137	Satna	Good	19	PM ₁₀	1
138	Shillong	Good	22	PM ₁₀ , SO ₂	2
139	Shivamogga	Good	45	PM ₁₀	1
140	Siliguri	Good	50	PM ₁₀	1
141	Singrauli	Satisfactory	96	NO ₂	1
142	Sirsa	Moderate	103	PM ₁₀	1
143	Siwan	Satisfactory	56	NO ₂	1
144	Solapur	Satisfactory	68	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sonipat	Satisfactory	96	PM ₁₀	1
146	Talcher	Good	37	со	1
147	Thiruvananthapuram	Good	28	PM ₁₀ , NO ₂	2
148	Thoothukudi	Good	46	PM ₁₀	1
149	Tirupati	Good	40	со	1
150	Tiruppur	Moderate	103	PM ₁₀	1
151	Udaipur	Satisfactory	57	PM _{2.5}	1
152	Ujjain	Satisfactory	62	PM ₁₀	1
153	Varanasi	Satisfactory	53	PM ₁₀	4
154	Vatva	Satisfactory	56	PM _{2.5}	1
155	Vijayapura	Good	39	PM ₁₀	1
156	Visakhapatnam	Satisfactory	65	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Satisfactory	87	PM ₁₀	1
158	Yadgir	Good	19	O ₃	1
159	vellore	Good	34	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Belgaum, Bettiah, Bidar, Notes: Brajrajnagar, Buxar, Chengalpattu, Damoh, Dharuhera, Gangtok, Gwalior, Haldia, Jorapokhar, Kalaburgi, Kolar, Kozhikode, Manesar, Naharlagun, Nandesari, Nashik, Pune, Raichur, Rajgir, Rohtak, Rupnagar, Saharsa, Srinagar, Thane, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.