

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Moderate	116	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	71	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Satisfactory	96	PM ₁₀	1
7	Amaravati	Good	27	O ₃	1
8	Ambala	Moderate	126	PM _{2.5}	1
9	Amritsar	Moderate	107	PM ₁₀	1
10	Asansol	Good	43	PM ₁₀	1
11	Aurangabad	Satisfactory	59	со	1
12	Bagalkot	Satisfactory	62	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	159	PM ₁₀	1
14	Bahadurgarh	Moderate	129	PM ₁₀	1
15	Ballabgarh	Moderate	167	PM ₁₀	1
16	Bathinda	Good	47	PM ₁₀	1
17	Bengaluru	Satisfactory	58	CO, PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Poor	201	PM _{2.5}	1
19	Bhiwani	Moderate	117	PM ₁₀	1
20	Bhopal	Satisfactory	53	PM ₁₀	1
21	Bulandshahr	Moderate	142	PM ₁₀	1
22	Chandigarh	Moderate	126	O ₃ , PM ₁₀	2
23	Chandrapur	Good	26	PM ₁₀	2
24	Chennai	Satisfactory	66	CO, PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	31	NO ₂	1
26	Chikkamagaluru	Good	47	NO ₂	1
27	Damoh	Good	29	PM _{2.5}	1
28	Davanagere	Good	19	03	1
29	Delhi	Moderate	152	PM _{2.5} , PM ₁₀	36
30	Dewas	Good	49	PM ₁₀	1
31	Dharuhera	Moderate	119	PM _{2.5}	1
32	Ernakulam	Good	29	со	1
33	Faridabad	Moderate	140	PM ₁₀ , PM _{2.5}	2
34	Fatehabad	Moderate	120	PM ₁₀	1
35	Firozabad	Satisfactory	97	PM ₁₀	1
36	Gadag	Good	19	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	60	PM _{2.5} , PM ₁₀	2
38	Gaya	Satisfactory	68	PM ₁₀ , CO	2
39	Ghaziabad	Moderate	174	PM ₁₀	3
40	Gorakhpur	Good	38	PM _{2.5}	1
41	Greater Noida	Moderate	194	O ₃ , PM ₁₀	2
42	Gurugram	Moderate	130	PM _{2.5} , PM ₁₀	3
43	Guwahati	Satisfactory	55	SO ₂	2
44	Gwalior	Satisfactory	98	PM ₁₀	1
45	Hajipur	Satisfactory	87	СО	1
46	Haldia	Good	24	СО	1
47	Hapur	Moderate	153	PM ₁₀	1
48	Hassan	Satisfactory	65	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	132	PM ₁₀	1
50	Howrah	Good	35	O ₃ , PM ₁₀	2
51	Hubballi	Good	48	PM ₁₀	1
52	Hyderabad	Good	45	CO, NO ₂ , PM ₁₀	6
53	Indore	Satisfactory	61	PM ₁₀	1
54	Jabalpur	Good	43	PM ₁₀	1
55	Jaipur	Moderate	106	PM ₁₀	3
56	Jalandhar	Satisfactory	79	PM ₁₀	1
57	Jind	Moderate	126	PM ₁₀	1
58	Jodhpur	Moderate	113	PM _{2.5}	1
59	Kaithal	Moderate	127	PM ₁₀	1
60	Kalaburgi	Good	22	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Good	47	PM ₁₀	1
62	Kanpur	Satisfactory	91	PM ₁₀ , O ₃ , PM _{2.5}	3
63	Karnal	Satisfactory	91	PM ₁₀	1
64	Katni	Satisfactory	77	PM ₁₀	1
65	Khanna	Satisfactory	62	PM ₁₀	1
66	Kochi	Good	33	PM ₁₀	1
67	Kohima	Good	35	PM _{2.5}	1
68	Kolar	Good	48	PM ₁₀	1
69	Kolkata	Good	38	O ₃ , PM ₁₀	6
70	Koppal	Good	48	со	1
71	Kota	Satisfactory	70	PM _{2.5}	1
72	Kozhikode	Good	39	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	120	PM ₁₀	1
74	Lucknow	Satisfactory	78	PM ₁₀ , PM _{2.5}	6
75	Ludhiana	Satisfactory	93	PM _{2.5}	1
76	Maihar	Good	37	PM _{2.5}	1
77	Mandi Gobindgarh	Moderate	126	PM _{2.5}	1
78	Mandideep	Good	38	PM ₁₀	1
79	Mandikhera	Satisfactory	91	PM ₁₀	1
80	Medikeri	Good	29	03	1
81	Meerut	Moderate	142	PM ₁₀	3
82	Mumbai	Good	48	PM ₁₀ , CO	18
83	Muzaffarpur	Satisfactory	68	со	1
84	Mysuru	Good	34	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Naharlagun	Good	37	SO ₂	1
86	Narnaul	Satisfactory	79	PM _{2.5}	1
87	Nashik	Good	27	PM _{2.5}	1
88	Navi Mumbai	Satisfactory	59	PM ₁₀ , CO	3
89	Noida	Moderate	168	PM ₁₀	4
90	Pali	Satisfactory	96	PM ₁₀	1
91	Palwal	Moderate	141	PM ₁₀	1
92	Panchkula	Satisfactory	62	PM _{2.5}	1
93	Panipat	Moderate	143	PM ₁₀	1
94	Patiala	Satisfactory	100	PM ₁₀	1
95	Patna	Satisfactory	70	PM ₁₀ , O ₃ , NO ₂	5
96	Pithampur	Satisfactory	70	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Satisfactory	64	PM ₁₀	3
98	Puducherry	Satisfactory	51	O ₃	1
99	Pune	Satisfactory	72	со	6
100	Raichur	Good	40	PM ₁₀	1
101	Rajamahendravaram	Good	26	со	1
102	Ramanagara	Good	32	PM ₁₀	1
103	Ratlam	Good	48	PM ₁₀	1
104	Rohtak	Moderate	136	NO ₂	1
105	Rupnagar	Moderate	101	PM ₁₀	1
106	Sagar	Good	30	NO ₂	1
107	Satna	Satisfactory	52	PM ₁₀	1
108	Shivamogga	Good	42	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Good	31	со	1
110	Singrauli	Satisfactory	89	PM ₁₀	1
111	Sirsa	Moderate	109	PM ₁₀	1
112	Solapur	Good	43	PM ₁₀	1
113	Srinagar	Satisfactory	97	PM ₁₀	1
114	Talcher	Satisfactory	97	со	1
115	Thane	Satisfactory	70	PM ₁₀	1
116	Thiruvananthapuram	Good	48	CO, PM ₁₀	2
117	Thoothukudi	Good	49	PM ₁₀	1
118	Thrissur	Satisfactory	98	SO ₂	1
119	Tirupati	Good	35	со	1
120	Udaipur	Satisfactory	88	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Satisfactory	96	со	1
122	Ujjain	Satisfactory	59	PM ₁₀	1
123	Vapi	Good	41	PM ₁₀	1
124	Varanasi	Satisfactory	56	PM ₁₀	3
125	Vatva	Satisfactory	98	PM ₁₀	1
126	Vijayapura	Good	47	со	1
127	Vrindavan	Moderate	138	PM ₁₀	1
128	Yamunanagar	Moderate	115	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Notes: Bidar, Bihar Sharif, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Coimbatore, Darbhanga, Durgapur, Eloor, Gummidipoondi, Jorapokhar, Kalyan, Kollam, Manesar, Manglore, Moradabad, Motihari, Muzaffarnagar, Nagpur, Nandesari, Shillong, Sonipat, Visakhapatnam, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.