# **CDO** Reference Card

Climate Data Operators Version 1.5.8 October 2012

Uwe Schulzweida Max-Planck-Institute for Meteorology

Syntax cdo

http://code.zmaw.de/projects/cdo

## File operations

< operator > ifile

pardes

griddes

zaxisdes

vct

cdo [Options] Operator1 [ -Operator2 [ -OperatorN ] ]	DV	Copy dat
		Copy dat
ca	ıt	Concaten
Options	$<\!operator\!>$ ifiles ofile	

-a	Generate an absolute time axis
$-\mathbf{b} < nbits >$	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid >	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m $<$ $missval$ $>$	Set the default missing value (default: -9e+33)
-O	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
$-\mathbf{t} $	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
	GZID : CGDID1 1

-b < nbits >	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid >	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m < missval >	Set the default missing value (default: -9e+33)
-0	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
-t	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	SZIP compression of GRIB1 records

Imormation	
info	Dataset information listed by parameter identifier
infon	Dataset information listed by parameter name
map	Dataset information and simple map
<pre><operator> ifiles</operator></pre>	

 $<\!operator\!>$  ifiles diff Compare two datasets listed by parameter id diffn Compare two datasets listed by parameter name < operator > ifile1 ifile2

Number of parameters Number of levels nlevel Number of years nyear Number of months nmon Number of dates ndate ntime Number of timesteps

showformat Show file format Show code numbers showcode showname Show variable names showstdname Show standard names showlevel Show levels showltype Show years showyear showmon Show months showdate Show date information Show time information showtime

showtimestam Show timestamp

<operator> ifile

Operators Information sinfo Short information listed by parameter identifier Selection sinfon Short information listed by parameter name < operator > ifileShow GRIB level types

tasets nate datasets replace Replace variables replace ifile1 ifile2 ofile Merge datasets with different fields Merge datasets sorted by date and time mergetime <operator> ifiles ofile splitcode Split code numbers splitparam Split parammeter identifiers splitname Split variable names splitlevel Split levels Split grids splitgrid splitzaxis Split z-axes splittabnum Split parameter table numbers  $<\!operator\!>$  ifile obase splithour Split hours splitday Split days splitmon Split months splitseas Split seasons splityear Split years <operator> ifile obase splitsel Split time selection splitsel, nsets[, noffset[, nskip]] ifile obase

Parameter description

Vertical coordinate table

Grid description

Z-axis description

selparam	Select parameters by identifier	
delparam	Delete parameters by identifier	
<pre><operator>,par</operator></pre>	ams ifile ofile	
selcode	Select parameters by code number	
delcode	Delete parameters by code number	
<pre><operator>,codes ifile ofile</operator></pre>		
selname	Select parameters by name	
delname	Delete parameters by name	
<pre><operator>,names ifile ofile</operator></pre>		
selstdname	Select parameters by standard name	
selstdname,stdnames ifile ofile		
sellevel	Select levels	
sellevel, levels if	file ofile	
sellevidx	Select levels by index	
sellevidx, $levidx$	ifile ofile	
selgrid	Select grids	
selgrid, grids ifile ofile		
selzaxis	Select z-axes	
selzaxis,zaxes ifile ofile		
selltype	Select GRIB level types	
selltype,ltypes	selltype,ltypes ifile ofile	
seltabnum	Select parameter table numbers	
seltabnum tabr	nums ifile ofile	

acltimacaton	Select timesteps
*	
* /	nesteps ifile ofile
seltime	
seltime, times i:	file ofile
selhour	Select hours
selhour, hours i	file ofile
selday	Select days
selday,days ifi	le ofile
selmon	Select months
selmon, months	ifile ofile
selyear	Select years
selyear, years if	ile ofile
selseas	Select seasons
selseas, seasons	ifile ofile
seldate	Select dates
seldate,date1[,d	late2] ifile ofile
selsmon	Select single month
selsmon,month[,nts1[,nts2]] ifile ofile	
sellonlatbox	Select a longitude/latitude box
sellonlatbox,lo	n1,lon2,lat1,lat2 ifile ofile
selindexbox	Select an index box
selindexbox,id:	x1,idx2,idy1,idy2 ifile ofile

### Conditional selection

< operator >, c ifile ofile

ifthen	If then	
ifnotthen	If not then	
<pre><operator> ifile1 ifile2 ofile</operator></pre>		
ifthenelse	If then else	
ifthenelse ifile1 ifile2 ifile3 ofile		
ifthenc	If then constant	
ifnotthenc	If not then constant	

### Comparison

eq	Equal
eq	•
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre><operator> ifile1 ifile2 ofile</operator></pre>	
	P 1
eqc	Equal constant

eqc	Equal constant
nec	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant
gtc	Greater than constant
<pre>&lt; operator &gt; .c ifile ofile</pre>	

#### Modification

setpartab	Set parameter table
setpartab, table	ifile ofile
setcode	Set code number
setcode, code if	ile ofile
setparam	Set parameter identifier
setparam,paran	n ifile ofile
setname	Set variable name
$\mathbf{setname}, name$	ifile ofile
setunit	Set variable unit
setunit,unit ifi	ile ofile
setlevel	Set level
setlevel, level if	ile ofile
setltype	Set GRIB level type
setltype,ltype i	file ofile

setdate	Set date	
setdate, date ifile ofile		
settime	Set time of the day	
settime, time ifile ofile		
setday	Set day	
setday,day ifil	e ofile	
setmon	Set month	
setmon, month ifile ofile		
setyear	Set year	
setyear, year ifile ofile		
settunits	Set time units	
settunits, units ifile ofile		
settaxis	Set time axis	
	ne[,inc] ifile ofile	
setreftime	Set reference time	
setreftime, date, time[, units] ifile ofile		
setcalendar	Set calendar	
setcalendar,calendar ifile ofile		
shifttime	Shift timesteps	
shifttime,sval ifile ofile		
chcode	Change code number	

chcode	Change code number	
<pre>chcode,oldcode,newcode[,] ifile ofile</pre>		
chparam	Change parameter identifier	
chparam,oldparam,newparam, ifile ofile		
chname	Change variable name	
chname,oldname,newname, ifile ofile		
chunit	Change variable unit	
chunit, oldunit, newunit, ifile ofile		
chlevel	Change level	
chlevel,oldlev,newlev, ifile ofile		
chlevelc	Change level of one code	
chlevelc,code,oldlev,newlev ifile ofile		
chlevelv	Change level of one variable	
chlevelv,name,oldlev,newlev ifile ofile		
setgrid	Set grid	

Setgra,gra iiiic oiiic			
setgridtype	Set grid type		
setgridtype,gridtype ifile ofile			
setgridarea	Set grid cell area		
setgridarea, gridarea ifile ofile			
setzaxis	Set z-axis		
setzaxis,zaxis i:	file ofile		

setorid grid ifile ofile

invertlev ifile ofile

setgatt	Set global attribute	
setgatt,attname,attstring ifile ofile		
setgatts	Set global attributes	
setgatts,attfile ifile ofile		

invertlat	Invert latitudes	
mivertiat fiffe offie		
invertlev	Invert levels	

maskregion	Mask regions	
maskregion,reg	cions ifile ofile	
macklonlathov	Mack a longitude/latitude bo	

masklonlatbox	Mask a longitude/latitude box
masklonlatbox,	lon1,lon2,lat1,lat2 ifile ofile
maskindexbox	Mask an index box
maskindexbox,	idx1,idx2,idy1,idy2 ifile ofile

setclonlatbox	Set a longitude/latitude box to constant			
setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile				
setcindexbox	Set an index box to constant			
setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile				

enlarge	Enlarge fields
enlarge.grid ifi	ile ofile

setmissval	Set a new missing value	
setmissval,newmiss ifile ofile		
setctomiss	Set constant to missing value	
setmisstoc	Set missing value to constant	
<pre><operator>,c ifile ofile</operator></pre>		
setrtomiss	Set range to missing value	
setvrange	Set valid range	
<pre>&lt; operator &gt; .rmin.rmax ifile ofile</pre>		

## Arithmetic

Arithmetic	
expr	Evaluate expressions
expr,instr ifile	ofile
exprf	Evaluate expressions from script file
exprf,filename i	file ofile
abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
$\log 10$	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<pre><operator> ifi</operator></pre>	
addc	Add a constant
subc	Subtract a constant
mulc	Multiply with a constant
divc	Divide by a constant
<pre>&lt; operator &gt;, c i</pre>	
add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min max	Minimum of two fields Maximum of two fields
atan2	Arc tangent of two fields
	le1 ifile2 ofile
monadd monsub	Add monthly time series
monmul	Subtract monthly time series Multiply monthly time series
mondiv	Divide monthly time series
	le1 ifile2 ofile
ymonadd	
ymonsub	Add multi-year monthly time series Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
	le1 ifile2 ofile
ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
	le1 ifile2 ofile
yhouradd	Add multi-year hourly time series
yhoursub	Subtract multi-year hourly time series
yhourmul	Multiply multi-year hourly time series
yhourdiv	Divide multi-year hourly time series
	le1 ifile2 ofile
muldpm	Multiply with days per month
divdpm muldpy	Divide by days per month Multiply with days per year
divdpy	Divide by days per year
<pre>&lt; operator &gt; ifi</pre>	
<pre><pre><pre>operator &gt; 111</pre></pre></pre>	.10 01110

# Statistical values

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var
standard deviation	std

	sum	1111	sum	
mean			mean	
	average		avg	
	varianc		var	
l	standar	d deviation	$\operatorname{std}$	
consect		Consecutive Timesteps		
< operat	or> ifi	le ofile		
ens <sta< td=""><td></td><td>Statistical values over an</td><td>ensemble</td><td></td></sta<>		Statistical values over an	ensemble	
		les ofile		
enspctl	p ifile:	Ensemble percentiles		
		Ranked Histogram averag	red over time	
		Ranked Histogram average		
ensroc		Ensemble Receiver Opera		stics
< operat		file ensfiles ofile		
enscrps		Ensemble CRPS and dec	omposition	
	rfile i	files ofilebase		
ensbrs	v rfile	Ensemble Brier score ifiles ofilebase		
fld< sta		Statistical values over a f	iold	
		le ofile	iciu	
fldpctl		Field percentiles		
fldpctl,	p ifile	ofile		
zon <ste< td=""><td>at &gt;</td><td>Zonal statistical values</td><td></td><td></td></ste<>	at >	Zonal statistical values		
		le ofile		
zonpctl		Zonal percentiles		
	p ifile			
mer <st< td=""><td></td><td>Meridional statistical value of ile</td><td>1es</td><td></td></st<>		Meridional statistical value of ile	1es	
merpct		Meridional percentiles		
	$\mathbf{l}_{,p}$ ifile			
gridbox	< stat >	Statistical values over gri	d boxes	
< operat	cor > , nx, n	ny ifile ofile		
vert <st< td=""><td>tat &gt;</td><td>Vertical statistical values</td><td></td><td></td></st<>	tat >	Vertical statistical values		
< operat	or > ifi	le ofile		
		Time range statistical val		
< operat	or>,nse	ts[,noffset[,nskip]] ifile o	file	
timselp		Time range percentiles		
timselp	ctl, p, nse	ets[,noffset[,nskip]] ifile1	ifile2 ifile3	3 ofile
run <ste< td=""><td>at &gt;</td><td>Running statistical values</td><td>3</td><td></td></ste<>	at >	Running statistical values	3	
< operat	or > ,nts	ifile ofile		
runpctl		Running percentiles		
runpctl	p,nts if	ile1 ofile		
tim <ste< td=""><td></td><td>Statistical values over all</td><td>timesteps</td><td></td></ste<>		Statistical values over all	timesteps	
		le ofile		
timpctl		Time percentiles		
timpctl	p ifile	1 ifile2 ifile3 ofile		
hour <s< td=""><td></td><td>Hourly statistical values</td><td></td><td></td></s<>		Hourly statistical values		
		le ofile		
		Hourly percentiles		
		e1 ifile2 ifile3 ofile		
day< ste		Daily statistical values		
		le ofile		
daypetl Daily percentiles				
daypctl,p ifile1 ifile2 ifile3 ofile				
mon/e	mon <stat> Monthly statistical values <operator> ifile ofile</operator></stat>			
		1 641.		
< operat				
< operat	tl	Monthly percentiles e1 ifile2 ifile3 ofile		

year <stat> Yearly statistical values</stat>	Interpolatio
<pre><operator> ifile ofile</operator></pre>	l
yearpctl Yearly percentiles	remapbil remapbic
yearpctl,p ifile1 ifile2 ifile3 ofile	remapdis
seas < stat > Seasonal statistical values	remapnn
<pre><pre><pre><pre>cas</pre></pre> jfile ofile</pre></pre>	remapcon
*	remapcon2
seaspctl Seasonal percentiles seaspctl,p ifile1 ifile2 ifile3 ofile	remaplaf
	< operator >, g
yhour < stat > Multi-year hourly statistical values	genbil
<pre><operator> ifile ofile</operator></pre>	genbic
yday <stat> Multi-year daily statistical values</stat>	gendis
<pre><operator> ifile ofile</operator></pre>	gennn
ydaypctl Multi-year daily percentiles	gencon gencon2
ydaypctl,p ifile1 ifile2 ifile3 ofile	genlaf
ymon <stat> Multi-year monthly statistical values</stat>	<pre>&lt; operator &gt;,g</pre>
<pre></pre> <pre><pre>coperator&gt; ifile ofile</pre></pre>	remap
ymonpctl Multi-year monthly percentiles	remap,grid,we
ymonpctl, p ifile1 ifile2 ifile3 ofile	
	remapeta
yseas < stat > Multi-year seasonal statistical values	remapeta,vct
<pre><operator> ifile ofile</operator></pre>	ml2pl
yseaspctl Multi-year seasonal percentiles	ml2pl,plevels
yseaspctl,p ifile1 ifile2 ifile3 ofile	ml2hl ml2hl,hlevels
ydrun <stat> Multi-year daily running statistical values</stat>	,
<pre><operator>,nts ifile ofile</operator></pre>	intlevel
ydrunpctl Multi-year daily running percentiles	intlevel, levels
ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile	intlevel3d
	intlevelx3d
	< operator > ,io
	inttime
Correlation and co.	inttime,date,t
fldcor Correlation in grid space	intntime
fldcor ifile1 ifile2 ofile	intntime,n if
	intyear
timcor Correlation over time	intyear, years
timcor ifile1 ifile2 ofile	J
fldcovar Covariance in grid space	T
fldcovar ifile1 ifile2 ofile	Transformat
timcovar Covariance over time	sp2gp
timcovar ifile1 ifile2 ofile	sp2gpl
	m gp2sp $ m gp2spl$
	<pre></pre>
	sp2sp
Regression	sp2sp,trunc i:
Posterion	dv2nv

fldcor	Correlation in grid space	
fldcor ifile1 ifile2 ofile		
timcor	Correlation over time	
timcor ifile1 ifile2 ofile		
fldcovar	Covariance in grid space	
Adaption ifilat	14:1-0 -4:1-	

regres	Regression	ı
regres ifile of	ile	ı
		ı
detrend	Detrend	ı
detrend ifile	ofile	ı
	m 1	ı
trend	Trend	ı
trend ifile of	ile1 ofile2	١
subtrend	Subtract trend	
subtrend ifile	1 ifile2 ifile3 ofile	

# EOFs

eof	Calculate EOFs in spatial or time space
eoftime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<pre><operator>,ned</operator></pre>	of ifile ofile1 ofile2
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1	ifile2 obase

# erpolation

remapbil	Bilinear interpolation
remapbic	Bicubic interpolation
remapdis	Distance-weighted average remapping
remapnn	Nearest neighbor remapping
remapcon	First order conservative remapping
remapcon2	Second order conservative remapping
remaplaf	Largest area fraction remapping
<pre><operator>,gric</operator></pre>	difile ofile
genhil	Generate bilinear interpolation weights
0	Generate bicubic interpolation weights
gendis	Generate distance-weighted average remap weights
gennn	Generate nearest neighbor remap weights
gencon	Generate 1st order conservative remap weights
gencon2	Generate 2nd order conservative remap weights
genlaf	Generate largest area fraction remap weights
<pre>&lt; operator &gt; ,gric</pre>	difile ofile
remap	SCRIP grid remapping
remap,grid,weig	0 11 0
	remapbic remapdis remapnn remapcon2 remaplaf <operator>,gric genbil genbic gendis gencon gencon2 genlaf <operator>,gric remap</operator></operator>

remap	SCRIP grid remapping		
remap,grid,weig	remap,grid,weights ifile ofile		
remapeta	Remap vertical hybrid level		
remapeta, vct[,c	oro] ifile ofile		
101	Madalta		
ml2pl	Model to pressure level interpolation		
ml2pl,plevels ifile ofile			
ml2hl	Model to height level interpolation		
ml2hl,hlevels ifile ofile			

intlevel	Linear level interpolation	
intlevel, levels ifile ofile		
intlevel3d	Linear level interpolation onto a 3d vertical coordinate	

like intlevel3d but with extrapolation

	<pre><operator>,icoordinate ifile1 ifile2 ofile</operator></pre>		
	inttime	Interpolation between timesteps	
	inttime,date,tin	ne[,inc] ifile ofile	
	intntime	Interpolation between timesteps	

ı	intitime, i iiie oiie	
ĺ	intyear	Interpolation between two years
1	• 1	12 4 1012 0 1

intyear	Interpol	lation be	tween to	wo ye	E
intwoor wears if	ilal ifi	la? oha	60		

## nsformation

sp2gp	Spectral to gridpoint
sp2gpl	Spectral to gridpoint (linear)
gp2sp	Gridpoint to spectral
gp2spl	Gridpoint to spectral (linear)
<pre><operator> ifile ofile</operator></pre>	
sp2sp	Spectral to spectral
$\mathbf{sp2sp}, trunc$ ifile ofile	

	sp2sp,trunc iiiie oiiie	
	dv2uv	Divergence and vorticity to U and V wind
	dv2uvl	Divergence and vorticity to U and V wind (linear
	uv2dv	U and V wind to divergence and vorticity
	uv2dvl	U and V wind to divergence and vorticity (linear)
	dv2ps	D and V to velocity potential and stream function
< operator > ifile ofile		ile ofile

< operator > ofile

Import/Export		
import_binary	Import binary data sets	
import_binary	ifile ofile	
import_cmsaf	Import CM-SAF HDF5 files	
import_cmsaf ifile ofile		
import_amsr	Import AMSR binary files	
import_amsr ifile ofile		
input	ASCII input	
input,grid ofile		
inputsrv	SERVICE ASCII input	
inputext	EXTRA ASCII input	

output	ASCII output	Climate indices
output ifiles	110011 output	Climate indices
outputf	Formatted output	eca_cdd Consecutive dry days index per time period
${\bf outputf}, format$	nelem ifiles	eca_cdd[,R] ifile ofile
outputint	Integer output	eca_cfd Consecutive frost days index per time period
outputsrv	SERVICE ASCII output	eca_cfd ifile ofile
outputext	EXTRA ASCII output	eca_csu Consecutive summer days index per time period
<pre><operator> if</operator></pre>	iles	eca_csu Consecutive summer days index per time period eca_csu[,T] ifile ofile
		N- 2
		eca_cwd Consecutive wet days index per time period eca_cwd[,R] ifile ofile
		eca_cwdi Cold wave duration index wrt mean of reference p
Miscellaneous		eca_cwdi[,nday[,T]] ifile1 ifile2 ofile
gradsdes1	GrADS data descriptor file (version 1 GRIB map)	eca_cwfi Cold-spell days index wrt 10th percentile of referencea_cwfi[.nday] ifile1 ifile2 ofile
gradsdes2	Grads data descriptor file (version 2 Grib map)	L
<pre><operator> ifile</operator></pre>		eca_etr Intra-period extreme temperature range eca_etr ifile1 ifile2 ofile
bandpass	Bandpass filtering	
	fmax ifile ofile	eca_fd Frost days index per time period
lowpass	Lowpass filtering	eca_fd ifile ofile
lowpass,fmax i		eca_gsl Growing season length index
highpass	Highpass filtering	eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile
highpass,fmin		eca_hd Heating degree days per time period
gridarea	Grid cell area	$eca_hd[,T1[,T2]]$ ifile ofile
gridweights	Grid cell weights	eca_hwdi Heat wave duration index wrt mean of reference
<pre><operator> if</operator></pre>	ile ofile	eca_hwdi[,nday[,T]] ifile1 ifile2 ofile
smooth9	9 point smoothing	
smooth9 ifile	e ofile	eca_hwfi Warm spell days index wrt 90th percentile of refe
setvals	Set list of old values to new values	eca_hwfi[,nday] ifile1 ifile2 ofile
	newval[,] ifile ofile	eca_id Ice days index per time period
setrtoc	Set range to constant	eca_id ifile ofile
	max,c ifile ofile	eca_pd Precipitation days index per time period
setrtoc2	Set range to constant others to constant2	eca_pd, x ifile ofile
setrtoc2,rmin,r	rmax,c,c2 ifile ofile	eca_r10mm Heavy precipitation days index per time period
timsort	Sort over the time	eca_r20mm  Very heavy precipitation days index per time period  Very heavy precipitation days index per time period
timsort ifile		<pre><operator> ifile ofile</operator></pre>
		eca_r75p Moderate wet days wrt 75th percentile of reference
const	Create a constant field	eca_r75p ifile1 ifile2 ofile
const,const,gric	Create a field with random numbers	-
random, grid[,seed] ofile		eca_r75ptot Precipitation percent due to R75p days
stdatm	Create values for pressure and temperature for hyd	eca_r75ptot ifile1 ifile2 ofile
stdatm,levels o		eca_r90p Wet days wrt 90th percentile of reference period eca_r90p ifile1 ifile2 ofile
rotuvb	Backward rotation	
rotuvb,u,v, i	file ofile	eca_r90ptot Precipitation percent due to R90p days eca_r90ptot ifile1 ifile2 ofile
mastrfu	Mass stream function	
mastrfu ifile		eca_r95p Very wet days wrt 95th percentile of reference per eca_r95p ifile1 ifile2 ofile
histcount histsum	Histogram count Histogram sum	eca_r95ptot Precipitation percent due to R95p days
histmean	Histogram sum Histogram mean	eca_r95ptot ifile1 ifile2 ofile
histfreq	Histogram frequency	
	unds ifile ofile	eca_r99p Extremely wet days wrt 99th percentile of referen
• /	Set the left and right bounds of a field	eca_r99p ifile1 ifile2 ofile
$ootnotesize{sethalo}, lhalo, rhalo, rhalo$	Set the left and right bounds of a field nalo ifile ofile	eca_r99ptot Precipitation percent due to R99p days eca_r99ptot ifile1 ifile2 ofile
wct Windchill temperature wct ifile1 ifile2 ofile		eca_rr1 Wet days index per time period
		eca_rr1[,R] ifile ofile
fdns fdns ifile1 if	Frost days where no snow index per time period ile2 ofile	eca_rxlday Highest one day precipitation amount per time per eca_rxlday/.mode/ ifile ofile
strwin	Strong wind days index per time period	
$\mathbf{strwin}[,v]$ ifil	e ofile	eca_rx5day Highest five-day precipitation amount per time pe eca_rx5day[,x] ifile ofile
strbre strbre ifile o	Strong breeze days index per time period file	eca_sdii Simple daily intensity index per time period eca_sdii/_R] ifile ofile
strgal strgal ifile or	Strong gale days index per time period	eca_su Summer days index per time period
		$\mathbf{eca\_su}[,T]$ ifile ofile
hurr hurr ifile ofi	Hurricane days index per time period	eca_tg10p Cold days percent wrt 10th percentile of reference eca_tg10p ifile1 ifile2 ofile
		correstob miner mines of the

$eca_tg90p$	Warm days percent wrt 90th percentile of reference period		
eca_tg90p ifile1 ifile2 ofile			
eca_tn10p	Cold nights percent wrt 10th percentile of reference period		
eca_tn10p ifile1 ifile2 ofile			
eca_tn90p	Warm nights percent wrt 90th percentile of reference period		
eca_tn90p ifile1 ifile2 ofile			
eca_tr	Tropical nights index per time period		
$\mathbf{eca\_tr}[,T]$ ifile ofile			
eca_tx10p	Very cold days percent wrt 10th percentile of reference period		
eca_tx10p ifile1 ifile2 ofile			
eca_tx90p	Very warm days percent wrt 90th percentile of reference period		
eca_tx90p ifile1 ifile2 ofile			