# **CDO** Reference Card

Climate Data Operators Version 1.6.4 June 2014

Uwe Schulzweida Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

### Syntax

| cdo | [Options] | Operator1 | Operator2 | [ -OperatorN ] | 1 |  |
|-----|-----------|-----------|-----------|----------------|---|--|
|-----|-----------|-----------|-----------|----------------|---|--|

### Options

| - F                      |   |
|--------------------------|---|
| -a                       | Generate an absolute time axis                            |
| -b < nbits >             | Set the number of bits for the output precision           |
|                          | (I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;                  |
|                          | F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)          |
|                          | Add L or B for Little or Big endian byteorder             |
| $-\mathbf{f} < format >$ | Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg        |
| -g < grid>               | Grid or file name   |
|                          | Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx> |
| -h                       | Help information for the operators                        |
| -M                       | Indicate that the I/O streams have missing values         |
| -m < missval >           | Set the default missing value (default: -9e+33)           |
| <b>-</b> O               | Overwrite existing output file, if checked                |
| -R                       | Convert GRIB1 data from reduced to regular grid           |
| -r                       | Generate a relative time axis                             |
| -s                       | Silent mode   |
| $-\mathbf{t} $           | Set the parameter table name or file                      |
|                          | Predefined tables: echam4 echam5 mpiom1                   |
| -V                       | Print the version number                                  |
| -v                       | Print extra details for some operators                    |
| -z szip                  | SZIP compression of GRIB1 records                         |

### Operators

### Information

showdate

showtime

<operator> ifile

showtimestam Show timestamp

| Information                          |  |  |  |
|--------------------------------------|--|--|--|
| info                                 | Dataset information listed by parameter identifier |  |  |
| infon                                | Dataset information listed by parameter name       |  |  |
| map                                  | Dataset information and simple map                 |  |  |
| <pre><operator> ifi</operator></pre> | les  |  |  |
| sinfo                                | Short information listed by parameter identifier   |  |  |
| sinfon                               | Short information listed by parameter name         |  |  |
| < operator > ifi                     | les  |  |  |
| diff                                 | Compare two datasets listed by parameter id        |  |  |
| diffn                                | Compare two datasets listed by parameter name      |  |  |
| < operator > ifi                     | le1 ifile2   |  |  |
| npar                                 | Number of parameters                               |  |  |
| nlevel                               | Number of levels                                   |  |  |
| nyear                                | Number of years                                    |  |  |
| nmon                                 | Number of months                                   |  |  |
| ndate                                | Number of dates                                    |  |  |
| ntime                                | Number of timesteps                                |  |  |
| < operator >  ifile                  |  |  |  |
| showformat                           | Show file format                                   |  |  |
| showcode                             | Show code numbers                                  |  |  |
| showname                             | Show variable names                                |  |  |
| showstdname                          | Show standard names                                |  |  |
| showlevel                            | Show levels  |  |  |
| showltype                            | Show GRIB level types                              |  |  |
| showyear                             | Show years   |  |  |
| showmon                              | Show months  |  |  |

Show date information

Show time information

| pardes                                 | Parameter description     |
|--|---------------------------|
| griddes                                | Grid description          |
| zaxisdes                               | Z-axis description        |
| vct                                    | Vertical coordinate table |
| <pre><operator> ifile</operator></pre> |                           |

### - File operations

| copy  | Copy datasets                          |  |
|---|--|--|
| cat   | Concatenate datasets                   |  |
| <pre><operator> ifiles ofile</operator></pre> |  |  |
| replace                                       | Replace variables                      |  |
| replace ifile1                                | ifile2 ofile                           |  |
| duplicate                                     | Duplicates a dataset                   |  |
| duplicate[,ndup                               | o] ifile ofile                         |  |
| mergegrid                                     | Merge grid                             |  |
| mergegrid ifil                                | Le1 ifile2 ofile                       |  |
| merge   | Merge datasets with different fields   |  |
| mergetime                                     | Merge datasets sorted by date and time |  |
| <pre><operator> ifi</operator></pre>          | iles ofile                             |  |
| splitcode                                     | Split code numbers                     |  |
| splitparam                                    | Split parammeter identifiers           |  |
| splitname                                     | Split variable names                   |  |
| splitlevel                                    | Split levels                           |  |
| splitgrid                                     | Split grids                            |  |
| splitzaxis                                    | Split z-axes                           |  |
| splittabnum                                   | Split parameter table numbers          |  |
| < operator > [,sw                             | ap]ifile obase                         |  |
| splithour                                     | Split hours                            |  |
| splitday                                      | Split days                             |  |
| splitseas                                     | Split seasons                          |  |
| splityear                                     | Split years                            |  |
| <pre><operator> ifile obase</operator></pre>  |  |  |
| splitmon                                      | Split months                           |  |
| splitmon[,format] ifile obase                 |  |  |
| splitsel                                      | Split time selection                   |  |
| splitsel,nsets[,ne                            | offset[,nskip]] ifile obase            |  |
|   |  |  |
|   |  |  |

# Selection

| 501000                               | Delect fields                      |  |
|--------------------------------------|------------------------------------|--|
|                                      | Delete fields                      |  |
| <operator>,par</operator>            | rams ifiles ofile                  |  |
| selparam                             | Select parameters by identifier    |  |
| delparam                             | Delete parameters by identifier    |  |
| <pre>&lt; operator &gt; , par</pre>  | rams ifile ofile                   |  |
| selcode                              | Select parameters by code number   |  |
| delcode                              | Delete parameters by code number   |  |
| < operator >, cool                   | les ifile ofile                    |  |
| selname                              | Select parameters by name          |  |
| delname                              | Delete parameters by name          |  |
| <pre><operator>,nar</operator></pre> | mes ifile ofile                    |  |
| selstdname                           | Select parameters by standard name |  |
| selstdname,std                       | names ifile ofile                  |  |
| sellevel                             | Select levels                      |  |
| sellevel, levels it                  |                                    |  |
| sellevidx                            | Select levels by index             |  |
| sellevidx, levidx                    | ifile ofile                        |  |
| selgrid                              |                                    |  |
| selgrid, grids ifile ofile           |                                    |  |
| selzaxis                             | Select z-axes                      |  |
| selzaxis,zaxes ifile ofile           |                                    |  |
| selltype                             | Select GRIB level types            |  |
| selltype,ltypes ifile ofile          |                                    |  |
| seltabnum                            | Select parameter table numbers     |  |
| seltabnum,tabnums ifile ofile        |                                    |  |

Select fields

| seltimestep                        | Select timesteps                |  |
|------------------------------------|---------------------------------|--|
| seltimestep, timesteps ifile ofile |                                 |  |
| seltime                            | Select times                    |  |
| seltime, times it                  | file ofile                      |  |
| selhour                            | Select hours                    |  |
| selhour, hours i                   | file ofile                      |  |
| selday                             | Select days                     |  |
| selday,days ifi                    | le ofile                        |  |
| selmon                             | Select months                   |  |
| selmon, months                     | ifile ofile                     |  |
| selyear                            | Select years                    |  |
| selyear, years if                  | ile ofile                       |  |
| selseas                            | Select seasons                  |  |
| selseas,seasons                    | ifile ofile                     |  |
| seldate                            | Select dates                    |  |
| seldate,date1[,d                   | ate2] ifile ofile               |  |
| selsmon                            | Select single month             |  |
| selsmon, month                     | [nts1[nts2]] ifile ofile        |  |
| sellonlatbox                       | Select a longitude/latitude box |  |
| sellonlatbox,lor                   | n1,lon2,lat1,lat2 ifile ofile   |  |
| selindexbox                        | Select an index box             |  |
| selindexbox,idz                    | x1,idx2,idy1,idy2 ifile ofile   |  |

### Conditional selection

| ifthen   | If then              |  |
|--|----------------------|--|
| ifnotthen  | If not then          |  |
| <pre><operator> ifile1 ifile2 ofile</operator></pre> |                      |  |
| 10:1   | TC -1                |  |
| ifthenelse   | If then else         |  |
| ifthenelse ifile1 ifile2 ifile3 ofile                |                      |  |
|  |                      |  |
| ifthenc  | If then constant     |  |
| ifnotthenc   | If not then constant |  |
| < operator >, c ifile ofile                          |                      |  |

### Comparison

| eq   | Equal  |  |
|--|--|--|
| ne   | Not equal  |  |
| le   | Less equal   |  |
| lt   | Less than  |  |
| ge   | Greater equal  |  |
| gt   | Greater than   |  |
| <pre><operator> ifile1 ifile2 ofile</operator></pre> |  |  |
|  |  |  |
|  | E1   |  |
| eqc  | Equal constant   |  |
| eqc<br>nec   | Equal constant Not equal constant  |  |
| -  | *  |  |
| nec  | Not equal constant   |  |
| nec<br>lec   | Not equal constant<br>Less equal constant  |  |
| nec<br>lec<br>ltc                                    | Not equal constant<br>Less equal constant<br>Less than constant  |  |
| nec<br>lec<br>ltc<br>gec                             | Not equal constant<br>Less equal constant<br>Less than constant<br>Greater equal constant<br>Greater than constant |  |

### Modification

| setpartab                   | Set parameter table      |
|-----------------------------|--------------------------|
| setpartabn                  | Set parameter table      |
| < operator >, tab           | le ifile ofile           |
| setcode                     | Set code number          |
| setcode, code if            | ile ofile                |
| setparam                    | Set parameter identifier |
| setparam,param ifile ofile  |                          |
| setname                     | Set variable name        |
| setname,name ifile ofile    |                          |
| setunit                     | Set variable unit        |
| setunit,unit ifile ofile    |                          |
| setlevel                    | Set level                |
| setlevel, level ifile ofile |                          |
| setltype                    | Set GRIB level type      |
| setltype, ltype ifile ofile |                          |

| Set date                                 |  |  |
|--|--|--|
| ile ofile                                |  |  |
| Set time of the day                      |  |  |
| ile ofile                                |  |  |
| Set day                                  |  |  |
| le ofile                                 |  |  |
| Set month                                |  |  |
| ifile ofile                              |  |  |
| Set year                                 |  |  |
| ile ofile                                |  |  |
| Set time units                           |  |  |
| ifile ofile                              |  |  |
| Set time axis                            |  |  |
| me[,inc] ifile ofile                     |  |  |
| Set reference time                       |  |  |
| setreftime,date,time[,units] ifile ofile |  |  |
| Set calendar                             |  |  |
| setcalendar,calendar ifile ofile         |  |  |
| Shift timesteps                          |  |  |
| shifttime,sval ifile ofile               |  |  |
|  |  |  |
|  |  |  |

| chcode                                  | Change code number           |  |
|---|------------------------------|--|
| chcode,oldcode,newcode[,] ifile ofile   |                              |  |
| chparam                                 | Change parameter identifier  |  |
| chparam,oldpa                           | ram,newparam, ifile ofile    |  |
| chname                                  | Change variable name         |  |
| chname,oldname,newname, ifile ofile     |                              |  |
| chunit                                  | Change variable unit         |  |
| chunit,oldunit,newunit, ifile ofile     |                              |  |
| chlevel                                 | Change level                 |  |
| chlevel, oldlev, newlev, ifile ofile    |                              |  |
| chlevelc                                | Change level of one code     |  |
| chlevelc,code,oldlev,newlev ifile ofile |                              |  |
| chlevelv                                | Change level of one variable |  |
| chlevelv,name,oldlev,newlev ifile ofile |                              |  |
| setgrid                                 | Set grid                     |  |
| setgrid, grid ifile ofile               |                              |  |

| setgridtype      | Set grid type      |
|------------------|--------------------|
| setgridtype,gri  | dtype ifile ofile  |
| setgridarea      | Set grid cell area |
| setgridarea,grid | darea ifile ofile  |
|                  |                    |
| setzaxis         | Set z-axis         |

| ı | setzaxis,zaxis 1 | ille ollle              |
|---|------------------|-------------------------|
| ĺ | setgatt          | Set global attribute    |
|   | setgatt, attname | e,attstring ifile ofile |
|   | setgatts         | Set global attributes   |
| ı | setgatts.attfile | ifile ofile             |

| invertlat       | Invert latitudes |
|-----------------|------------------|
| invertlat ifile | ofile            |
|                 |                  |

| invertlev       | Invert levels    |
|-----------------|------------------|
| invertlev ifile | ofile            |
|                 |                  |
| maskregion      | Mask regions     |
| maskregion,reg  | ions ifile ofile |

| masklonlatbox | Mask a longitude/latitude box   |
|---------------|---------------------------------|
| masklonlatbox | lon1,lon2,lat1,lat2 ifile ofile |
| maskindexbox  | Mask an index box               |
| maskindexbox, | idx1,idx2,idy1,idy2 ifile ofile |

| setclonlatbox  | Set a longitude/latitude box to constant |
|----------------|--|
| setclonlatbox, | c,lon1,lon2,lat1,lat2 ifile ofile        |
| setcindexbox   | Set an index box to constant             |
| setcindexbox,c | idx1,idx2,idy1,idy2 ifile ofile          |

| enlarge          | Enlarge fields |
|------------------|----------------|
| enlarge grid ifi | ile ofile      |

| setmissval                         | Set a new missing value       |
|------------------------------------|-------------------------------|
| setmissval,new                     | miss ifile ofile              |
| setctomiss                         | Set constant to missing value |
| setmisstoc                         | Set missing value to constant |
| <operator>,c i:</operator>         | file ofile                    |
| setrtomiss                         | Set range to missing value    |
| setvrange                          | Set valid range               |
| <pre>&lt; operator &gt; .rm;</pre> | in.rmax ifile ofile           |

| Arithmetic                           |   |
|--------------------------------------|---|
| expr                                 | Evaluate expressions  |
| expr,instr ifile                     | ofile   |
| exprf                                | Evaluate expressions from script file   |
| exprf,filename i                     | file ofile  |
| abs                                  | Absolute value  |
| int                                  | Integer value   |
| nint                                 | Nearest integer value   |
| pow                                  | Power   |
| sqr                                  | Square  |
| sqrt                                 | Square root   |
| exp                                  | Exponential   |
| ln                                   | Natural logarithm   |
| log10                                | Base 10 logarithm   |
| sin                                  | Sine  |
| cos                                  | Cosine  |
| tan                                  | Tangent   |
| asin                                 | Arc sine  |
| acos                                 | Arc cosine  |
| reci                                 | Reciprocal value  |
| <pre><operator> ifi</operator></pre> | ile ofile   |
| addc                                 | Add a constant  |
| subc                                 | Subtract a constant   |
| mulc                                 | Multiply with a constant  |
| divc                                 | Divide by a constant  |
| <operator>,c i</operator>            |   |
| add                                  | Add two fields  |
| sub                                  | Subtract two fields   |
| mul                                  | Multiply two fields   |
| div                                  | Divide two fields   |
| min                                  | Minimum of two fields   |
| max                                  | Maximum of two fields   |
| atan2                                | Arc tangent of two fields   |
| <pre><operator> ifi</operator></pre> | ile1 ifile2 ofile   |
| monadd                               | Add monthly time series   |
| monsub                               | Subtract monthly time series  |
| monmul                               | Multiply monthly time series  |
| mondiv                               | Divide monthly time series  |
|                                      | ile1 ifile2 ofile   |
|                                      |   |
| ymonadd<br>ymonsub                   | Add multi-year monthly time series<br>Subtract multi-year monthly time series |
| ymonmul                              | Multiply multi-year monthly time series                                       |
| ymondiv                              | Divide multi-year monthly time series   |
|                                      | ile1 ifile2 ofile   |
|                                      |   |
| ydayadd                              | Add multi-year daily time series  |
| ydaysub                              | Subtract multi-year daily time series   |
| ydaymul                              | Multiply multi-year daily time series   |
| ydaydiv                              | Divide multi-year daily time series   |
|                                      | le1 ifile2 ofile  |
| yhouradd                             | Add multi-year hourly time series   |
| yhoursub                             | Subtract multi-year hourly time series  |
| yhourmul                             | Multiply multi-year hourly time series  |
| yhourdiv                             | Divide multi-year hourly time series  |
|                                      | ile1 ifile2 ofile   |
| muldpm                               | Multiply with days per month  |
| divdpm                               | Divide by days per month  |
| muldpy                               | Multiply with days per year   |
| divdpy                               | Divide by days per year   |
| / amamatan \ 484                     |   |

< operator > ifile ofile

### Statistical values

| Available statistical functions | < stat >  |
|---------------------------------|-----------|
| minimum                         | min       |
| maximum                         | max       |
| sum                             | sum       |
| mean                            | mean      |
| average                         | avg       |
| variance                        | var, var1 |
| standard deviation              | std, std1 |

|   | mean                    |   | mean           |         |
|---|-------------------------|---|----------------|---------|
|   | average                 |   | avg            |         |
|   | varianc                 |   | var, var1      |         |
|   | standar                 | d deviation   | std, std1      |         |
| consect   | · c                     | Consecutive Timesteps                               |                | •       |
|   |                         | le ofile  |                |         |
|   |                         |   |                |         |
| ens <st< th=""><th></th><th>Statistical values over an</th><th>ensemble</th><th></th></st<> |                         | Statistical values over an                          | ensemble       |         |
|   |                         | les ofile   |                |         |
| enspet  | p ifile:                | Ensemble percentiles                                |                |         |
|   |                         |   |                |         |
|   |                         | Ranked Histogram average                            |                |         |
| ensrkn  | isttime                 | Ranked Histogram average<br>Ensemble Receiver Opera |                | iation  |
|   | tor > obs               | file ensfiles ofile                                 | ting character | ISUICS  |
|   |                         |   |                |         |
| enscrps   |                         | Ensemble CRPS and deco                              | omposition     |         |
| ensbrs  | s IIIIe I               | Ensemble Brier score                                |                |         |
|   | v rfile                 | ifiles ofilebase                                    |                |         |
| fld< sta  |                         | Statistical values over a fi                        | ald            |         |
|   |                         | le ofile  | eia            |         |
| fldpctl   |                         | Field percentiles                                   |                |         |
| _   | p ifile                 |   |                |         |
|   |                         |   |                |         |
| zon <st< td=""><td></td><td>Zonal statistical values</td><td></td><th></th></st<>           |                         | Zonal statistical values                            |                |         |
| zonpct  |                         | le ofile<br>Zonal percentiles                       |                |         |
| _   | $\mathbf{l}_{,p}$ ifile |   |                |         |
|   |                         | Meridional statistical valu                         |                |         |
| mer <s< td=""><td></td><td>le ofile</td><td>ies</td><th></th></s<>                          |                         | le ofile  | ies            |         |
| merpct  |                         | Meridional percentiles                              |                |         |
| _   | $\mathbf{l}_{,p}$ ifile |   |                |         |
|   |                         | Statistical values over gri-                        | d howas        |         |
| -   |                         | ny ifile ofile                                      | 1 Doxes        |         |
|   |                         |   |                |         |
| vert <s< td=""><td></td><td>Vertical statistical values</td><td></td><th></th></s<>         |                         | Vertical statistical values                         |                |         |
| < opera:  | tor> ifi                | le ofile  |                |         |
| timsel<   | $\langle stat \rangle$  | Time range statistical val                          | ues            |         |
| < opera   | tor>,nse                | ts[,noffset[,nskip]] ifile of                       | ile            |         |
| timselp   | octl                    | Time range percentiles                              |                |         |
| timselp   | ctl, p, nse             | ets[,noffset[,nskip]] ifile1                        | ifile2 ifile3  | 3 ofile |
| run <st< th=""><th>at &gt;</th><th>Running statistical values</th><th></th><th></th></st<>  | at >                    | Running statistical values                          |                |         |
|   |                         | ifile ofile   | •              |         |
|   |                         |   |                |         |
| runpet  |                         | Running percentiles<br>ile1 ofile                   |                |         |
|   |                         |   |                |         |
| tim < st  |                         | Statistical values over all                         | timesteps      |         |
| < opera   | tor > 111               | le ofile  |                |         |
| timpct  | l                       | Time percentiles                                    |                |         |
| timpct  | $\mathbf{l}_{,p}$ ifile | 1 ifile2 ifile3 ofile                               |                |         |
| hour<   | stat >                  | Hourly statistical values                           |                |         |
| < operas  |                         | le ofile  |                |         |
| hourpe  | tl                      | Hourly percentiles                                  |                |         |
|   |                         | e1 ifile2 ifile3 ofile                              |                |         |

day< stat> Daily statistical values

monpctl,p ifile1 ifile2 ifile3 ofile

Daily percentiles daypctl,p ifile1 ifile2 ifile3 ofile

Monthly statistical values

Monthly percentiles

<operator> ifile ofile

daypctl

mon < stat ><operator> ifile ofile

monpctl

### yearmonmean ifile ofile Yearly statistical values <operator> ifile ofile yearpctl Yearly percentiles yearpctl,p ifile1 ifile2 ifile3 ofile seas < stat > Seasonal statistical values <operator> ifile ofile seaspctl Seasonal percentiles seaspctl,p ifile1 ifile2 ifile3 ofile yhour < stat > Multi-year hourly statistical values <operator> ifile ofile yday<stat> Multi-year daily statistical values <operator> ifile ofile ydaypctl Multi-vear daily percentiles ydaypctl,p ifile1 ifile2 ifile3 ofile ymon<stat> Multi-year monthly statistical values <operator> ifile ofile Multi-year monthly percentiles ymonpctl,p ifile1 ifile2 ifile3 ofile yseas < stat > Multi-year seasonal statistical values <operator> ifile ofile Multi-year seasonal percentiles yseaspctl,p ifile1 ifile2 ifile3 ofile ydrun<stat> Multi-year daily running statistical values <operator>,nts ifile ofile ydrunpctl Multi-year daily running percentiles ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile Correlation and co. Correlation in grid space fldcor ifile1 ifile2 ofile timcor Correlation over time timcor ifile1 ifile2 ofile fldcovar Covariance in grid space fldcovar ifile1 ifile2 ofile Covariance over time timcovar ifile1 ifile2 ofile Regression

| regres                  | Regression  |
|-------------------------|-------------|
| regres ifile of         | file        |
|                         |             |
| detrend                 | Detrend     |
| detrend ifile           | ofile       |
|                         |             |
|                         |             |
| trend                   | Trend       |
| trend<br>trend ifile of | 22020       |
| trend ifile of          | ile1 ofile2 |
|                         | 22020       |

### EOFs

| LOFS  |  |  |  |
|---|--|--|--|
| eof   | Calculate EOFs in spatial or time space    |  |  |
| eoftime   | Calculate EOFs in time space               |  |  |
| eofspatial  | Calculate EOFs in spatial space            |  |  |
| eof3d   | Calculate 3-Dimensional EOFs in time space |  |  |
| <pre><operator>,neof ifile ofile1 ofile2</operator></pre> |  |  |  |
| eofcoeff  | Calculate principal coefficients of EOFs   |  |  |
| eofcoeff ifile1   |  |  |  |

### Interpolation

|   | remapbil   | Bilinear interpolation                               |  |  |
|---|--|--|--|--|
|   | remapbic   | Bicubic interpolation                                |  |  |
|   | remapdis   | Distance-weighted average remapping                  |  |  |
|   | remapnn  | Nearest neighbor remapping                           |  |  |
|   | remapcon   | First order conservative remapping                   |  |  |
| = | Second order conservative remapping                                  |  |  |  |
|   | remaplaf   | Largest area fraction remapping                      |  |  |
| _ | <pre><operator>,grid ifile ofile</operator></pre>                    |  |  |  |
|   | genbil   | Generate bilinear interpolation weights              |  |  |
|   | genbic   | Generate bicubic interpolation weights               |  |  |
|   | gendis   | Generate distance-weighted average remap weights     |  |  |
|   | gennn  | Generate nearest neighbor remap weights              |  |  |
| = | gencon   | Generate 1st order conservative remap weights        |  |  |
|   | gencon2  | Generate 2nd order conservative remap weights        |  |  |
|   | genlaf   | Generate largest area fraction remap weights         |  |  |
|   | <pre><operator>,grid ifile ofile</operator></pre>                    |  |  |  |
|   | remap  | SCRIP grid remapping                                 |  |  |
|   | remap,grid,weig  | thts ifile ofile                                     |  |  |
|   | remapeta   | Remap vertical hybrid level                          |  |  |
|   |  | oro  ifile ofile                                     |  |  |
|   | ml2pl  |  |  |  |
| = |  |  |  |  |
|   | ml2pl,plevels ifile ofile  ml2hl Model to height level interpolation |  |  |  |
| _ |  | Model to height level interpolation                  |  |  |
|   | ml2hl,hlevels ifile ofile  |  |  |  |
|   | intlevel   | Linear level interpolation                           |  |  |
|   | intlevel, levels i   | file ofile   |  |  |
|   | intlevel3d   | Linear level interpolation onto a 3d vertical coordi |  |  |
|   |  |  |  |  |

## inttime, date, time[,inc] ifile ofile

intlevelx3d

inttime

sp2gp

sp2gpl

gp2sp

| intntime        | Interpolation between timesteps |
|-----------------|---------------------------------|
| intntime,n ifil | le ofile                        |
|                 |                                 |
| introop         | Interpolation between two years |

Interpolation between timesteps

like intlevel3d but with extrapolation

| intyear          | Interpolation between two years | Inte | two years |
|------------------|---------------------------------|------|-----------|
| intvear.vears if | ile1 ifile2 obase               | ile1 |           |

Spectral to gridpoint

Gridpoint to spectral

Spectral to gridpoint (linear)

<operator>,icoordinate ifile1 ifile2 ofile

### Transformation

| $\mathrm{gp2spl}$                            | Gridpoint to spectral (linear)                    |  |
|--|---|--|
| <pre><operator> ifile ofile</operator></pre> |   |  |
| sp2sp  | Spectral to spectral                              |  |
| sp2sp,trunc ifile ofile                      |   |  |
| dv2uv  | Divergence and vorticity to U and V wind          |  |
| dv2uvl                                       | Divergence and vorticity to U and V wind (linear) |  |
| uv2dv  | U and V wind to divergence and vorticity          |  |
| uv2dvl                                       | U and V wind to divergence and vorticity (linear) |  |

| dv2uv  | Divergence and vorticity to U and V wind          |  |
|--|---|--|
| dv2uvl                                       | Divergence and vorticity to U and V wind (linear) |  |
| uv2dv  | U and V wind to divergence and vorticity          |  |
| uv2dvl                                       | U and V wind to divergence and vorticity (linear) |  |
| dv2ps  | D and V to velocity potential and stream function |  |
| <pre><operator> ifile ofile</operator></pre> |   |  |

### Import/Export

< operator > ofile

| import_binary Import binary data sets |                          |  |
|---------------------------------------|--------------------------|--|
| import_binary ifile ofile             |                          |  |
| import cmsaf                          | Import CM-SAF HDF5 files |  |
| import_cmsaf ifile ofile              |                          |  |
| F                                     |                          |  |
| import_amsr                           | Import AMSR binary files |  |
| import_amsr ifile ofile               |                          |  |
| input                                 | ASCII input              |  |
| input,grid ofile                      |                          |  |
| inputsrv                              | SERVICE ASCII input      |  |
| inputext                              | putext EXTRA ASCII input |  |

| output                                   | ASCII output         | strgal               | Strong gale days index per time period |
|--|----------------------|----------------------|--|
| output ifiles                            |                      | strgal ifile ofile   |  |
| outputf                                  | Formatted output     |                      | **                                     |
| *  | *                    | hurr                 | Hurricane days index per time period   |
| <pre>outputf,format[,nelem] ifiles</pre> |                      | hurr ifile ofile     |  |
| outputint                                | Integer output       | 1411 11110 01110     |  |
| outputsrv                                | SERVICE ASCII output | fillmiss             | Fill missing values                    |
| outputext                                | EXTRA ASCII output   | fillmiss ifile ofile |  |
| <pre><operator> ifiles</operator></pre>  |                      | fillmiss2            | Fill missing values                    |
|  |                      | fillmiss2/.maxit     | erlifile ofile                         |

|  | mmiss2[,maxiter] fifte office   |
|--|---|
| Miscellaneous  |   |
| gradsdes GrADS data descriptor file  | Climate indices   |
| gradsdes [,mapversion] ifile   | eca_cdd Consecutive dry days index per time period                            |
|  | eca_cdd[,R] ifile ofile   |
| bandpass Bandpass filtering  | eca_cfd Consecutive frost days index per time period                          |
| bandpass,fmin,fmax ifile ofile lowpass Lowpass filtering                               | eca_cfd ifile ofile   |
| lowpass, fmax ifile ofile  |   |
| highpass Highpass filtering  | eca_csu Consecutive summer days index per time period eca_csu[,T] ifile ofile |
| highpass, fmin ifile ofile   | <i>V</i> 1  |
| gridarea Grid cell area  | consecutive wet days index per time period                                    |
| gridweights Grid cell weights  | eca_cwd[,R] ifile ofile   |
| <pre><operator> ifile ofile</operator></pre>   | eca_cwdi Cold wave duration index wrt mean of reference                       |
|  | eca_cwdi[,nday[,T]] ifile1 ifile2 ofile                                       |
| smooth9 9 point smoothing smooth9 ifile ofile  | eca_cwfi Cold-spell days index wrt 10th percentile of refer                   |
|  | eca_cwfi[,nday] ifile1 ifile2 ofile   |
| setvals Set list of old values to new values   | eca_etr Intra-period extreme temperature range                                |
| setvals,oldval,newval[,] ifile ofile   | eca_etr ifile1 ifile2 ofile   |
| setrtoc Set range to constant  |   |
| setrtoc,rmin,rmax,c ifile ofile setrtoc2 Set range to constant others to constant2     | eca_fd Frost days index per time period                                       |
| setrtoc2 Set range to constant others to constant2 setrtoc2,rmin,rmax,c,c2 ifile ofile | eca_fd ifile ofile  |
|  | eca_gsl Growing season length index   |
| timsort Sort over the time   | eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile                                |
| timsort ifile ofile  | eca_hd Heating degree days per time period                                    |
| const Create a constant field  | eca_hd[,T1[,T2]] ifile ofile  |
| const,const,grid ofile   | eca_hwdi Heat wave duration index wrt mean of reference                       |
| random Create a field with random numbers  | eca_hwdi/,nday/,T] ifile1 ifile2 ofile  |
| random,grid[,seed] ofile   |   |
| stdatm Create values for pressure and temperature for h                                |   |
| stdatm,levels ofile  | eca_hwfi[,nday] ifile1 ifile2 ofile   |
| rotuvb Backward rotation   | eca_id Ice days index per time period   |
| rotuvb,u,v, ifile ofile  | eca_id ifile ofile  |
| mastrfu Mass stream function   | eca_r75p Moderate wet days wrt 75th percentile of referen                     |
| mastrfu ifile ofile  | eca_r75p ifile1 ifile2 ofile  |
| sealevelpressur Sea level pressure   | eca_r75ptot Precipitation percent due to R75p days                            |
| sealevelpressure ifile ofile   | eca_r75ptot ifile1 ifile2 ofile   |
| adisit Potential temperature to in-situ temperature                                    | eca_r90p Wet days wrt 90th percentile of reference period                     |
| adisit/,pressure  ifile ofile  | eca_r90p ifile1 ifile2 ofile  |
| adipot In-situ temperature to potential temperature                                    |   |
| adipot ifile ofile   | eca_r90ptot Precipitation percent due to R90p days                            |
| rhopot Calculates potential density  | eca_r90ptot ifile1 ifile2 ofile   |
| rhopot[,pressure] ifile ofile  | eca_r95p Very wet days wrt 95th percentile of reference pe                    |
| 7 4/2 3  | eca_r95p ifile1 ifile2 ofile  |
| histcount histsum Histogram count Histogram sum  | eca_r95ptot Precipitation percent due to R95p days                            |
| histsum Histogram sum Histogram mean   | eca_r95ptot ifile1 ifile2 ofile   |
| histfreq Histogram frequency   | eca_r99p Extremely wet days wrt 99th percentile of referen                    |
| <pre>coperator&gt;,bounds ifile ofile</pre>  | eca_r99p ifile1 ifile2 ofile  |
| sethalo Set the left and right bounds of a field                                       |   |
| sethalo, lhalo, rhalo ifile ofile  | eca_r99ptot Precipitation percent due to R99p days                            |
|  | eca_r99ptot ifile1 ifile2 ofile   |
| Windchill temperature  | eca_pd Precipitation days index per time period                               |
| wct ifile1 ifile2 ofile  | eca_pd,x ifile ofile  |
| fdns Frost days where no snow index per time period                                    | eca_r10mm Heavy precipitation days index per time period                      |
| fdns ifile1 ifile2 ofile   | eca_r20mm Very heavy precipitation days index per time per                    |
| strwin Strong wind days index per time period  | <pre><operator> ifile ofile</operator></pre>                                  |
| strwin[,v] ifile ofile   | eca_rr1 Wet days index per time period  |
|  | eca_rr1[,R] ifile ofile   |
| strbre Strong breeze days index per time period  | eca_rx1day Highest one day precipitation amount per time p                    |

strbre ifile ofile

eca\_rxlday | Highest one day precipitation amount per time periodeca\_rxlday[,mode] ifile ofile

| Highest five-day precipitation amount per time period                             |  |  |
|---|--|--|
| eca_rx5day[,x] ifile ofile  |  |  |
| Simple daily intensity index per time period                                      |  |  |
| le ofile  |  |  |
| Summer days index per time period   |  |  |
| e ofile   |  |  |
| Cold days percent wrt 10th percentile of reference period e1 ifile2 ofile         |  |  |
| Warm days percent wrt 90th percentile of reference period e1 ifile2 ofile         |  |  |
| Cold nights percent wrt 10th percentile of reference period e1 ifile2 ofile       |  |  |
| Warm nights percent wrt 90th percentile of reference period e1 ifile2 ofile       |  |  |
| Tropical nights index per time period ofile                                       |  |  |
| Very cold days percent wrt 10th percentile of reference period<br>e1 ifile2 ofile |  |  |
| Very warm days percent wrt 90th percentile of reference period e1 ifile2 ofile    |  |  |
|   |  |  |