CDO Reference Card

Climate Data Operators Version 1.5.2 August 2011

Uwe Schulzweida Max-Planck-Institute for Meteorology

Syntax

Operators

sinfon

http://code.zmaw.de/projects/cdo

File operations

<operator> ifile

pardes

griddes

vct

zaxisdes

cdo	[Options]	Operator1 [-Operator2 [-OperatorN]]	cor
			cat
Optio	ons		< 0

-	
-a	Generate an absolute time axis
-b < nbits >	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid >	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m < missval >	Set the default missing value (default: -9e+33)
-O	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
$-\mathbf{t} $	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators

SZIP compression of GRIB1 records -z szip

Information				
info	Dataset information listed by parameter identifier			
infon	Dataset information listed by parameter name			
map	Dataset information and simple map			
<pre><operator> ifiles</operator></pre>				
sinfo	Short information listed by parameter identifier			

Short information listed by parameter name < operator > ifilesdiff Compare two datasets listed by parameter id diffn Compare two datasets listed by parameter name < operator > ifile1 ifile2

Number of parameters Number of levels nlevel Number of years nyear Number of months nmon ndate Number of dates ntime Number of time steps <operator> ifile

showformat Show file format showcode Show code numbers showname Show variable names Show standard names showstdname showlevel Show levels showltype Show GRIB level types Show years showyear showmon Show months Show date information showdate Show time information showtime showtimestamp Show timestamp <operator> ifile

Copy datasets Concatenate datasets <operator> ifiles ofile replace Replace variables replace ifile1 ifile2 ofile Merge datasets with different fields Merge datasets sorted by date and time mergetime <operator> ifiles ofile splitcode Split code numbers splitparam Split parammeter identifiers Split variable names splitname splitlevel Split levels Split grids splitgrid splitzaxis Split z-axes splittabnum Split parameter table numbers <operator> ifile obase splithour Split hours splitday Split days splitmon Split months splitseas Split seasons splityear Split years <operator > ifile obase

Parameter description

Vertical coordinate table

Grid description

Z-axis description

splitsel Split time selection splitsel, nsets[, noffset[, nskip]] ifile obase

Selection

selparam	Select parameters by identifier				
delparam	Delete parameters by identifier				
<operator>,par</operator>	cams ifile ofile				
selcode	Select parameters by code number				
delcode	Delete parameters by code number				
< operator >, coo	les ifile ofile				
selname	Select parameters by name				
delname	Delete parameters by name				
<operator>,nar</operator>	mes ifile ofile				
selstdname	selstdname Select parameters by standard name				
selstdname,std	names ifile ofile				
sellevel Select levels					
sellevel, levels i:	file ofile				
sellevidx	sellevidx Select levels by index				
sellevidx, levidx	ifile ofile				
selgrid	Select grids				
selgrid, grids ifile ofile					
selzaxis	selzaxis Select z-axes				
selzaxis,zaxes ifile ofile					
selltype	selltype Select GRIB level types				
selltype,ltypes ifile ofile					
seltabnum Select parameter table numbers					
seltahnum tahnums ifile ofile					

seltimestep	Select time steps				
seltimestep, timesteps ifile ofile					
seltime Select times					
seltime, times i	file ofile				
selhour	Select hours				
selhour, hours i	file ofile				
selday	Select days				
selday,days ifi	le ofile				
selmon	Select months				
selmon, months	ifile ofile				
selyear Select years					
selyear, years ifile ofile					
selseas Select seasons					
${\bf selse as}, seasons$	ifile ofile				
seldate	Select dates				
	late2] ifile ofile				
	Select single month				
selsmon, month	[,nts1[,nts2]] ifile ofile				
sellonlatbox Select a longitude/latitude box					
	n1,lon2,lat1,lat2 ifile ofile				
	Select an index box				
selindexbox,idx1,idx2,idy1,idy2 ifile ofile					

Conditional selection

ifthen	If then				
ifnotthen	en If not then				
<pre><operator> ifi</operator></pre>	<pre><operator> ifile1 ifile2 ofile</operator></pre>				
ifthenelse	If then else				
ifthenelse ifil	e1 ifile2 ifile3 ofile	L			

If then constant ifthenc ifnotthenc If not then constant < operator > .c ifile ofile

Comparison

eq

ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre><operator> ifi</operator></pre>	ile1 ifile2 ofile
eqc	Equal constant
nec	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant

Greater than constant

Equal

Modification

< operator >, c ifile ofile

setpartab	Set parameter table		
setpartab, table ifile ofile			
setcode Set code number			
setcode,code if	ile ofile		
setparam	Set parameter identifier		
setparam, param ifile ofile			
setname Set variable name			
setname,name	ifile ofile		
setlevel Set level			
setlevel, level ifile ofile			
setltype Set GRIB level type			
setltype, ltype ifile ofile			

setdate Set date setdate.date ifile ofile Set time of the day settime settime.time ifile ofile Set day setday setday.day ifile ofile setmon Set month setmon.month ifile ofile setyear setyear, year ifile ofile settunits Set time units settunits.units ifile ofile settaxis Set time axis settaxis, date, time[,inc] ifile ofile setreftime Set reference time setreftime, date, time [, units] if ile of ile setcalendar Set calendar setcalendar, calendar ifile ofile shifttime Shift time steps shifttime.sval ifile ofile chcode Change code number

chcode, oldcode, newcode[,...] ifile ofile chparam Change parameter identifier chparam.oldparam.newparam... ifile ofile chname Change variable name chname.oldname.newname... ifile ofile chlevel Change level chlevel.oldlev.newlev.... ifile ofile chlevelc Change level of one code chlevelc,code,oldlev,newlev ifile ofile chlevely Change level of one variable chlevelv,name,oldlev,newlev ifile ofile

setgrid Set grid setgrid.grid ifile ofile setgridtype Set grid type setgridtype.gridtype ifile ofile setgridarea Set grid cell area setgridarea, gridarea ifile ofile

setzaxis Set z-axis setzaxis.zaxis ifile ofile

Set global attribute setgatt, attname, attstring ifile ofile setgatts Set global attributes setgatts, attfile ifile ofile invertlat Invert latitudes

invertlat ifile ofile

invertlev

invertlev ifile ofile maskregion Mask regions maskregion, regions ifile ofile

masklonlatbox Mask a longitude/latitude box masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile maskindexbox Mask an index box maskindexbox,idx1,idx2,idy1,idy2 ifile ofile

Invert levels

setclonlatbox Set a longitude/latitude box to constant setclonlatbox.c.lon1.lon2.lat1.lat2 ifile ofile setcindexbox Set an index box to constant setcindexbox,c,idx1,idx2,idv1,idv2 ifile ofile

enlarge Enlarge fields enlarge, grid ifile ofile

setmissval Set a new missing value setmissval, newmiss ifile ofile Set constant to missing value setctomiss Set missing value to constant setmisstoc < operator >, c ifile ofile Set range to missing value setrtomiss Set valid range setvrange <operator>,rmin,rmax ifile ofile

							Ct.ti-ti-al and an arrangement of
	Arithm	etic				ens <stat> <operator> ifi</operator></stat>	Statistical values over an ensemble
expr Evaluate expressions			enspctl	Ensemble percentiles			
expr,instr ifile ofile			enspctl,p ifile	-			
	exprf Evaluate expressions from script file						Ranked Histogram averaged over time
	exprf,fil	lename i	file ofile			ensrkhistsime	
	abs		Absolute value			ensroc	Ensemble Receiver Operating characteris
ì	int		Integer value				sfile ensfiles ofile
	nint		Nearest integer value				
Ì	pow		Power			enscrps	Ensemble CRPS and decomposition
	sqr		Square			enscrps rille	ifiles ofilebase Ensemble Brier score
	\mathbf{sqrt}		Square root				ifiles ofilebase
	exp		Exponential				
	ln		Natural logarithm			fld < stat >	Statistical values over a field
	log10		Base 10 logarithm			<pre>< operator > ifi</pre>	
	sin		Sine			fldpctl	Field percentiles
	cos		Cosine			fldpctl,p ifile	ofile
	tan		Tangent			$\mathbf{zon} < stat >$	Zonal statistical values
	asin		Arc sine Arc cosine			<pre>< operator > ifi</pre>	ile ofile
	acos reci		Reciprocal value			zonpctl	Zonal percentiles
ŀ		tor > ifi	le ofile			zonpctl,p ifile	e ofile
L		01 / 111				mer < stat >	Meridional statistical values
	addc		Add a constant			<pre><operator> ifi</operator></pre>	ile ofile
	subc		Subtract a constant			merpctl	Meridional percentiles
	mulc		Multiply with a constant			merpctl,p ifil	e ofile
ı	divc		Divide by a constant			gridboy < etat >	Statistical values over grid boxes
L	< operat	tor>,c 13	file ofile			-	ny ifile ofile
	add		Add two fields				, •
	sub		Subtract two fields			$\mathbf{vert} < stat >$	Vertical statistical values
	mul		Multiply two fields			<pre>< operator > ifi</pre>	ile ofile
	div		Divide two fields			timsel < stat >	Time range statistical values
	min		Minimum of two fields			<operator>,nse</operator>	ets[,noffset[,nskip]] ifile ofile
	max		Maximum of two fields			timaalnatl	Time range percentiles
	atan2		Arc tangent of two fields			timselpctl	ets[,noffset[,nskip]] ifile1 ifile2 ifile3
L	< operat	tor > 111	le1 ifile2 ofile				
	monade	d	Add monthly time series			run < stat >	Running statistical values
	monsul		Subtract monthly time se			<pre>< operator > ,nts</pre>	ifile ofile
	monmu		Multiply monthly time se			runpctl	Running percentiles
	mondiv		Divide monthly time serie	es		runpctl,p,nts it	
L	< operat	tor> ifi	le1 ifile2 ofile			tim <stat></stat>	Statistical values over all time steps
	ymonad	$^{\mathrm{dd}}$	Add multi-year monthly	time series		<pre>< operator > ifi</pre>	
Ì	ymonsi	ıb	Subtract multi-year mont	thly time series	3		
	ymonm		Multiply multi-year mont		3	timpctl	Time percentiles
	ymondi		Divide multi-year monthl	y time series		timpctl,p ifile	e1 ifile2 ifile3 ofile
	< operat	tor> ifi	le1 ifile2 ofile			hour < stat >	Hourly statistical values
	ydayad	d	Add multi-year daily time	e series		<pre><operator> if:</operator></pre>	ile ofile
Ì	ydaysu	b	Subtract multi-year daily	time series		hourpctl	Hourly percentiles
	ydaymı	ul	Multiply multi-year daily	time series			le1 ifile2 ifile3 ofile
	ydaydiy	v	Divide multi-year daily ti	ime series			
	< operat	tor > ifi	le1 ifile2 ofile			day < stat >	Daily statistical values
	muldpr	n	Multiply with days per m	nonth		<pre>< operator > ifi</pre>	ile ofile
	divdpm	1	Divide by days per month			daypctl	Daily percentiles
	muldpy	7	Multiply with days per ye			daypctl,p ifile	e1 ifile2 ifile3 ofile
	divdpy		Divide by days per year			mon <stat></stat>	Monthly statistical values
	< operat	tor > ifi	le ofile			<pre>< operator > ifi</pre>	
						monpctl	Monthly percentiles
						monpctl,p ifil	.e1 ifile2 ifile3 ofile
	Statisti	anl ····	1100			year <stat></stat>	Yearly statistical values
ì	otatist1	cai val	ues			<pre>< operator > ifi</pre>	· ·
	Available statistical functions $\langle stat \rangle$			[
		minimu	ım	min		yearpctl	Yearly percentiles
		maxim	um	max		yearpcti,p ifil	e1 ifile2 ifile3 ofile
		sum		sum		seas < stat >	Seasonal statistical values
		mean		mean		<pre><operator> ifi</operator></pre>	ile ofile
		average		avg		seaspctl	Seasonal percentiles
		varianc	0	var	I	Loudpool	

var

variance

<operator> ifile ofile

standard deviation

Consecutive Timesteps

yhour<stat> Multi-year hourly statistical values

seaspctl,p ifile1 ifile2 ifile3 ofile

<operator> ifile ofile

yday < stat >	Multi-year daily statistical values	remapeta	Remap vertical hybrid level		
<pre><operator> if:</operator></pre>	ile ofile	remapeta, vct[,	oro] ifile ofile		
ydaypctl	Multi-year daily percentiles	ml2pl	Model to pressure level interpolation		
ydaypctl,pifi	le1 ifile2 ifile3 ofile	* /*	ml2pl,plevels ifile ofile		
ymon < stat >	Multi-year monthly statistical values	ml2hl	Model to height level interpolation		
<pre>< operator > if:</pre>		ml2hl,hlevels if	ile ofile		
ymonpctl	Multi-year monthly percentiles	intlevel	Linear level interpolation		
	ile1 ifile2 ifile3 ofile	intlevel, levels i	file ofile		
yseas <stat> <pre><pre>coperator> if:</pre></pre></stat>	Multi-year seasonal statistical values	intlevel3d Linear level interpolation onto a 3d vertical coordinate intlevel3d but with extrapolation <pre>coperator >, icoordinate ifile1 ifile2 ofile</pre>			
	Multi-year seasonal percentiles ile1 ifile2 ifile3 ofile	inttime inttime,date,tin	Interpolation between time steps ne[,inc] ifile ofile		
ydrun < stat >	Multi-year daily running statistical values	intntime	Interpolation between time steps		
< operator >, nts	sifile ofile	intntime,n ifile ofile			
ydrunpctl,p,nt	Multi-year daily running percentiles		Interpolation between two years		
Correlation		Transformation	on		
fldcor	Correlation in grid space	sp2gp	Spectral to gridpoint		
fldcor ifile1 i	file2 ofile	sp2gpl	Spectral to gridpoint (linear)		
timcor	Correlation over time	gp2sp	Gridpoint to spectral		

gp2spl

sp2sp

dv2uv

dv2uvl

uv2dv

uv2dvl

dv2ps

<operator> ifile ofile

sp2sp,trunc ifile ofile

< operator > ifile ofile

fldcor	Correlation in grid space	
fldcor ifile1 ifile2 ofile		
timcor Correlation over time		
timcor ifile1	ifile2 ofile	

Regression

regres	Regression		
regres ifile	ofile		
detrend	Detrend		
detrend ifil	le ofile		
trend Trend			
trend ifile	ofile1 ofile2		
subtrand Subtract trand			

	Import/Export				
ч	import_binary	Import binary data sets			
	import_binary ifile ofile				
		Import CM-SAF HDF5 files			
П	import_cmsaf ifile ofile				
	import_amsr Import AMSR binary files				
	import_amsr ifile ofile				
	input	ASCII input			
J	input,grid ofile				
П	inputsrv	SERVICE ASCII input			
П	inputext	EXTRA ASCII input			
	<pre><operator> ofile</operator></pre>				
	output	ASCII output			

Formatted output

Gridpoint to spectral (linear)

Divergence and vorticity to U and V wind

U and V wind to divergence and vorticity

Divergence and vorticity to U and V wind (linear)

U and V wind to divergence and vorticity (linear)

D and V to velocity potential and stream function

Spectral to spectral

EOFs

ofile

	eof	Calculate EOFs in spatial or time space	
	eoftime	Calculate EOFs in time space	
	eofspatial	Calculate EOFs in spatial space	
	eof3d	Calculate 3-Dimensional EOFs in time space	
	<pre><operator>,neof ifile ofile1 ofile2</operator></pre>		
	eofcoeff Calculate principal coefficients of EOFs		
	enfoneff ifile1	ifila? obaga	

Bilinear interpolation

subtrend ifile1 ifile2 ifile3 ofile

Interpolation remapbil

Tomapon	Difficult interpolation	- are process		
remapbic	emapbic Bicubic interpolation		outputf, format, nelem ifiles	
remapdis	Distance-weighted average remapping	outputint	Integer output	
remapnn	Nearest neighbor remapping	outputsrv	SERVICE ASCII output	
remapcon	First order conservative remapping	outputext	EXTRA ASCII output	
remapcon2	remapcon2 Second order conservative remapping		<pre><operator> ifiles</operator></pre>	
remaplaf Largest area fraction remapping				
<pre><operator>,grid ifile ofile</operator></pre>				
genbil Generate bilinear interpolation weights		Miscellaneous		
0	. 0		G I PG I - I - I - G P I - I - G P I P	
genbic	Generate bicubic interpolation weights	gradsdes1	Grads data descriptor file (version 1 Grib map)	
gendis	Generate distance-weighted average remap weights	gradsdes2	Grads data descriptor file (version 2 Grib map)	
gencon Generate 1st order conservative remap weights gencon2 Generate 2nd order conservative remap weights		<pre><operator> ifile</operator></pre>		
		bandpass	Bandpass filtering	
		bandpass,fmin,fmax ifile ofile		
genlaf	Generate largest area fraction remap weights	lowpass	Lowpass filtering	
<pre><operator>,grid ifile ofile</operator></pre>			. 0	
1 70		lowpass,fmax ifile ofile		

SCRIP grid remapping

remap, grid, weights ifile ofile

Miscellaneous

output ifiles

outputf

ı	gradsacsi	GITIES data descriptor me (version i Gitie map)	
	gradsdes2	GrADS data descriptor file (version 2 GRIB map)	
	<pre><operator> ifile</operator></pre>		
	bandpass	Bandpass filtering	
	bandpass,fmin,fmax ifile ofile		
	lowpass	Lowpass filtering	
	lowpass,fmax ifile ofile		
	highpass	Highpass filtering	
	highpass,fmin ifile ofile		

gridarea	Grid cell area	eca_hd Heating degree days per time period	
gridweights	Grid cell weights	$eca_hd[,T1[,T2]]$ ifile ofile	
< operator > if	ile ofile	eca_hwdi Heat wave duration index wrt mean of reference p	
smooth9	9 point smoothing	eca_hwdi[, $nday$ [, T]] ifile1 ifile2 ofile	
smooth9 ifile			
antunla	Set list of old values to new values	eca_hwfi Warm spell days index wrt 90th percentile of refe	
setvals	newval[,] ifile ofile	eca_hwfi[,nday] ifile1 ifile2 ofile	
setrtoc	D 3	eca_id Ice days index per time period	
	Set range to constant	eca_id ifile ofile	
	max,c ifile ofile	Descriptation days index non-time noriced	
setrtoc2	Set range to constant others to constant2	eca_pd Precipitation days index per time period	
setrtoc2,rmin,i	rmax,c,c2 ifile ofile	eca_pd,x ifile ofile	
timsort	Sort over the time	eca_r10mm Heavy precipitation days index per time period	
timsort ifile	ofile	eca_r20mm Very heavy precipitation days index per time per	
	C + + + C 11	<pre><operator> ifile ofile</operator></pre>	
const	Create a constant field	eca_r75p Moderate wet days wrt 75th percentile of referen	
const,const,gric		eca_r75p ifile1 ifile2 ofile	
random	Create a field with random numbers		
random,grid[,s	,	eca_r75ptot Precipitation percent due to R75p days	
stdatm	Create values for pressure and temperature for hydronic	r eca_r75ptot ifile1 ifile2 ofile	
stdatm,levels o	file	eca_r90p Wet days wrt 90th percentile of reference period	
rotuvb	Backward rotation	eca_r90p ifile1 ifile2 ofile	
rotuvb,u,v, i			
		eca_r90ptot Precipitation percent due to R90p days	
mastrfu	Mass stream function	eca_r90ptot ifile1 ifile2 ofile	
mastrfu ifile	ofile	eca_r95p Very wet days wrt 95th percentile of reference pe	
histcount	Histogram count	eca_r95p ifile1 ifile2 ofile	
histsum	Histogram sum	-	
histmean	Histogram mean	eca_r95ptot Precipitation percent due to R95p days	
histfreq	Histogram frequency	eca_r95ptot ifile1 ifile2 ofile	
	unds ifile ofile	eca_r99p Extremely wet days wrt 99th percentile of referen	
		eca_r99p ifile1 ifile2 ofile	
sethalo	Set the left and right bounds of a field		
sethalo,lhalo,rl	nalo ifile ofile	eca_r99ptot Precipitation percent due to R99p days	
wct	Windchill temperature	eca_r99ptot ifile1 ifile2 ofile	
wct ifile1 if:	-	eca_rr1 Wet days index per time period	
wet illiel il.	ilez ollie	eca_rrl ifile ofile	
fdns	Frost days where no snow index per time period		
fdns ifile1 if	ile2 ofile	eca_rx1day Highest one day precipitation amount per time p	
strwin	Strong wind days index per time period	eca_rx1day[,mode] ifile ofile	
strwin/,v/ ifil		eca_rx5day Highest five-day precipitation amount per time p	
£- 3		eca_rx5day[,x] ifile ofile	
strbre	Strong breeze days index per time period		
strbre ifile o	file	eca_sdii Simple daily intensity index per time period	
strgal	Strong gale days index per time period	eca_sdii ifile ofile	
strgal ifile or		eca_su Summer days index per time period	
		$eca_su[T]$ ifile ofile	
hurr	Hurricane days index per time period		
hurr ifile of	ile	eca_tg10p Cold days percent wrt 10th percentile of reference	
		eca_tg10p ifile1 ifile2 ofile	
		eca_tg90p Warm days percent wrt 90th percentile of referen	
Climate indi	ces	eca_tg90p ifile1 ifile2 ofile	
eca_cdd	Consecutive dry days index per time period		
eca_cdd ifile		eca_tn10p Cold nights percent wrt 10th percentile of referen	
		eca_tn10p ifile1 ifile2 ofile	
eca_cfd	Consecutive frost days index per time period	eca_tn90p Warm nights percent wrt 90th percentile of refere	
eca_cfd ifile	ofile	eca_tn90p ifile1 ifile2 ofile	
eca_csu	Consecutive summer days index per time period	•	
$eca_csu[T]$ ifi		eca_tr Tropical nights index per time period	
		eca_tr[,T] ifile ofile	
eca_cwd	Consecutive wet days index per time period	eca_tx10p Very cold days percent wrt 10th percentile of refe	
eca_cwd ifile	ofile	eca_tx10p ifile1 ifile2 ofile	
eca_cwdi	Cold wave duration index wrt mean of reference pe	wind	
		very warm days percent wrt 90th percentile of re	
eca_cwdi[,nday[,T]] ifile1 ifile2 ofile		eca_tx90p ifile1 ifile2 ofile	
eca_cwfi	Cold-spell days index wrt 10th percentile of referen	ce period	
eca_cwfi[,nday]	ifile1 ifile2 ofile		
eca_etr	Intra-period extreme temperature range		
eca_etr eca_etr ifile1			
cca_etf IIIIeI			
eca_fd	Frost days index per time period		
eca_fd ifile o			
eca_gsl	Growing season length index		
-	[[,fland]]] ifile1 ifile2 ofile		