CDO Reference Card

Climate Data Operators Version 1.6.3 February 2014

Uwe Schulzweida Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

Syntax

cdo	[Options]	Operator1	[-Operator2	[-OperatorN]]
-----	-----------	-----------	--------------	------------------

Options

Options		
-a	Generate an absolute time axis	
-b < nbits >	Set the number of bits for the output precision	
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;	
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)	
	Add L or B for Little or Big endian byteorder	
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg	
<pre>-g < grid ></pre>	Grid or file name	
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>	
-h	Help information for the operators	
-M	Indicate that the I/O streams have missing values	
-m $<$ $missval >$	Set the default missing value (default: -9e+33)	
-0	Overwrite existing output file, if checked	
-R	Convert GRIB1 data from reduced to regular grid	
-r	Generate a relative time axis	
-s	Silent mode	
-t	Set the parameter table name or file	
	Predefined tables: echam4 echam5 mpiom1	
-V	Print the version number	
-v	Print extra details for some operators	
-z szip	SZIP compression of GRIB1 records	

Operators

Information

showdate

showtime

<operator> ifile

showtimestam Show timestamp

Information			
info	Dataset information listed by parameter identifier		
infon	Dataset information listed by parameter name		
map	Dataset information and simple map		
<pre><operator> ifi</operator></pre>	les		
sinfo	Short information listed by parameter identifier		
sinfon	Short information listed by parameter name		
< operator > ifi	les		
diff	Compare two datasets listed by parameter id		
diffn	Compare two datasets listed by parameter name		
< operator > ifi	le1 ifile2		
npar	Number of parameters		
nlevel	Number of levels		
nyear Number of years			
nmon	Number of months		
ndate	Number of dates		
ntime	Number of timesteps		
<pre><operator> ifile</operator></pre>			
showformat	Show file format		
showcode	Show code numbers		
showname	Show variable names		
showstdname	Show standard names		
showlevel	Show levels		
showltype	Show GRIB level types		
showyear	Show years		
showmon	howmon Show months		

Show date information

Show time information

	pardes	Parameter description
	griddes	Grid description
	zaxisdes	Z-axis description
	vct	Vertical coordinate table
<pre><operator> ifile</operator></pre>		ile

- File operations

copy	Copy datasets	
cat	Concatenate datasets	
<pre><operator> ifi</operator></pre>	<pre><operator> ifiles ofile</operator></pre>	
replace	Replace variables	
replace ifile1 ifile2 ofile		
duplicate	Duplicates a dataset	
duplicate[,ndup	ifile ofile	
mergegrid	Merge grid	
	e1 ifile2 ofile	
merge	Merge datasets with different fields	
mergetime	Merge datasets sorted by date and time	
<pre><operator> ifi</operator></pre>	les ofile	
splitcode	Split code numbers	
splitparam	Split parammeter identifiers	
splitname	Split variable names	
splitlevel	Split levels	
splitgrid	Split grids	
	Split z-axes	
	Split parameter table numbers	
<pre><operator>[,swap] ifile obase</operator></pre>		
splithour	Split hours	
splitday	Split days	
splitseas	Split seasons	
splityear	Split years	
<pre><operator> ifile obase</operator></pre>		
splitmon	Split months	
splitmon[,forma	at]ifile obase	
splitsel	Split time selection	
splitsel,nsets[,noffset[,nskip]] ifile obase		

Selection soloct

select	Select fields			
delete	Delete fields			
< operator >, par	<pre><operator>,params ifiles ofile</operator></pre>			
selparam	Select parameters by identifier			
delparam	Delete parameters by identifier			
< operator >, par	ams ifile ofile			
selcode	Select parameters by code number			
delcode	Delete parameters by code number			
< operator >, cod	les ifile ofile			
selname	Select parameters by name			
delname	Delete parameters by name			
	<pre><operator>,names ifile ofile</operator></pre>			
	Select parameters by standard name			
selstdname,stdnames ifile ofile				
sellevel				
sellevel, levels ifile ofile				
	Select levels by index			
sellevidx, levidx ifile ofile				
selgrid	Select grids			
selgrid, grids ifile ofile				
selzaxis	Select z-axes			
selzaxis,zaxes ifile ofile				
selltype	Select GRIB level types			
selltype,ltypes ifile ofile				
seltabnum	seltabnum Select parameter table numbers			
seltabnum,tabnums ifile ofile				

Salact fields

seltimestep	Select timesteps		
	esteps ifile ofile		
seltime	Select times		
seltime, times if	file ofile		
selhour	Select hours		
selhour, hours i:	file ofile		
selday	Select days		
selday,days ifile ofile			
selmon	Select months		
selmon, months	selmon, months ifile ofile		
selyear	Select years		
selyear, years ifile ofile			
selseas	Select seasons		
selseas,seasons ifile ofile			
seldate	Select dates		
seldate,date1[,date2] ifile ofile			
selsmon			
selsmon,month[,nts1[,nts2]] ifile ofile			
sellonlatbox	Select a longitude/latitude box		
sellonlatbox, lon1, lon2, lat1, lat2 ifile ofile			
selindexbox	Select an index box		
selindexbox,idx1,idx2,idy1,idy2 ifile ofile			

Conditional selection

ifthen	If then
ifnotthen	If not then
<pre><operator> ifile1 ifile2 ofile</operator></pre>	
ifthenelse	If then else
ifthenelse ifile1 ifile2 ifile3 ofile	
ifthenc	If then constant

ifthenc	If then constant
ifnotthenc	If not then constant
<operator>,c i</operator>	file ofile

${\bf Comparison}$

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre><operator> ifile1 ifile2 ofile</operator></pre>	
enc	Equal constant

eqc	Equal constant	
nec	Not equal constant	
lec	Less equal constant	
ltc	Less than constant	
gec	Greater equal constant	
gtc	Greater than constant	
<pre>< operator > .c ifile ofile</pre>		

Modification

setpartab	Set parameter table	
setpartab, table ifile ofile		
setcode	Set code number	
setcode, code ifile ofile		
setparam	Set parameter identifier	
setparam,parar	n ifile ofile	
setname	Set variable name	
setname, name ifile ofile		
setunit	Set variable unit	
setunit,unit ifile ofile		
setlevel	Set level	
setlevel, level ifile ofile		
setltype	Set GRIB level type	
setltype.ltype ifile ofile		

setdate	Set date	
setdate,date if:	ile ofile	
settime	Set time of the day	
settime, time if	ile ofile	
setday	Set day	
setday,day ifil	e ofile	
setmon	Set month	
setmon, month	ifile ofile	
setyear	Set year	
setyear, year ifile ofile		
settunits	Set time units	
settunits, units		
settaxis	Set time axis	
	ne[,inc] ifile ofile	
setreftime	Set reference time	
setreftime, date, time[, units] ifile ofile		
setcalendar	Set calendar	
setcalendar,calendar ifile ofile		
	Shift timesteps	
shifttime,sval i	file ofile	
chcode	Change code number	

chcode	Change code number	
chcode,oldcode,newcode[,] ifile ofile		
chparam	Change parameter identifier	
chparam,oldparam,newparam, ifile ofile		
chname	Change variable name	
chname,oldnam	e,newname, ifile ofile	
chunit	Change variable unit	
chunit,oldunit,newunit, ifile ofile		
chlevel	Change level	
chlevel, oldlev, newlev, ifile ofile		
chlevelc	Change level of one code	
chlevelc,code,oldlev,newlev ifile ofile		
chlevelv	Change level of one variable	
chlevelv,name,o	oldlev,newlev ifile ofile	
cotonid	Sat anid	

	setgria	Set grid	
	setgrid, grid ifile ofile		
	setgridtype	Set grid type	
	setgridtype,gridtype ifile ofile		
	setgridarea	Set grid cell area	
setgridarea,gridarea ifile ofile			
	setzaxis	Set z-axis	

DOUBLEED	DOU Z GLED	
setzaxis,zaxis ifile ofile		
setgatt	Set global attribute	
setgatt,attname,attstring ifile ofile		
setgatts	Set global attributes	
cotratte attfilo	ifile ofile	

invertlat	Invert latitudes
invertlat ifile	ofile

invertlev	Invert levels
invertlev ifile	ofile
maskregion	Mask regions
maskregion, regions ifile ofile	

\max klonlatbox	Mask a longitude/latitude box
masklonlatbox	lon1,lon2,lat1,lat2 ifile ofile
maskindexbox	Mask an index box
maskindexbox.idx1.idx2.idv1.idv2 ifile ofile	

setclonlatbox	Set a longitude/latitude box to constant	
setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile		
setcindexbox Set an index box to constant		
setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile		

enlarge	Enlarge fields
enlarge grid ifi	ile ofile

setmissval	Set a new missing value
setmissval,newmiss ifile ofile	
setctomiss	Set constant to missing value
setmisstoc	Set missing value to constant
<pre><operator>,c ifile ofile</operator></pre>	
setrtomiss	Set range to missing value
setvrange	Set valid range
<pre>< operator > .rmin.rmax ifile ofile</pre>	

Arithmetic

Arithmetic		
expr	Evaluate expressions	
expr,instr ifile	ofile	
exprf	Evaluate expressions from script file	
exprf,filename i	file ofile	
abs	Absolute value	
int	Integer value	
nint	Nearest integer value	
pow	Power	
sqr	Square	
sqrt	Square root	
exp	Exponential	
ln	Natural logarithm	
log10	Base 10 logarithm	
sin	Sine	
cos	Cosine	
tan	Tangent	
asin	Arc sine	
acos	Arc cosine	
reci	Reciprocal value	
<pre><operator> ifi</operator></pre>	lle ofile	
addc	Add a constant	
subc	Subtract a constant	
mulc	Multiply with a constant	
divc Multiply with a constant Divide by a constant		
<operator>,c i</operator>		
add	Add two fields	
sub	Subtract two fields	
mul	Multiply two fields	
div	Divide two fields	
min	Minimum of two fields	
max	Maximum of two fields	
atan2	Arc tangent of two fields	
<pre><operator> ifi</operator></pre>	ile1 ifile2 ofile	
monadd	Add monthly time series	
monsub	Subtract monthly time series	
monmul	Multiply monthly time series	
mondiv	Divide monthly time series	
<pre><operator> ifi</operator></pre>	le1 ifile2 ofile	
ymonadd	Add multi-year monthly time series	
ymonsub	Subtract multi-year monthly time series	
ymonmul	Multiply multi-year monthly time series	
ymondiv	Divide multi-year monthly time series	
<pre></pre>		
ydayadd	Add multi-year daily time series	
ydaysub	Subtract multi-year daily time series	
ydaymul		
ydaydiv	Divide multi-year daily time series	
<pre></pre>		
yhouradd	Add multi-year hourly time series	
yhoursub	Subtract multi-year hourly time series	
yhourmul		
yhourdiv Divide multi-year hourly time series		
<pre></pre> <pre>< operator > ifile1 ifile2 ofile</pre>		
muldpm	Multiply with days per month	
divdpm	Divide by days per month	
muldpy	Multiply with days per year	
divdpy	Divide by days per year	
divupy		

< operator > ifile ofile

Statistical values

day < stat >

daypctl

monpctl

<operator> ifile ofile

<operator> ifile ofile

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var, var1
standard deviation	std, std1

sum		sum	
mean		mean	
average		avg	
varianc	e deviation	var, var1 std, std1	
		sia, siai	
consects	Consecutive Timesteps		
< operator > ifi	le ofile		
ens < stat >	Statistical values over an	ensemble	
<pre><operator> ifi</operator></pre>	les ofile		
enspctl	Ensemble percentiles		
$\mathbf{enspctl}, p \; \mathtt{ifile}$	s ofile		
ensrkhistspace	Ranked Histogram average	red over time	
	Ranked Histogram average		
ensroc	Ensemble Receiver Opera	ting characteri	stics
< operator > obs	file ensfiles ofile		
enscrps	Ensemble CRPS and deco	omposition	
enscrps rfile	ifiles ofilebase		
ensbrs	Ensemble Brier score		
${\it ensbrs}, {\it x} \; {\it rfile}$	ifiles ofilebase		
fld < stat >	Statistical values over a f	ield	
< operator > ifi	le ofile		
fldpctl	Field percentiles		
${f fldpctl}, p \ {f ifile}$	ofile		
$\mathbf{zon} < stat >$	Zonal statistical values		
< operator > ifi	le ofile		
zonpctl	Zonal percentiles		
$\mathbf{zonpctl}, p \; \mathtt{ifile}$	ofile		
mer < stat >	Meridional statistical value	1es	
< operator > ifi	le ofile		
	Meridional percentiles		
merpctl,p ifile	e ofile		
	Statistical values over gri	d boxes	
< operator >, nx,	ny ifile ofile		
$\mathbf{vert} < stat >$	Vertical statistical values		
< operator > ifi	le ofile		
timsel< stat>	Time range statistical val	nes	
	ts[,noffset[,nskip]] ifile of		
	Time range percentiles ets[,noffset[,nskip]] ifile1	ifile? ifile?	R ofile
			, 01116
	Running statistical values	3	
< operator >, nts	ifile ofile		
runpctl	Running percentiles		
runpctl,p,nts if			
	ile1 ofile		
tim < stat >	ile1 ofile Statistical values over all	timesteps	
tim < stat > $< operator > ifi$	Statistical values over all	timesteps	
< operator > ifi	Statistical values over all le ofile	timesteps	
<pre><operator> ifi timpctl</operator></pre>	Statistical values over all le ofile Time percentiles	timesteps	
< operator > ifi timpctl timpctl, p ifile	Statistical values over all le ofile Time percentiles 1 ifile2 ifile3 ofile	timesteps	
<pre><operator> ifi timpctl timpctl,p ifile hour<stat></stat></operator></pre>	Statistical values over all le ofile Time percentiles 1 ifile2 ifile3 ofile Hourly statistical values	timesteps	
< operator > ifi timpctl timpctl,p ifile hour $< stat >$ < operator > ifi	Statistical values over all le ofile Time percentiles 1 ifile2 ifile3 ofile Hourly statistical values le ofile	timesteps	
<pre><operator> ifit timpctl timpctl,p ifile hour<stat> <operator> ifit hourpctl</operator></stat></operator></pre>	Statistical values over all le ofile Time percentiles 1 ifile2 ifile3 ofile Hourly statistical values	timesteps	

Daily statistical values

Monthly statistical values

Monthly percentiles

monpctl,p ifile1 ifile2 ifile3 ofile

Daily percentiles daypctl,p ifile1 ifile2 ifile3 ofile

yearmonmean ifile ofile year<stat> <operator> yearpctl yearpctl,p seas < stat >< operator >seaspctl seaspctl,p i yhour< stat < operator >yday< stat : < operator >ydaypctl ydaypctl,pymon< stat < operator >ymonpctl ymonpctl,p yseas< stat < operator >yseaspctl yseaspctl,pydrun<stat < operator >ydrunpctl Multi-year daily running percentiles ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile Correlation and co. fldcor Correlation in grid space fldcor ifile1 ifile2 ofile timcor Correlation over time timcor ifile1 ifile2 ofile fldcovar Covariance in grid space fldcovar ifile1 ifile2 ofile timcovar Covariance over time timcovar ifile1 ifile2 ofile Regression

regres	Regression
regres ifile of	ile
detrend	Detrend
detrend ifile	ofile
trend	Trend
trend ifile of:	ile1 ofile2
subtrend	Subtract trend
subtrend ifile	1 ifile2 ifile3 ofile

EOFs

eof	Calculate EOFs in spatial or time space
eoftime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<pre><operator>,neofifile ofile1 ofile2</operator></pre>	
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1	ifile2 obase

Interpolation

> Yearly statistical values	remapbil	Bilinear interpolation
> ifile ofile	remapbic	Bicubic interpolation
	remapdis	Distance-weighted average remapping
Yearly percentiles	remapnn	Nearest neighbor remapping
ifile1 ifile2 ifile3 ofile	remapcon	First order conservative remapping
Seasonal statistical values	remapcon2	Second order conservative remapping
> ifile ofile	remaplaf	Largest area fraction remapping
	<pre>< operator > ,gric</pre>	d ifile ofile
Seasonal percentiles	genbil	Generate bilinear interpolation weights
ifile1 ifile2 ifile3 ofile	genbic	Generate bicubic interpolation weights
t> Multi-year hourly statistical values	gendis	Generate distance-weighted average remap weights
> ifile ofile	gennn	Generate nearest neighbor remap weights
	gencon	Generate 1st order conservative remap weights
> Multi-year daily statistical values	gencon2	Generate 2nd order conservative remap weights
> ifile ofile	genlaf	Generate largest area fraction remap weights
Multi-year daily percentiles	<pre>< operator > ,gric</pre>	
o ifile1 ifile2 ifile3 ofile		
27.11	remap	SCRIP grid remapping
t > Multi-year monthly statistical values	remap,grid,weig	ghts ifile ofile
> ifile ofile	remapeta	Remap vertical hybrid level
Multi-year monthly percentiles	remapeta,vct[,oro] ifile ofile	
p ifile1 ifile2 ifile3 ofile		
Multi annu annual atatistical anluar	ml2pl	Model to pressure level interpolation
Multi-year seasonal statistical values	ml2pl,plevels if	
> ifile ofile	ml2hl	Model to height level interpolation
Multi-year seasonal percentiles	ml2hl,hlevels if	ile ofile
p ifile1 ifile2 ifile3 ofile	intlevel	Linear level interpolation
Multi-year daily running statistical values	intlevel, levels i:	file ofile
>,nts ifile ofile	intlevel3d	Linear level interpolation onto a 3d vertical coordin
,	intlevelsd	like intlevel3d but with extrapolation
Multi-year daily running percentiles		ordinate ifile1 ifile2 ofile
p,nts ifile1 ifile2 ifile3 ofile	<pre><pre><pre>operator >,1co</pre></pre></pre>	ordinate fiffer fiffez office

Interpolation between timesteps inttime,date,time[,inc] ifile ofile Interpolation between timesteps intntime

,	
intyear	Interpolation between two years
introor ware it	file1 ifile2 obace

Spectral to gridpoint

Gridpoint to spectral

Transformation

sp2gp

sp2gpl

gp2sp

intntime.n ifile ofile

gp2spl	Gridpoint to spectral (linear)		
<pre><operator> ifi</operator></pre>	<pre><operator> ifile ofile</operator></pre>		
sp2sp	Spectral to spectral		
sp2sp,trunc ifile ofile			
dv2uv	dv2uv Divergence and vorticity to U and V wind		
dv2uvl	Divergence and vorticity to U and V wind (linear)		
uv2dv	U and V wind to divergence and vorticity		
uv2dvl	II and V wind to divergence and vorticity (linear)		

Spectral to gridpoint (linear)

dv2uv	Divergence and vorticity to U and V wind
dv2uvl	Divergence and vorticity to U and V wind (linear)
uv2dv	U and V wind to divergence and vorticity
uv2dvl	U and V wind to divergence and vorticity (linear)
dv2ps	D and V to velocity potential and stream function
<pre><operator> ifile ofile</operator></pre>	

Import/Export

import_binary	Import binary data sets	
import_binary	ifile ofile	
$import_cmsaf$	Import CM-SAF HDF5 files	
import_cmsaf	ifile ofile	
	Y . A MOTO 1: 01	
$import_amsr$	Import AMSR binary files	
import_amsr ifile ofile		
input	ASCII input	
•		
input,grid ofile		
inputsrv	SERVICE ASCII input	
inputext	EXTRA ASCII input	
<pre><operator> ofile</operator></pre>		

output	ASCII output		
output ifiles		hurr	Hur
outputf	Formatted output	hurr ifile ofi	le
outputf format	outputf,format[,nelem] ifiles		
		fillmiss	Fill
outputint	Integer output	10.10	
outputsrv	SERVICE ASCII output	fillmiss ifile o	ofile
outputsiv	SERVICE ASCII output	fillmiss2	Fill
outputext	EXTRA ASCII output		
*		fillmiss2[,maxite	orl if
<pre><operator> ifiles</operator></pre>		mmissz[,maxio	c1 11

hurr	Hurricane days index per time period
hurr ifile ofi	le
fillmiss	Fill missing values
fillmiss ifile ofile	
fillmiss2	Fill missing values
fillmiss2[,maxiter] ifile ofile	

Miscellaneous

gradsdes1	GrADS data descriptor file (version 1 GRIB map)		Cons
gradsdes2	GrADS data descriptor file (version 2 GRIB map)	eca_cdd/,R] ifi	le of:
<pre><operator> ifile</operator></pre>			
1 1	D 1 (2)	eca_cfd	Cons
bandpass	Bandpass filtering	eca_cfd ifile	ofile
handpass fmin fmax ifile ofile			

lowpass Lowpass filtering
lowpass,fmax ifile ofile
highpass Highpass filtering
highpass,fmin ifile ofile

gridarea Grid cell area
gridweights Grid cell weights

< operator > ifile ofile

smooth9 9 point smoothing
smooth9 ifile ofile

 setvals
 Set list of old values to new values

 setvals,oldval,newval[,...] ifile ofile

 setrtoc
 Set range to constant

 setrtoc,rmin,rmax,c ifile ofile
 Set range to constant others to constant

 setrtoc2
 Set range to constant others to constant

 setrtoc2.rmin,rmax,c c2 ifile ofile

timsort Sort over the time timsort ifile ofile

mastrfu

 const
 Create a constant field

 const,const,grid ofile
 ofile

 random
 Create a field with random numbers

 random,grid[,seed] ofile
 ofile

 stdatm
 Create values for pressure and temperature for hydrotatm,levels ofile

rotuvb Backward rotation
rotuvb,u,v,... ifile ofile

 mastrfu ifile
 ofile

 adisit
 Potential temperature to in-situ temperature

 adisit/[pressure]
 ifile ofile

 adipot
 In-situ temperature to potential temperature

Mass stream function

adipot In-situ temperature to potential temperature
adipot ifile ofile

Calculates potential density

rhopot Calculates potential density
rhopot[,pressure] ifile ofile
histogram count

histount
histsum
histmean
histfreq
Histogram sum
Histogram mean
histfreq
Histogram frequency
<operator>,bounds ifile ofile

sethalo Set the left and right bounds of a field sethalo, lhalo, rhalo ifile ofile

wct Windchill temperature wct ifile1 ifile2 ofile

fdns Frost days where no snow index per time period fdns ifile1 ifile2 ofile

strwin Strong wind days index per time period strwin[,v] ifile ofile

 strbre
 Strong breeze days index per time period

 strbre ifile ofile

strgal Strong gale days index per time period strgal ifile ofile

Climate indices

eca_cdd Consecutive dry days index per time peri		Consecutive dry days index per time period
	eca_cdd[,R] ifile ofile	
	eca_cfd	Consecutive frost days index per time period
	eca_ciu	Consecutive frost days findex per time period
eca_cfd ifile ofile		

 $\begin{array}{ccc} \textbf{eca_csu} & \textbf{Consecutive summer days index per time period} \\ \textbf{eca_csu}[,T] \ \textbf{ifile ofile} \\ \end{array}$

 eca_cwd
 Consecutive wet days index per time period

 eca_cwd[,R] ifile ofile

eca_cwdi Cold wave duration index wrt mean of reference per eca_cwdi[,nday[,T]] ifile1 ifile2 ofile

eca_cwfi Cold-spell days index wrt 10th percentile of reference eca_cwfi[.nday] ifile1 ifile2 ofile

eca_etr Intra-period extreme temperature range eca_etr ifile1 ifile2 ofile

eca_fd Frost days index per time period eca_fd ifile ofile

eca_gsl Growing season length index eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile

eca_hd Heating degree days per time period eca_hd[,T1[,T2]] ifile ofile

eca_hwdi Heat wave duration index wrt mean of reference per eca_hwdi[,nday[,T]] ifile1 ifile2 ofile

eca_hwfi Warm spell days index wrt 90th percentile of referencea_hwfi[,nday] ifile1 ifile2 ofile

eca_id Ice days index per time period eca_id ifile ofile

eca_r75p Moderate wet days wrt 75th percentile of reference peca_r75p ifile1 ifile2 ofile

eca_r75ptot Precipitation percent due to R75p days
eca_r75ptot ifile1 ifile2 ofile

eca_r90p Wet days wrt 90th percentile of reference period eca_r90p ifile1 ifile2 ofile

eca_r90ptot Precipitation percent due to R90p days
eca_r90ptot ifile1 ifile2 ofile

eca_r95p Very wet days wrt 95th percentile of reference perior eca_r95p ifile1 ifile2 ofile

eca_r95ptot Precipitation percent due to R95p days
eca_r95ptot ifile1 ifile2 ofile

eca.r99p Extremely wet days wrt 99th percentile of reference eca.r99p ifile1 ifile2 ofile

eca_r99ptot Precipitation percent due to R99p days
eca_r99ptot ifile1 ifile2 ofile

 eca_pd
 Precipitation days index per time period

 eca_pd,x ifile
 ofile

 eca_r10mm
 Heavy precipitation days index per time period

 very heavy precipitation days index per time period

 eca_r20mm
 Very heavy precipitation days index per time period

eca_rr1 Wet days index per time period eca_rr1[,R] ifile ofile

eca_rx1day Highest one day precipitation amount per time peric eca_rx1day[,mode] ifile ofile

Highest five-day precipitation amount per time period eca_rx5dav eca_rx5day[,x] ifile ofile eca_sdii Simple daily intensity index per time period eca_sdii/.R] ifile ofile Summer days index per time period eca su $eca_su[T]$ ifile ofile Cold days percent wrt 10th percentile of reference period eca_tg10p eca_tg10p ifile1 ifile2 ofile Warm days percent wrt 90th percentile of reference period eca_tg90p ifile1 ifile2 ofile eca_tn10p Cold nights percent wrt 10th percentile of reference period eca_tn10p ifile1 ifile2 ofile Warm nights percent wrt 90th percentile of reference period eca_tn90p eca_tn90p ifile1 ifile2 ofile Tropical nights index per time period eca_tr[,T] ifile ofile Very cold days percent wrt 10th percentile of reference period eca_tx10p eca_tx10p ifile1 ifile2 ofile

eca_tx90p Very warm days percent wrt 90th percentile of reference period eca_tx90p ifile1 ifile2 ofile