CDO Reference Card

Climate Data Operators Version 1.5.9 December 2012

Uwe Schulzweida Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

File operations

< operator > ifile

pardes

griddes

vct

zaxisdes

copy	Copy datasets	
cat	Concatenate datasets	
<pre><operator> ifiles ofile</operator></pre>		
replace	Replace variables	
replace ifile1	*	
merge	Merge datasets with different fields	
mergetime	Merge datasets sorted by date and time	

Parameter description

Grid description

Z-axis description Vertical coordinate table

splitcode	Split code numbers	
splitparam	Split parammeter identifiers	
splitname	Split variable names	
splitlevel	Split levels	
splitgrid	Split grids	
splitzaxis	Split z-axes	
splittabnum	Split parameter table numbers	
<pre><operator>[,swap] ifile obase</operator></pre>		
splithour	Split hours	

- P	o presentation
splitday	Split days
splitmon	Split months
splitseas	Split seasons
splityear	Split years
< operator > ifi	le obase

<operator> ifiles ofile

splitsel	Split time selection
splitsel nsets/ ne	offset[nskin]] ifile obase

Syntax

cdo [Options] Operator1 [-Operator2 [-Opera	atorN]]
---	-----------

Options

-a	Generate an absolute time axis
-b < nbits >	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid >	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m < missval >	Set the default missing value (default: -9e+33)
-O	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
$-\mathbf{t} $	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	SZIP compression of GRIB1 records

Operators

Information

showmon showdate

showtime

<operator> ifile

info	Dataset information listed by parameter identifier	
infon	Dataset information listed by parameter name	
map	Dataset information and simple map	
< operator > ifi	les	
sinfo	Short information listed by parameter identifier	
sinfon	Short information listed by parameter name	
< operator > ifi	les	
diff	Compare two datasets listed by parameter id	
diffn	Compare two datasets listed by parameter name	
<pre><operator> ifile1 ifile2</operator></pre>		
npar	Number of parameters	
nlevel	Number of levels	
nyear	Number of years	
nmon	Number of months	
ndate	Number of dates	
ntime	Number of timesteps	
<pre><operator> ifile</operator></pre>		
showformat	Show file format	
showcode	Show code numbers	
showname	Show variable names	
showstdname	Show standard names	
showlevel	Show levels	
showltype	Show GRIB level types	
showyear	Show years	
showmon	Show months	

Show date information

Show time information

showtimestamp Show timestamp

Selection

selparam	Colort nonemators by identifier	
	Select parameters by identifier	
delparam	Delete parameters by identifier	
<pre><operator>,params ifile ofile</operator></pre>		
selcode	Select parameters by code number	
delcode	Delete parameters by code number	
<pre><operator>,cod</operator></pre>	les ifile ofile	
selname	Select parameters by name	
delname	Delete parameters by name	
<operator>,nar</operator>	mes ifile ofile	
selstdname	Select parameters by standard name	
selstdname,stdnames ifile ofile		
sellevel	Select levels	
sellevel, levels it		
sellevidx	Select levels by index	
sellevidx, levidx	ifile ofile	
selgrid	Select grids	
selgrid, grids ifile ofile		
selzaxis	Select z-axes	
selzaxis,zaxes ifile ofile		
selltype	Select GRIB level types	
selltype,ltypes ifile ofile		
seltabnum	Select parameter table numbers	
seltabnum,tabnums ifile ofile		

	Select timesteps	
* /	nesteps ifile ofile	
seltime	Select times	
seltime, times it	file ofile	
selhour	Select hours	
selhour, hours i	file ofile	
selday	Select days	
selday,days ifi	le ofile	
selmon	Select months	
${\bf selmon}, months$	ifile ofile	
selyear	Select years	
selyear, years ifile ofile		
selseas	Select seasons	
selseas, seasons	ifile ofile	
seldate	Select dates	
seldate,date1[,date2] ifile ofile		
selsmon	Select single month	
selsmon, month	[,nts1[,nts2]] ifile ofile	
sellonlatbox	Select a longitude/latitude box	
sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile		
selindexbox	Select an index box	
selindexbox,idz	x1,idx2,idy1,idy2 ifile ofile	
,		

Conditional selection

Conditional Selection			
ifthen	If then		
ifnotthen	If not then		
< operator > ifi	le1 ifile2 ofile		
ifthenelse	If then else		
ifthenelse ifile	ifthenelse ifile1 ifile2 ifile3 ofile		
10.1			
ifthenc	If then constant		
ifnotthenc	If not then constant		
< operator >, c ifile ofile			

Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre>< operator > if:</pre>	ile1 ifile2 ofile
	The state of the s
enc	Equal constant

eqc	Equal constant	
nec	Not equal constant	
lec	Less equal constant	
ltc	Less than constant	
gec	Greater equal constant	
gtc	Greater than constant	
<pre>< operator > .c ifile ofile</pre>		

Modification

setpartab	Set parameter table	
setpartab, table ifile ofile		
setcode	Set code number	
setcode,code if	ile ofile	
setparam	Set parameter identifier	
setparam,param ifile ofile		
setname	Set variable name	
setname,name ifile ofile		
setunit	Set variable unit	
setunit,unit ifile ofile		
setlevel	Set level	
setlevel, level ifile ofile		
setltype	Set GRIB level type	
cottype ltype i	file ofile	

setdate	Set date
setdate, date if:	ile ofile
settime	Set time of the day
settime, time if	ile ofile
setday	Set day
setday,day ifil	e ofile
setmon	Set month
setmon, month	file ofile
setyear	Set year
setyear, year if	le ofile
settunits	Set time units
settunits, units	ifile ofile
settaxis	Set time axis
settaxis, date, tir	ne[,inc] ifile ofile
setreftime	Set reference time
setreftime, date	time[,units] ifile ofile
setcalendar	Set calendar
setcalendar,cal	endar ifile ofile
shifttime	Shift timesteps
shifttime,sval i	file ofile
chcode	Change code number
cheade aldeade	newcode lifile ofile

chcode	Change code number	
chcode, oldcode,	newcode[,] ifile ofile	
chparam	Change parameter identifier	
chparam,oldpar	ram,newparam, ifile ofile	
chname	Change variable name	
chname,oldname,newname, ifile ofile		
chunit	Change variable unit	
chunit,oldunit,newunit, ifile ofile		
chlevel	Change level	
chlevel,oldlev,n	ewlev, ifile ofile	
chlevelc	Change level of one code	
chlevelc,code,oldlev,newlev ifile ofile		
chlevelv	Change level of one variable	
chlevelv,name,oldlev,newlev ifile ofile		
aatamid	Cot maid	

setgrid, grid ifile ofile		
setgridtype	Set grid type	
setgridtype,gridtype ifile ofile		
setgridarea	Set grid cell area	
setgridarea, gridarea ifile ofile		
setzaxis	Set z-axis	

setzaxis,zaxis ifile ofile		
setgatt	Set global attribute	
setgatt, attname, attstring ifile ofile		
setgatts	Set global attributes	
setgatts,attfile ifile ofile		

invertlat	Invert latitudes
invertlat ifile	ofile
invertlev Invert levels	

invertlev ifile ofile		
maskregion	Mask regions	
maskregion, regions ifile ofile		

masklonlatbox	Mask a longitude/latitude box
masklonlatbox	lon1,lon2,lat1,lat2 ifile ofile
maskindexbox	Mask an index box
maskindexbox,idx1,idx2,idy1,idy2 ifile ofile	

setclonlatbox	Set a longitude/latitude box to constant	
setclonlatbox, a	c,lon1,lon2,lat1,lat2 ifile ofile	
setcindexbox	Set an index box to constant	
setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile		

enlarge	Enlarge fields
enlarge.grid if	ile ofile

setmissval	Set a new missing value	
setmissval,new	setmissval, newmiss ifile ofile	
setctomiss	Set constant to missing value	
setmisstoc	Set missing value to constant	
<pre><operator>,c ifile ofile</operator></pre>		
setrtomiss	Set range to missing value	
setvrange	Set valid range	
<pre><operator> .rmin.rmax ifile ofile</operator></pre>		

Arithmetic

Arithmetic	
expr	Evaluate expressions
expr,instr ifile	ofile
exprf	Evaluate expressions from script file
exprf,filename i	file ofile
abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
$\log 10$	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<pre><operator> ifi</operator></pre>	
addc	Add a constant
subc	Subtract a constant
mulc	Multiply with a constant
divc	Divide by a constant
<pre>< operator >, c i</pre>	
add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min max	Minimum of two fields Maximum of two fields
atan2	Arc tangent of two fields
	le1 ifile2 ofile
monadd monsub	Add monthly time series
monmul	Subtract monthly time series Multiply monthly time series
mondiv	Divide monthly time series
	le1 ifile2 ofile
ymonadd	
ymonaud	Add multi-year monthly time series Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
	le1 ifile2 ofile
ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
	le1 ifile2 ofile
yhouradd	Add multi-year hourly time series
yhoursub	Subtract multi-year hourly time series
yhourmul	Multiply multi-year hourly time series
yhourdiv	Divide multi-year hourly time series
	le1 ifile2 ofile
muldpm	Multiply with days per month
divdpm muldpy	Divide by days per month Multiply with days per year
divdpy	Divide by days per year
<pre>< operator > ifi</pre>	
<pre><pre><pre>operator > 111</pre></pre></pre>	.10 01110

Statistical values

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var
standard deviation	std

	sum	1111	sum	
	mean		mean	
	average		avg	
	varianc		var	
l	standar	d deviation	std	
consect		Consecutive Timesteps		
< operat	or> ifi	le ofile		
ens <sta< td=""><td></td><td>Statistical values over an</td><td>ensemble</td><td></td></sta<>		Statistical values over an	ensemble	
		les ofile		
enspctl	p ifile:	Ensemble percentiles		
		Ranked Histogram averag	red over time	
		Ranked Histogram average		
ensroc		Ensemble Receiver Opera		stics
< operat		file ensfiles ofile		
enscrps		Ensemble CRPS and dec	omposition	
	rfile i	files ofilebase		
ensbrs	v rfile	Ensemble Brier score ifiles ofilebase		
fld< sta		Statistical values over a f	iold	
		le ofile	iciu	
fldpctl		Field percentiles		
fldpctl,	p ifile	ofile		
zon <ste< td=""><td>at ></td><td>Zonal statistical values</td><td></td><td></td></ste<>	at >	Zonal statistical values		
		le ofile		
zonpctl		Zonal percentiles		
	p ifile			
mer <st< td=""><td></td><td>Meridional statistical value of ile</td><td>1es</td><td></td></st<>		Meridional statistical value of ile	1es	
merpct		Meridional percentiles		
	$\mathbf{l}_{,p}$ ifile			
gridbox	< stat >	Statistical values over gri	d boxes	
< operat	or > , nx, n	ny ifile ofile		
vert <st< td=""><td>tat ></td><td>Vertical statistical values</td><td></td><td></td></st<>	tat >	Vertical statistical values		
< operat	or > ifi	le ofile		
		Time range statistical val		
< operat	or>,nse	ts[,noffset[,nskip]] ifile o	file	
timselp		Time range percentiles		
timselp	ctl, p, nse	ets[,noffset[,nskip]] ifile1	ifile2 ifile3	3 ofile
run <ste< td=""><td>at ></td><td>Running statistical values</td><td>3</td><td></td></ste<>	at >	Running statistical values	3	
< operat	or > ,nts	ifile ofile		
runpctl		Running percentiles		
runpctl	p,nts if	ile1 ofile		
tim <sta< td=""><td></td><td>Statistical values over all</td><td>timesteps</td><td></td></sta<>		Statistical values over all	timesteps	
		le ofile		
timpctl		Time percentiles		
timpctl	p ifile	1 ifile2 ifile3 ofile		
hour <s< td=""><td></td><td>Hourly statistical values</td><td></td><td></td></s<>		Hourly statistical values		
		le ofile		
		Hourly percentiles		
		e1 ifile2 ifile3 ofile		
day< ste		Daily statistical values		
		le ofile		
daypctl		Daily percentiles		
		1 ifile2 ifile3 ofile		
mon <s< td=""><td>tat ></td><td>Monthly statistical values</td><td>3</td><td></td></s<>	tat >	Monthly statistical values	3	
		1 641.		
< operat		le ofile		
< operat	tl	Monthly percentiles e1 ifile2 ifile3 ofile		

year <stat> Yearly statistical values</stat>	Interpolatio
<pre><operator> ifile ofile</operator></pre>	l
yearpctl Yearly percentiles	remapbil remapbic
yearpctl,p ifile1 ifile2 ifile3 ofile	remapdis
seas < stat > Seasonal statistical values	remapnn
<pre><pre><pre><pre>cas</pre></pre> jfile ofile</pre></pre>	remapcon
*	remapcon2
seaspctl Seasonal percentiles seaspctl,p ifile1 ifile2 ifile3 ofile	remaplaf
	< operator >, g
yhour < stat > Multi-year hourly statistical values	genbil
<pre><operator> ifile ofile</operator></pre>	genbic
yday <stat> Multi-year daily statistical values</stat>	gendis
<pre><operator> ifile ofile</operator></pre>	gennn
ydaypctl Multi-year daily percentiles	gencon gencon2
ydaypctl,p ifile1 ifile2 ifile3 ofile	genlaf
ymon <stat> Multi-year monthly statistical values</stat>	<pre>< operator >,g</pre>
<pre></pre> <pre><pre>coperator> ifile ofile</pre></pre>	remap
ymonpctl Multi-year monthly percentiles	remap,grid,we
ymonpctl, p ifile1 ifile2 ifile3 ofile	
	remapeta
yseas < stat > Multi-year seasonal statistical values	remapeta,vct
<pre><operator> ifile ofile</operator></pre>	ml2pl
yseaspctl Multi-year seasonal percentiles	ml2pl,plevels
yseaspctl,p ifile1 ifile2 ifile3 ofile	ml2hl ml2hl,hlevels
ydrun <stat> Multi-year daily running statistical values</stat>	,
<pre><operator>,nts ifile ofile</operator></pre>	intlevel
ydrunpctl Multi-year daily running percentiles	intlevel, levels
ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile	intlevel3d
	intlevelx3d
	< operator > ,io
	inttime
Correlation and co.	inttime,date,t
fldcor Correlation in grid space	intntime
fldcor ifile1 ifile2 ofile	intntime,n if
	intyear
timcor Correlation over time	intyear, years
timcor ifile1 ifile2 ofile	J
fldcovar Covariance in grid space	T
fldcovar ifile1 ifile2 ofile	Transformat
timcovar Covariance over time	sp2gp
timcovar ifile1 ifile2 ofile	sp2gpl
	m gp2sp $ m gp2spl$
	<pre></pre>
	sp2sp
Regression	sp2sp,trunc i:
Posterion	dv2nv

	fldcor	Correlation in grid space
	fldcor ifile1 i	file2 ofile
	timcor	Correlation over time
timcor ifile1 ifile2 ofile		
	fldcovar	Covariance in grid space
	Adaption ifilat	14:1-0 -4:1-

regres	Regression	ı		
regres ifile of	ile	ı		
		ı		
detrend	Detrend	ı		
detrend ifile ofile				
trend	Trend	ı		
trend ifile ofile1 ofile2				
subtrend	Subtract trend			
subtrend ifile1 ifile2 ifile3 ofile				

EOFs

eof	Calculate EOFs in spatial or time space		
eoftime	Calculate EOFs in time space		
eofspatial	Calculate EOFs in spatial space		
eof3d	Calculate 3-Dimensional EOFs in time space		
<pre><operator>,neof ifile ofile1 ofile2</operator></pre>			
eofcoeff	Calculate principal coefficients of EOFs		
eofcoeff ifile1	ifile2 obase		

erpolation

remapbil	Bilinear interpolation			
remapbic	Bicubic interpolation			
remapdis	Distance-weighted average remapping			
remapnn	Nearest neighbor remapping			
remapcon	First order conservative remapping			
remapcon2	Second order conservative remapping			
remaplaf	Largest area fraction remapping			
<pre><operator>,grid ifile ofile</operator></pre>				
genhil	Generate bilinear interpolation weights			
0	Generate bicubic interpolation weights			
gendis	Generate distance-weighted average remap weights			
gennn Generate nearest neighbor remap weights				
gencon	Generate 1st order conservative remap weights			
gencon2	Generate 2nd order conservative remap weights			
genlaf	Generate largest area fraction remap weights			
<pre>< operator > ,gric</pre>	difile ofile			
remap	SCRIP grid remapping			
remap,grid,weig	0 11 0			
	remapbic remapdis remapnn remapcon2 remaplaf <operator>,gric genbil genbic gendis gencon gencon2 genlaf <operator>,gric remap</operator></operator>			

remap	SCRIP grid remapping		
remap,grid,weights ifile ofile			
remapeta	Remap vertical hybrid level		
remapeta, vct[,oro] ifile ofile			
101	Madalta		
ml2pl	Model to pressure level interpolation		
ml2pl,plevels ifile ofile			
ml2hl	Model to height level interpolation		
ml2hl,hlevels ifile ofile			

intlevel	Linear level interpolation	
intlevel, levels ifile ofile		
intlevel3d	Linear level interpolation onto a 3d vertical coordinate	

like intlevel3d but with extrapolation

<pre><operator>,icoordinate ifile1 ifile2 ofile</operator></pre>		
inttime	Interpolation between timesteps	
inttime,date,tin	ne[,inc] ifile ofile	
intntime	Interpolation between timesteps	

ı	intitime, n iiile oiile		
ĺ	intyear	Interpolation between two years	
1	• 1	12 4 1012 0 1	

intyear	Interpolation		between tw		ϵ
intwoor wears if	ilal ifi	la? oha	60		

nsformation

sp2gp	Spectral to gridpoint		
sp2gpl	Spectral to gridpoint (linear)		
gp2sp	Ssp Gridpoint to spectral		
gp2spl	Gridpoint to spectral (linear)		
<pre><operator> ifile ofile</operator></pre>			
sp2sp	Spectral to spectral		
sp2sp,trunc ifile ofile			

	sp2sp, tranc lille office	
	dv2uv	Divergence and vorticity to U and V wind
	dv2uvl	Divergence and vorticity to U and V wind (linear
	uv2dv	U and V wind to divergence and vorticity
	uv2dvl	U and V wind to divergence and vorticity (linear)
	dv2ps	D and V to velocity potential and stream function
< operator > ifile ofile		ile ofile

< operator > ofile

Import/Export				
import_binary	Import binary data sets			
import_binary ifile ofile				
import_cmsaf	Import CM-SAF HDF5 files			
import_cmsaf ifile ofile				
import_amsr	Import AMSR binary files			
import_amsr i	file ofile			
input	ASCII input			
input,grid ofile				
inputsrv	SERVICE ASCII input			
inputext	EXTRA ASCII input			

output	ASCII output	Climate indiaes
output ifiles	Aboli output	Climate indices
outputf	Formatted output	eca_cdd Consecutive dry days index per time period
outputf,format,	-	eca_cdd[,R] ifile ofile
outputint	Integer output	eca_cfd Consecutive frost days index per time period
outputsrv	SERVICE ASCII output	eca_cfd ifile ofile
outputext	EXTRA ASCII output	
< operator > ifi	iles	eca_csu Consecutive summer days index per time period
		$\mathbf{eca_csu}[,T]$ ifile ofile
		eca_cwd Consecutive wet days index per time period
		eca_cwd[,R] ifile ofile
		eca_cwdi Cold wave duration index wrt mean of reference p
e. 11		eca_cwdi/,nday/,T]] ifile1 ifile2 ofile
/Iiscellaneous	5	
gradsdes1	GrADS data descriptor file (version 1 GRIB map)	eca_cwfi Cold-spell days index wrt 10th percentile of refere
gradsdes2	GrADS data descriptor file (version 2 GRIB map)	eca_cwfi[,nday] ifile1 ifile2 ofile
<pre>< operator > ifi</pre>		eca_etr Intra-period extreme temperature range
		eca_etr ifile1 ifile2 ofile
bandpass	Bandpass filtering	eca.fd Frost days index per time period
	fmax ifile ofile	eca_fd Frost days index per time period eca_fd ifile ofile
lowpass	Lowpass filtering	
lowpass,fmax i		eca_gsl Growing season length index
highpass	Highpass filtering	eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile
highpass,fmin i		eca_hd Heating degree days per time period
gridarea	Grid cell area	$eca_hd[T1[T2]]$ ifile ofile
gridweights	Grid cell weights	
<operator> ifi</operator>	ile ofile	eca_hwdi Heat wave duration index wrt mean of reference p
smooth9	9 point smoothing	eca_hwdi[,nday[,T]] ifile1 ifile2 ofile
smooth9 ifile	ofile	eca_hwfi Warm spell days index wrt 90th percentile of refer
setvals	Set list of old values to new values	eca_hwfi[,nday] ifile1 ifile2 ofile
	ewval[,] ifile ofile	eca_id Ice days index per time period
setrtoc	Set range to constant	eca_id ifile ofile
	pax,c ifile ofile	
setrtoc2	Set range to constant others to constant2	eca_r75p Moderate wet days wrt 75th percentile of reference
	max, c, c2 ifile ofile	eca_r75p ifile1 ifile2 ofile
, ,	, ,	eca_r75ptot Precipitation percent due to R75p days
timsort	Sort over the time	eca_r75ptot ifile1 ifile2 ofile
timsort ifile	ofile	eca_r90p Wet days wrt 90th percentile of reference period
const	Create a constant field	eca_r90p ifile1 ifile2 ofile
const,const,grid	ofile	
random	Create a field with random numbers	eca_r90ptot Precipitation percent due to R90p days
random,grid[,se	eed] ofile	eca_r90ptot ifile1 ifile2 ofile
stdatm	Create values for pressure and temperature for hyd	r eca_r95p Very wet days wrt 95th percentile of reference per
stdatm, levels of	file	eca_r95p ifile1 ifile2 ofile
rotuvb	Backward rotation	eca_r95ptot Precipitation percent due to R95p days
rotuvb,u,v, i:		eca_r95ptot Precipitation percent due to R95p days eca_r95ptot ifile1 ifile2 ofile
, , ,		
mastrfu	Mass stream function	eca_r99p Extremely wet days wrt 99th percentile of reference
mastrfu ifile	01116	eca_r99p ifile1 ifile2 ofile
histcount	Histogram count	eca_r99ptot Precipitation percent due to R99p days
histsum	Histogram sum	eca_r99ptot ifile1 ifile2 ofile
histmean	Histogram mean	*
histfreq	Histogram frequency	eca_pd Precipitation days index per time period
< operator >, box	ands ifile ofile	eca_pd,x ifile ofile
sethalo	Set the left and right bounds of a field	eca_r10mm Heavy precipitation days index per time period
	alo ifile ofile	eca_r20mm Very heavy precipitation days index per time peri
, ,		<pre><operator> ifile ofile</operator></pre>
wct	Windchill temperature	eca_rr1 Wet days index per time period
wct ifile1 ifi	102 01110	eca_rr1[,R] ifile ofile
fdns	Frost days where no snow index per time period	eca_rx1day Highest one day precipitation amount per time pe
fdns ifile1 if:		eca_rx1day[,mode] ifile ofile
strwin	Strong wind days index per time period	V 17 J
strwin strwin[,v] ifile		eca_rx5day Highest five-day precipitation amount per time pe
2. 3		eca_rx5day[,x] ifile ofile
strbre	Strong breeze days index per time period	eca_sdii Simple daily intensity index per time period
strbre ifile of	file	eca_sdii[,R] ifile ofile
strgal	Strong gale days index per time period	1 N N N N N N N N N N N N N N N N N N N
strgal strgal ifile of		eca_su Summer days index per time period
gui 11110 01		$\mathbf{eca_su}[,T]$ ifile ofile
hurr hurr ifile ofi	Hurricane days index per time period	eca.tg10p Cold days percent wrt 10th percentile of reference eca.tg10p ifile1 ifile2 ofile

eca_tg90p	Warm days percent wrt 90th percentile of reference period			
eca_tg90p ifile1 ifile2 ofile				
eca_tn10p	Cold nights percent wrt 10th percentile of reference period			
eca_tn10p ifile1 ifile2 ofile				
eca_tn90p	Warm nights percent wrt 90th percentile of reference period			
eca_tn90p ifile1 ifile2 ofile				
eca_tr	Tropical nights index per time period			
eca_tr[,T] ifile ofile				
eca_tx10p	Very cold days percent wrt 10th percentile of reference period			
eca_tx10p ifile1 ifile2 ofile				
eca_tx90p	Very warm days percent wrt 90th percentile of reference period			
eca_tx90p ifil	Le1 ifile2 ofile			