

# **PeaPod - Design Proposal**

Outlining a Proposal to the PeaPod Design Brief

Jayden Lefebvre - Lead Engineer  
jayden.lefebvre@mail.utoronto.ca

Nathan Chareunsouk, Navin Vanderwert, Chris Lansdale - Design Engineers

Revision 0.2

University of Toronto Agritech

June 4th, 2021

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Purpose . . . . .	2
<b>2</b>	<b>Design</b>	<b>3</b>
2.1	Automation . . . . .	4
2.2	Isolation/Insulation and Housing . . . . .	4
2.3	Aeroponics . . . . .	4
2.4	Environment Control . . . . .	5
2.4.1	Air Temperature . . . . .	5
2.4.2	Air Humidification . . . . .	5
2.4.3	Air Dehumidification . . . . .	5
2.4.4	Solution Temperature . . . . .	5
2.4.5	Solution Nutrients . . . . .	6
2.4.6	Solution pH . . . . .	6
2.4.7	Lighting . . . . .	6

# 1 Introduction

## 1.1 Purpose

The purpose of this document is to outline the function and features of a proposal to the PeaPod design brief.

It accomplishes this by answering the following questions on a recursively-scoping basis:

1. **What** is the design? What does it accomplish/what is its function?
2. **How** does it accomplish this? What are its features?
3. **Why** that functionality? Why that way?

## 2 Design

Functions of the design are derived from the input and output requirements.




Figure 1: "Black box" input-output model of PeaPod.

Features of the design are developed to meet the function, and are derived from the opportunity statement:

PeaPod is "an automated and isolated aeroponic crop growth system, able to generate any environment from a combination of independent environment parameters, with both environment and crop growth data collection".




Figure 2: Features and feature types of PeaPod.

## 2.1 Automation

**What:** Performing tasks (i.e. actuating various systems, reading sensors) autonomously on a schedule or necessity basis

**How:** Fixed schedule (i.e. fixed-time-delta sensing, cyclical watering) **OR** "Sense, Plan, Act" robotics/control model:

1. *Senses* current conditions;
2. *Plans* a path to desired condition;
3. *Acts* to change current condition to desired condition;

**Why:** Increased accuracy/precision over human interference, minimize human hours spent

## 2.2 Isolation/Insulation and Housing

**What:** Isolates the growth environment from the exterior environment.

**How:** Cubic exoskeleton (aluminum extrusion) holds solid (acrylic/foam) interenally-reflective (mylar) panels in place and aids in mounting plant growth platforms, lights, etc.

**Why:** Increases thermal and light efficiency. Isolation increases protection against pathogenic substances. Simple and strong construction.

## 2.3 Aeroponics

**What:** Medium-free growing method that uses nutrients dissolved within atomized water

**How:** High-pressure (pump-tank-switch system) nozzles deliver atomized ( 50 micron droplet) nutrient solution to plant roots. Parallel distribution topology (T-quick-connects at every unit height, solenoid ball valves at tank out and in each tray)

**Why:** No water parameter feedback, 98% more water efficient, minimizes pathogens and waste water

## 2.4 Environment Control

The environment control feature can be broken up into **control systems** (2.4.1-2.4.3; sometimes in two parts) and **set systems** (2.4.4-2.4.7).

### 2.4.1 Air Temperature

**What:** Maintaining desired air temperature within the enclosure

**How:** Thermoelectric heating/cooling system (peltier tiles w/ polarity switch and 'dimming' current control) on a heat sink w/ fan

**Why:** Better space and energy efficiency, less complexity (no liquids, pressurized fluids, etc.), better control

### 2.4.2 Air Humidification

**What:** Adding water vapour to air

**How:** Ultrasonic nebulizer (piezo disc w/ custom driver circuit), RO water

**Why:** Piezo for droplet size, commonly used; RO for purity of water vapour

### 2.4.3 Air Dehumidification

**What:** Absorbs water vapour from the air

**How:** Silica gel beads, controlling airflow rate across

**Why:** Non-toxic, safe, cheap, effective. Color-changing indication at saturation, easily reset by baking and recapturing water

### 2.4.4 Solution Temperature

**What:** Maintaining desired water temperature within the water store

**How:** Same as 2.4.1; on a water block

**Why:** Same as 2.4.1

### 2.4.5 Solution Nutrients

**What:** Precisely dosing the correct amount of nutrients to the water system at setup/water addition

**How:** Syringe dosage via servo motor to set ppm based on fill volume

**Why:** Syringe dosage is precise, easy to refill

### 2.4.6 Solution pH

**What:** Precisely adds pH up/down solutions to set the solution pH at setup/water addition

**How:** Same as 2.4.5

**Why:** Same as 2.4.5

### 2.4.7 Lighting

**What:** Wide spectrum precision LED lighting targeting PAR

**How:** N LED series/colors, N controlled-current PWM drivers, M LEDs per series = NxM LEDs.  
Custom LED boards wired in series, one power board per tray, w/ diffusion

**Why:** LED > every other type in every way, PWM easy protocol, CC because they're LEDs