


Module designed for home industrial automation systems.
Communicates with other devices via MODBUS and provides 64 low-side outputs.
Suitable for driving relay coils and other loads.
Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side)
[HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO](https://github.com/openmodbus/om-64do)

Sheet:
File: OM-64DO.kicad_pcb

Title: OM-64DO - 64 CHANNEL OUTPUT EXPANSION MODULE

Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6		Id: 1/9





Module designed for home industrial automation systems.
Communicates with other devices via MODBUS and provides 64 low-side outputs.
Suitable for driving relay coils and other loads.
Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side)
[HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO](https://github.com/openmodbus/om-64do)

Sheet:
File: OM-64DO.kicad_pcb


Title: OM-64DO – 64 CHANNEL OUTPUT EXPANSION MODULE

Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6		Id: 2/9





Module designed for home industrial automation systems. Communicates with other devices via MODBUS and provides 64 low-side outputs. Suitable for driving relay coils and other loads. Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side) HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO		
Sheet: File: OM-64DO.kicad_pcb		
Title: OM-64DO – 64 CHANNEL OUTPUT EXPANSION MODULE		
Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6		Id: 4/9



Module designed for home industrial automation systems.
Communicates with other devices via MODBUS and provides 64 low-side outputs.
Suitable for driving relay coils and other loads.
Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side)
[HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO](https://github.com/OPENMODBUS/OM-64DO)

Sheet:
File: OM-64DO.kicad_pcb


Title: OM-64DO - 64 CHANNEL OUTPUT EXPANSION MODULE


Size: A4 Date: 2025-12-08

Rev: 1A

KiCad E.D.A. 9.0.6

Id: 5/9






Module designed for home industrial automation systems.
Communicates with other devices via MODBUS and provides 64 low-side outputs.
Suitable for driving relay coils and other loads.
Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side)
[HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO](https://github.com/openmodbus/OM-64DO)


Sheet:
File: OM-64DO.kicad_pcb

Title: OM-64DO – 64 CHANNEL OUTPUT EXPANSION MODULE

Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6		Id: 7/9



Module designed for home industrial automation systems. Communicates with other devices via MODBUS and provides 64 low-side outputs. Suitable for driving relay coils and other loads. Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side) HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO		
Sheet: File: OM-64DO.kicad_pcb		
Title: OM-64DO – 64 CHANNEL OUTPUT EXPANSION MODULE		
Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6		Id: 8/9



Module designed for home industrial automation systems. Communicates with other devices via MODBUS and provides 64 low-side outputs. Suitable for driving relay coils and other loads. Supply voltage: 7-28 V DC; Output rating: up to 50 V DC (load side) HTTPS://GITHUB.COM/OPENMODBUS/OM-64DO		
Sheet: File: OM-64DO.kicad_pcb		
Title: OM-64DO - 64 CHANNEL OUTPUT EXPANSION MODULE		
Size: A4	Date: 2025-12-08	Rev: 1A
KiCad E.D.A. 9.0.6	Id: 9/9	