

Effective Programming Practices for Economists

Basic Python

Executing notebooks in a browser

Janoś Gabler and Hans-Martin von Gaudecker

Preparation

- We assume you have installed anaconda and created the course environment
- Open a shell in the root directory of your project
 - On Windows, use the anaconda prompt or the powershell
 - If conda is not recognized in the powershell, check out this [stackoverflow post](#)
- Activate the environment using ``conda activate epp``
- Confirm the activation worked using ``conda info``

0. Activate and Info



```
epp-course/python_execution_examples/epp_project via G epp
> conda activate epp

epp-course/python_execution_examples/epp_project via G epp
> conda info

  active environment : epp
    active env location : /home/janos/miniconda3/envs/epp
      shell level      : 3
    user config file   : /home/janos/.condarc
  populated config files : /home/janos/.condarc
      conda version    : 23.7.4
    conda-build version : 3.26.1
      python version   : 3.9.18.final.0
    virtual packages   : __archspec=1=x86_64
                        __cuda=12.0=0
                        __glibc=2.35=0
                        __linux=6.2.0=0
                        __unix=0=0
  base environment    : /home/janos/miniconda3 (writable)
    conda av data dir  : /home/janos/miniconda3/etc/conda
  conda av metadata url : None
    channel URLs      : https://conda.anaconda.org/conda-forge/linux-64
                        https://conda.anaconda.org/conda-forge/noarch
```

Example project structure



- Our shell is in the ``epp_project`` directory
- We want to run ``exercise_2.ipynb`` in the browser
- Command is ``jupyter notebook``


1. Start Notebook



2. Landing Page



3. Click on Folder



localhost:8888/notebooks/exercices/exercise_2.ipynb

4. Work in the Notebook

