Effective Programming Practices for Economists

Data management with pandas

Selecting rows and columns

Janoś Gabler and Hans-Martin von Gaudecker

Overview

- Selecting columns
- Selecting individual rows
- Selecting rows and columns
- Selecting rows using Boolean Series
- Selecting rows with queries

Selecting columns

```
>>> df["country"]
      Cuba
0
      Cuba
     Spain
     Spain
Name: country, dtype: string
>>> df[["country", "continent"]]
  country
                         continent
  Cuba
                         Americas
  Cuba
                         Americas
  Spain
                         Europe
  Spain
                         Europe
```

- Column selection is with square brackets
- For multiple columns you need double brackets:
 - Outer: selecting columns
 - Inner: defining a list of variables

Selecting individual rows

```
>>> df.loc[1]
country
                  Cuba
 continent
              Americas
                  2007
year
life_exp
                78.273
Name: 1, dtype: object
 >>> df = df.set_index(["country", "year"])
>>> df.loc["Cuba"]
         continent
                             life exp
year
2002
         Americas
                             77.16
2007
                             78.27
         Americas
```

```
>>> df.loc[("Cuba", 2002)]
continent Americas
life_exp 77.158
Name: (Cuba, 2002), dtype: object
```

- Selection of rows needs .loc[]
- Selection is label based!
- For a MultiIndex you can specify some or all levels

Selecting rows and columns

- Use .loc[rows, columns] to select rows and columns
- Can use everything you have seen before

Selecting rows using Boolean Series

```
df["year"] >= 2005

0  False
1  True
2  False
3  True
Name: year, dtype: bool

>>> df[df["year"] >= 2005]

country  continent  year life_exp
```

| country | continent | year | life_exp |
|----------------|-----------|------|----------|
| 1 Cuba | Americas | 2007 | 78.27 |
| 3 Spain | Europe | 2007 | 80.94 |

- Comparisons of Series produce Boolean Series!
- Complex conditions with | and &
- Boolean Series can be used for selecting rows
- Works also inside .1oc

Selecting rows with queries

```
>>> df.query("year >= 2005")
```

| | country | continent | year | life_exp |
|---|---------|-----------|------|----------|
| 1 | Cuba | Americas | 2007 | 78.27 |
| 3 | Spain | Europe | 2007 | 80.94 |

```
>>> df.query("year >= 2005 & continent == 'Europe'")
```

| | country | continent | year | life_exp |
|---|---------|-----------|------|----------|
| 3 | Spain | Europe | 2007 | 80.94 |

- .query selects rows based on strings with conditions
- Can use index names just as column names
- Use single quotes (') for string value inside the query
- More readable than selection via Boolean Series