Effective Programming Practices for Economists

Data management with pandas

Selecting rows and columns

Janoś Gabler and Hans-Martin von Gaudecker

Overview

- Selecting columns
- Selecting individual rows
- Selecting rows and columns
- Selecting rows using Boolean Series
- Selecting rows with queries

Selecting columns

>>> df["country"]

```
0
      Cuba
      Cuba
     Spain
     Spain
Name: country, dtype: string
>>> df[["country", "continent"]]
                                           continent
                     country
          Cuba
                               Americas
     1
          Cuba
                               Americas
     2
          Spain
                               Europe
     3
          Spain
                               Europe
```

- Column selection is with square brackets
- For multiple columns you need double brackets:
 - Outer: selecting columns
 - Inner: defining a list of variables

Selecting individual rows

```
>>> df.loc[1]
country
                 Cuba
continent
             Americas
                  2007
year
life_exp
              78.273
Name: 1, dtype: object
>>> df = df.set_index(["country", "year"])
>>> df.loc["Cuba"]
                   continent
                                    life exp
     year
    2002
            Americas
                               77.16
     2007
            Americas
                               78.27
```

```
>>> df.loc[("Cuba", 2002)]

continent Americas
life_exp 77.158
Name: (Cuba, 2002), dtype: object
```

- Selection of rows needs .loc[]
- Selection is label based!
- For a MultiIndex you can specify some or all levels

Selecting rows and columns

- Use .loc[rows, columns] to select rows and columns
- Can use everything you have seen before

Selecting rows using Boolean Series

```
df["year"] >= 2005
     False
     True
     False
      True
Name: year, dtype: bool
>>> df[df["year"] >= 2005]
                      continent
         country
                                     year
                                               life exp
      Cuba
                   Americas
                                   2007
                                            78.27
      Spain
                                   2007
                                            80.94
                   Europe
```

- Comparisons of Series produce Boolean Series!
- Complex conditions with | and &
- Boolean Series can be used for selecting rows
- Works also inside .loc

Selecting rows with queries

```
>>> df.query("year >= 2005")
```

	country	continent	year	life_exp
1	Cuba	Americas	2007	78.27
3	Spain	Europe	2007	80.94

```
>>> df.query("year >= 2005 & continent == 'Europe'")
```

	country	continent	year	life_exp
3	Spain	Europe	2007	80.94

- query selects rows based on strings with conditions
- Can use index names just as column names
- Use single quotes (') for string value inside the query
- More readable than selection via Boolean Series