Effective Programming Practices for Economists

Data management with pandas

Loading and saving data

Janoś Gabler and Hans-Martin von Gaudecker

Example: Loading a csv file

country	continent	year	life_exp
0 Cuba	Americas	2002	77.16
1 Cuba	Americas	2007	78.27
2 Spain	Europe	2002	79.78
3 Spain	Europe	2007	80.94

gapminder.csv looks like this

```
country, continent, year, life_exp
Cuba, Americas, 2002, 77.158
Cuba, Americas, 2007, 78.273
Spain, Europe, 2002, 79.780
Spain, Europe, 2007, 80.941
```

- first argument is path
- engine="pyarrow" ensures we are getting modern pandas dtypes
- Many other optional arguments

Other read functions

reader	extension	comment
pd.read_csv	. CSV	Often need to use optional arguments to make it work
pd.read_pickle	.pkl	Good for intermediate files; Python specific.
pd.read_feather	.arrow	Very modern and powerful file format.
pd.read_stata	.dta	Stata's proprietary format. Avoid if you can.
pd.read_fwf	.fwf	Avoid this whenever you can!

Each read function has a corresponding write function

Example: Write an Apache Arrow file

df.to_feather(path="gapminder.arrow")

- First argument is a file path
- More keyword arguments would allow for specifying compression level, format version
- Methods for other file formats tend to require more options

File format recommendations

- Use _pkl format for processed datasets that you do not share with others
 - Very fast to read and write
 - Preserves every aspect of your DataFrame (e.g. dtypes)
- Use __arrow to save files you want to share with others
 - Can be read by many languages and programs
 - Efficient compression
- Use __dta iff sharing with Stata users