### **Effective Programming Practices for Economists**

## Data management with pandas

**Merging datasets** 

Janoś Gabler and Hans-Martin von Gaudecker

### **Motivation**

- Often when you download data, it comes in several files
- While you might not like it, this is often because the data providers respected the normal forms!
- Or it comes from very different sources
- In this screencast we show you how to merge or concatenate DataFrames

### **Concatenating DataFrames vertically**

>>> top

	continent life_exp					
countryyear						
Cuba	<b>2002</b> Americas 77.16					
Cuba	<b>2007</b> Americas 78.27					

>>> bottom

	continentlife_exp				
countryyear					
Spain	<b>2002</b> Europe	79.78			
Spain	<b>2007</b> Europe	80.94			

>>> pd.concat([top, bottom])

		continent	life_exp
country	year		
Cuba	2002	Americas	77.16
Cuba	2007	Americas	78.27
Spain	2002	Europe	79.78
Spain —	2007	Europe	80.94

- concat stacks DataFrames on top of each other
- aligned by columns
- index needs to be compatible
- list can have more than two elements

# **Concatenating DataFrames horizontally**

#### >>> left

		continent	life_exp
country	year		
Cuba	2002	Americas	77.16
	2007	Americas	78.27
Snain	2002	Europe	79.78
Spain	2007	Europe	80.94

>>> pd.concat([left, right], axis="columns")

		continent	life_exp	gdp_per_cap	рор
country	year				
Cuba	2002	Americas	77.16	6340.65	11226999
Cuba	2007	Americas	78.27	8948.10	11416987
Snain	2002	Europe	79.78	24835.47	40152517
Spain	2007	Europe	80.94	28821.06	40448191

#### >>> right

gdp_per_cappop							
countryyear							
Cuba	<b>2002</b> 6340.65	11226999					
Cuba	<b>2007</b> 8948.10	11416987					
Snain	<b>2002</b> 24835.47	40152517					
Spain	<b>2007</b> 28821.06	40448191					

- with `axis="columns"`, DataFrames are stacked horizontally
- Used to be `axis=1`

# Careful with non-meaningful indices

#### >>> left

country	continent	year	life_exp
<b>0</b> Cuba	Americas	2002	77.16
<b>1</b> Cuba	Americas	2007	78.27
<b>2</b> Spain	Europe	2002	79.78

#### >>> right

countryyear gdp_per_cappop							
<b>0</b> Cuba	2007	8948.10	11416987				
<b>1</b> Spain	2002	24835.47	40152517				
<b>2</b> Spain	2007	28821.06	40448191				

>>> pd.concat([left, right], axis="columns")

country	continent	year	life_exp	country	year	gdp_per_cap	рор
<b>0</b> Cuba	Americas	2002	77.16	Cuba	2007	8948.10	11416987
<b>1</b> Cuba	Americas	2007	78.27	Spain	2002	24835.47	40152517
<b>2</b> Spain	Europe	2002	79.78	Spain	2007	28821.06	40448191

### 1:1 merges

#### >>> left

country	continent	year	life_exp
<b>0</b> Cuba	Americas	2002	77.16
<b>1</b> Cuba	Americas	2007	78.27
<b>2</b> Spain	Europe	2002	79.78

### >>> right

countryyear gdp_per_cappop							
<b>0</b> Cuba	2007	8948.10	11416987				
<b>1</b> Spain	2002	24835.47	40152517				
<b>2</b> Spain	2007	28821.06	40448191				

>>> pd.merge(left, right, on=["country", "year"])

country	continent	year	life_exp	gdp_per_cap	рор
<b>0</b> Cuba	Americas	2007	78.27	8948.10	11416987
<b>1</b> Spain	Europe	2002	79.78	24835.47	40152517

- merge does not align on index by default
- can change using arguments `left\_index=True` and `right\_index=True`
- can also use <u>merge</u> method on DataFrame (becomes "left" frame)
- by default, it does an inner join

>>> pd.merge(left, right, on=["country", "year"], how="inner")

country	continent	year	life_exp	gdp_per_cap	pop
<b>0</b> Cuba	Americas	2007	78.27	8948.10	11416987
<b>1</b> Spain	Europe	2002	79.78	24835.47	40152517

>>> pd.merge(left, right, on=["country", "year"], how="left")

country	continent	year	life_exp	gdp_per_cap	рор
<b>0</b> Cuba	Americas	2002	77.16	nan	nan
<b>1</b> Cuba	Americas	2007	78.27	8948.10	11416987.00
<b>2</b> Spain	Europe	2002	79.78	24835.47	40152517.00

>>> pd.merge(left, right, on=["country", "year"], how="outer")

country	continent	year	life_exp	gdp_per_cap	рор
<b>0</b> Cuba	Americas	2002	77.16	nan	nan
<b>1</b> Cuba	Americas	2007	78.27	8948.10	11416987.00
<b>2</b> Spain	Europe	2002	79.78	24835.47	40152517.00
<b>3</b> Spain	nan	2007	nan	28821.06	40448191.00

- The 'how'
  argument
  determines
  which rows are
  kept
- The default "inner" is not always a good choice

## m:1 merges

#### >>> left

	country	year	life_exp
0	Cuba	2002	77.16
1	Cuba	2007	78.27
2	Spain	2002	79.78
3	Spain	2007	80.94

### >>> right

	country	capital
0	Cuba	Havana
1	Spain	Madrid

>>> pd.merge(left, right, on="country")

C	ountry	year	life_exp	capital
<b>0</b> C	Cuba	2002	77.16	Havana
1 (	Cuba	2007	78.27	Havana
2 5	Spain	2002	79.78	Madrid
3 S	Spain	2007	80.94	Madrid

- The type of merge is determined by the data, not by calling a different function
- m:1 means that many entries in `left` are matched to one entry in `right`

# Other merges

- There are also "1:m" and "m:m" merges
- Check the pandas tutorial for details

### Concat vs. merge

- Use `concat` if it is safe to do
  - Index / columns are compatible
  - Only 1:1 merging
- Use `merge`
  - if you do anything outside of 1:1 merging
  - if you need more control

### Check your data before and after

- Many people are afraid of merging
- This is because merges often go wrong
- Reason: badly prepared data
  - Want to do a 1:1 merge but merge key contains duplicates
  - Merge keys are not properly cleaned
  - **...**
- Check your data before merging to avoid problems
- Check that you get the expected number of observations after merging