

Woodwright® Double-Hung Full-Frame Cottage Windows

1-95/6" 2'-15/6" 2'-55/6" 2'-55/6" 2'-55/6" 2'-55/6" 2'-55/6" 2'-55/6" 2'-55/6" 2'-55/6" 3'-15/6"	6½" 3'-10½" 070) (1172) 55½" (1159) 057) (1159) 0H C)
WDH18210C WDH20210C WDH20210C WDH26210C WDH28210C WDH210210C WDH30210C WDH30	↓ ↓ ↑ ↑ 34210C WDH38210C ↓ ↓ ↑ † ↓ ↓ 13432C WDH3832C
WDH18210C WDH20210C WDH24210C WDH26210C WDH28210C WDH210210C WDH30210C WDH30	↓ ↓ ↑ † 34210C WDH38210C ↓ † † † 13432C WDH3832C
WDH18210C WDH20210C WDH26210C WDH28210C WDH210210C WDH30210C WDH3	34210C WDH38210C
	† † † † † † †
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	† † 13432C WDH3832C
WDH1832C WDH2032C WDH2432C WDH2632C WDH2832C WDH21032C WDH3032C WDH	+ +
1	
	† †
	#3436C WDH3836C
\$45.45 \$11.54	<u> </u>
	34310C WDH38310C
	+
4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-	†
WDH1842C WDH2042C WDH2442C WDH2642C WDH2842C WDH21042C WDH3042C WDH	13442C WDH3842C
	+
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	† †
	13446C WDH3846C
	+
(10.74) (10.74	
	† †
	34410C WDH38410C
116488 116488 116488 116488 116488 116488	<u> </u>
	† †
WDH1852C WDH2052C WDH2452C WDH2652C WDH2852C WDH21052C WDH3052C WDH	13452C WDH3852C
	+
1.48% 1.4748% 1.448% 1.448% 1.448% 1.448% 1.448%	1
WDH1856C WDH2056C WDH2456C WDH2856C WDH21056C WDH3056C+ WDH	H3456C◆ WDH3856C◆
	*
18510 18510	1
WDH18510C WDH20510C WDH24510C WDH26510C WDH28510C WDH210510C+ WDH30510C+ WDH3	34510C+ WDH38510C+
Taller sizes continue on page 02	

Notes:

[&]quot;Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.

♦ Meet or exceed clear opening area of 5.7 sq. ft. or 0.53 m², clear opening width of 20" (508) and clear opening height of 24" (610).



Woodwright® Double-Hung Full-Frame Cottage Windows

		1'-10 ¹ / ₈ " (562) 1'-9 ⁵ / ₈ " (549)	2'-2½" (664) 2'-1½" (651)	2'-6 ¹ / ₈ " (765) 2'-5 ⁵ / ₈ " (752)	2'-8 ¹ / ₈ " (816) 2'-7 ⁵ / ₈ " (803)	2'-10 ¹ / ₈ " (867) 2'-9 ⁵ / ₈ " (854)	3'-0 ¹ / ₈ " (918) 2'-11 ⁵ / ₈ " (905)	3'-2 ¹ / ₈ " (968) 3'-1 ⁵ / ₈ " (956)	3'-6 ¹ / ₈ " (1070) 3'-5 ⁵ / ₈ " (1057)	3'-10 ¹ / ₈ " (1172) 3'-9 ⁵ / ₈ " (1159)
			Wood	dwright® [Double-Hu	ng Full-Fra	ame Cottag	e Windows	(WDH C)	
6'-47/8" (1953)	6'-47'8" (1953)	↓ ★ WDH1862C	† WDH2062C	↑ WDH2462C	† t WDH2662C	† † WDH2862C	T WDH210620+	† † WDH3062C+	+ + WDH3462C+	† † WDH3862C+

Notes:

[&]quot;Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.

♦ Meet or exceed clear opening area of 5.7 sq. ft. or 0.53 m², clear opening width of 20" (508) and clear opening height of 24" (610).



Woodwright® Picture Windows (Cottage Alignment)

		(oottage / inglifficite)						
	1'-0½" (318)	3'-2 ¹ / ₈ " (968)	3'-6 ¹ / ₈ " (1070)	3'-11 ⁷ / ₈ " (1216)	4'-3 ⁷ / ₈ " (1318)	4'-11½" (1521)	5'-7 ⁷ / ₈ " (1724)	
	\$\frac{1'-0"}{(305)}	3'-15/8"	3'-5 ⁵ / ₈ " (1057)	3'-11 ⁵ / ₁₆ " (1202)	4'-3 ⁵ / ₁₆ " (1303)	4'-11 ⁵ ⁄ ₁₆ " (1507)	5'-7 ⁵ ⁄ ₁₆ " (1710)	
OUE SIN	(305)	(956)	(1001)	(1202)	(1303)	(1307)	(1/10)	
		Wo	oodwright® F	Picture Windo	ows - Cottage	Alignment (WP	W)	
4'-07/8" (1241) 4'-07/8" (1241)								
= .G= .G	WPW10310	WPW30310	WPW34310	WPW310310	WPW42310	WPW410310	WPW56310	
4'-4'8" (1343) 4'-4'8" (1343)								
	WPW1042	WPW3042	WPW3442	WPW31042	WPW4242	WPW41042	WPW5642	
4'-8/8" (1445) 4'-8/8" (1445)								
	WPW1046	WPW3046	WPW3446	WPW31046	WPW4246	WPW41046	WPW5646	
5-0%" (1546) 5-0%" (1546)								
	WPW10410	WPW30410	WPW34410	WPW310410	WPW42410	WPW410410	WPW56410	
5-478" (1648) 5-478" (1648)								
	WPW1052	WPW3052	WPW3452	WPW31052	WPW4252	WPW41052	WPW5652	
5'-878" (1749) 5'-878" (1749)								
	WPW1056	WPW3056	WPW3456	WPW31056	WPW4256	WPW41056	WPW5656	
6'-07's" (1851) 6'-07's" (1851)								
	WPW10510	WPW30510	WPW34510	WPW310510	WPW42510	WPW410510	WPW56510	
6'-47'8" (1953) 6'-47'8" (1953)								
	₩PW1062	WPW3062	WPW3462	WPW31062	WPW4262	WPW41062	WPW5662	

Notes:

[&]quot;Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.



Woodwright® Transom Windows

/	1'-10 ¹ / ₈ " (562)	2'-2 ¹ / ₈ " (664)	2'-6 ¹ / ₈ " (765)	2'-8 ¹ / ₈ " (816)	2'-10 ¹ / ₈ " (867)	3'-0 ¹ / ₈ " (918)	3'-2 ¹ / ₈ " (968)	3'-6 ¹ / ₈ " (1070)	3'-10 ¹ / ₈ " (1172)	3'-11 ⁷ / ₈ " (1216)	4'-3 ⁷ / ₈ " (1318)	
	1'-9 ⁵ / ₈ " (549)	2'-1 ⁵ / ₈ " (651)	2'-5 ⁵ / ₈ " (752)	2'-7 ⁵ %" (803)	2'-9 ⁵ %" (854)	2'-11 ⁵ ⁄8" (905)	3'-1 ⁵ / ₈ " (956)	3'-5 ⁵ %" (1057)	3'-95%" (1159)	3'-11 ⁵ / ₁₆ " (1202)	4'-3 ⁵ ⁄ ₁₆ " (1303)	
					Wood	wright® Tra	nsom Win	dows (WTR)				
1'-0½" (317) 1'-0" (305)	WTR1810	WTR2010	WTR2410	WTR2610	WTR2810	WTR21010	WTR3010	WTR3410	WTR3810	WTR31010	WTR4210]
1'-7%" (505) 1'-75 ₁₆ " (490)	WTR1815	WTR2015	WTR2415	WTR2615	WTR2815	WTR21015	WTR3015	WTR3415	WTR3815	WTR31015	WTR4215	
1'-9%" (556) 1'-95 ₁₆ " (541)	WTR1817	WTR2017	WTR2417	WTR2617	WTR2817	WTR21017	WTR3017	WTR3417	WTR3817	WTR31017	WTR4217	
2'-17/8" (657) 2'-15/16" (643)			WTR24111	WTR26111	WTR28111	WTR210111	WTR30111				WTR42111	page 05
2'-37/8" (708) 2'-35/16" (694)	WTR18111	WTR20111 WTR2021	WTR24111 WTR2421	WTR2621	WTR2821	WTR210111 WTR21021	WTR3021	WTR34111 WTR3421	WTR38111 WTR3821	WTR310111 WTR31021	WTR42111 WTR4221	continue on
2'-57/8" (759) 2'-55/16" (744)					WTR2823							Wider sizes
2'-97/8" (860) 2'-95/16" (846)	WTR1823	WTR2023	WTR2423	WTR2623		WTR21023	WTR3023	WTR3423	WTR3823	WTR31023	WTR4223	
3'-3%" (1013) 3'-3 ⁵ / ₁ " (999)	WTR1827 WTR1831	WTR2027 WTR2031	WTR2427 WTR2431	WTR2627 WTR2631	WTR2827 WTR2831	WTR21027 WTR21031	WTR3027 WTR3031	WTR3427 WTR3431	WTR3827 WTR3831	WTR31027 WTR31031	WTR4227 WTR4231	

Notes:

[&]quot;Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.



Woodwright® Transom Windows

		_			
		/	4'-11 ⁷ / ₈ " (1521)	5'-7 ⁷ /8" (1724)	6'-3 ⁷ / ₈ " (1927)
	A STORY	ering	4'-11 ⁵ ⁄ ₁₆ " (1507)	5'-7 ⁵ ⁄ ₁₆ " (1710)	6'-3 ⁵ ⁄ ₁₆ " (1913)
1	CIGE .	hit sion	(200.)	(2120)	(1010)
$\mathbf{C}^{\hat{\mathbf{C}}}$			Woodwrig	tht® Transom Win	dows (WTR)
1'-0½" (317)	1'-0" (305)]	WTD44040	WEDSCAO	WTDC040
1'-77/8" : (505)	$1'-75_{16}"$ (490)	ī	WTR41010	WTR5610	WTR6210
		- 1	WTR41015	WTR5615	WTR6215
$\frac{1'-9\%}{(556)}$	1^{-9}_{16}				
`			WTR41017	WTR5617	WTR6217
2'-17/8" (657)	$2'-1\%_{16}$ " (643)	04			
		oage I L	WTR410111	WTR56111	WTR62111
2'-3 ⁷ / ₈ " (708)	$2^{-3}\%_{16}$ (694)	Continuation from page 04			
		natio I	WTR41021	WTR5621	WTR6221
2'-57/8" (759)	$2^{-5}\%$ (744)	Continu			
			WTR41023	WTR5623	WTR6223
2'-97/8" (860)	$2'-9\%_{16}"$ (846)				
		า	WTR41027	WTR5627	WTR6227
3'-37%" (1013)	3'-3 ⁵ 16" (999)				
		귀	WTR41031	WTR5631	WTR6231

Notes:

[&]quot;Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.