

**THE CONSTRUCTION SEQUENCE:**

- . Install 12" Silt Sock on North, West and East boundary lot lines on or before **October 15th**.
  - A. Existing asphalt driveway to act as the tracking pad for the project.
2. Raze and depose of existing cottage and all impervious surfaces on or before **November 1st**
3. Complete driveway subgrade & base course and rough grade lot by **November 10th**
4. Weather permitting, grade site for foundation on or before **November 15th**. Place temporary stockpiles in the areas shown on the site plans. Cover stockpiles with tarps as necessary. Transport excess soil offsite as necessary.
5. Complete and back fill foundation by **November 30th**. Cover disturbed soil with straw mulch. Weather not permitting, pour foundation next spring.
6. Stabilize entire lot with mulch no later than December 10th or earlier if foundation postponed to spring. Refresh/replace mulch throughout the project as necessary.
7. Final grade lot and finish with sod on or before **August 30,2019**
8. Remove Sill Sock only after a good stand of grass has been established

Maintenance of all erosion control measures are required throughout the construction process. Inspections shall be performed at least weekly and after all storm events. All necessary repairs shall be made immediately.


Sediment will be removed from behind sediment fences and barriers before it reaches a

- Sediment will be removed from behind sediment fences and barriers before it reaches a depth that is equal to half the barrier's height. Breaks and gaps in sediment fences and barriers will be repaired immediately. Straw bales will be replaced at least every three months, or sooner if warranted by the bale's condition and state of decay.
  - All sediment that moves off-site due to construction activity or weather events will be cleaned up before the end of the next workday.
  - All installed erosion control measures will be maintained until the disturbed areas are completely stabilized.

**RESTORATION NOTES:**  
All pervious disturbed areas shall receive a minimum of four (4) inches of topsoil, seed and mulch. All pervious disturbed areas shall receive fertilizer except native planting areas. Restoration will occur as soon after the disturbance as practical. Seed mixture 40 shall be used on all other disturbed areas. Mixtures shall be in accordance with section 630 of d.O.T. specifications. An equal amount of annual ryegrass shall be added to the mix.

eed mixtures shall be applied at the rate of four (4) pounds per 1,000 square feet. Fertilizer shall be applied at the rate of four (4) pounds per 1,000 square feet. Mulch shall consist of hay or straw applied at the rate of 2 tons per acre.

fertilizer shall meet the minimum requirements that follow: nitrogen, not less than 16%; phosphoric acid, not less than 8%; potash, not less than 8%.



## **SILT SOCK DETAILS**

**1A SITE PLAN - EROSION CONTROL AND PARTIAL UTILITY PLAN**


1

**Architect:** OpeningDesign  
16 W Washington Ave | Suite  
Madison, WI 53703  
[openingdesign.com](mailto:openingdesign.com) | 773.42  
[openingdesign.com](http://openingdesign.com)

AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
**SITE PLAN - EROSION CONTROL AND PARTIAL UTILITY PLAN**

A050

① SITE PLAN - EXISTING  
1" = 10'-0"





② SITE PLAN - LIMIT OF DISTURBANCE  
1" = 10'-0"



Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456  
openingdesign.com

AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
EXISTING SITE PLAN & LIMIT OF DISTURBANCE

③ SECTION AT DRIVEWAY  
1/2" = 1'-0"





- Follow the erosion control matting guidelines, as outlined in the following document
- Erosion Control Field Manual:  
[https://www.oregon.gov/ODOT/GeoEnvironmental/Docs\\_Environmental/Erosion-Control-Field-Manual.pdf](https://www.oregon.gov/ODOT/GeoEnvironmental/Docs_Environmental/Erosion-Control-Field-Manual.pdf)

④ EROSION CONTROL MATTING  
12" = 1'-0"


09

A051






AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
FLOOR PLANS - 1ST FLOOR



Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456  
openingdesign.com

0 2' 4' 8'

N  
A101



AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
FLOOR PLAN - 2ND FLOOR




Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456  
openingdesign.com



A102


5 4 3 2 1



Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456  
openingdesign.com

AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
BUILDING ELEVATIONS - NORTH/SOUTH

A200





AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
BUILDING ELEVATIONS - EAST

A201



Architect: OpeningDesign  
316 W Washington Ave | Suite 675  
Madison, WI 53703  
ryan@openingdesign.com | 773.425.6456  
openingdesign.com





1 BUILDING SECTION - NORTH/SOUTH - LOOKING EAST  
1/4" = 1'-0"



**Architect:** OpeningDesign  
316 W Washington Ave | Suite 67  
Madison, WI 53703  
[@openingdesign.com](mailto:@openingdesign.com) | 773.425.  
openingdesign.com

# AALSETH RESIDENCE - 12/03/2018

## 3196 AALSETH LN - STOUGHTON WI 53589

### BUILDING SECTION

A300

5

4


3

2

1


C

C



ROOM SCHEDULE - SIMPLIFIED		
Level	Name	Area
Not Placed	STAIR (1ST FLOOR)	Not Placed
Not Placed: 1		0 SF
BASEMENT	BOAT HOUSE	404 SF
BASEMENT	UTILITY	193 SF
BASEMENT	STAIR - BASEMENT	114 SF
BASEMENT	GUEST ROOM	150 SF
BASEMENT	BATH	59 SF
BASEMENT	CLOSET	71 SF
BASEMENT	CORRIDOR	114 SF
BASEMENT	STORAGE	46 SF
BASEMENT: 8		1151 SF
GARAGE	GARAGE	511 SF
GARAGE	1/2 BATH	35 SF
GARAGE	KITCHEN	249 SF
GARAGE	LIVING ROOM	616 SF
GARAGE	CLOSET	16 SF
GARAGE: 5		1427 SF
2ND FLOOR	MASTER	536 SF
2ND FLOOR	BATH	119 SF
2ND FLOOR	CLOSET	110 SF
2ND FLOOR	BATH	67 SF
2ND FLOOR	OFFICE	113 SF
2ND FLOOR	BALCONY	124 SF
2ND FLOOR	STAIR - 2ND	71 SF
2ND FLOOR	CLOSET	54 SF
2ND FLOOR	BEDROOM	174 SF
2ND FLOOR: 9		1369 SF
Grand total:	23	3947 SF

Type Mark	Count	DOOR SCHEDULE		Phase Created	Comments	10.878351.21		224.865363			
		Door									
		Width	Height								
1	9	3' - 0"	7' - 0"	1st Phase		46	1	33 1/4"	91 1/4"		
16	2	5' - 8"	7' - 0"	1st Phase		46	1	33 1/4"	91 1/4"		
28	2	9' - 0"	7' - 0"	1st Phase		46	1	33 1/4"	91 1/4"		
35	2	3' - 0"	7' - 10"	1st Phase		46	1	33 1/4"	91 1/4"		
38	2	1' - 6"	7' - 10"	1st Phase		46	1	33 1/4"	91 1/4"		
47	2	2' - 0"	6' - 8"	1st Phase		46	1	33 1/4"	91 1/4"		
48	1	3' - 0"	6' - 8"	1st Phase		46	1	33 1/4"	91 1/4"		
49	3	2' - 8"	6' - 8"	1st Phase		46	1	33 1/4"	91 1/4"		
51	1	8' - 2 7/8"	6' - 11 3/8"	1st Phase		21.069878: 9			189.628906		
52	1	1' - 6"	6' - 11 11/16"	1st Phase		45	1	35 1/4"	91 1/4"		
53	1	3' - 0"	6' - 10 1/4"	1st Phase		45	1	35 1/4"	91 1/4"		
54	3	2' - 10"	7' - 0"	1st Phase		22.33724: 2			22.33724		
61	1	3' - 0 1/8"	6' - 7 1/2"	1st Phase		Grand total: 36			44.674479		
62	1	3' - 0 1/8"	6' - 10 3/8"	1st Phase					488.416667		
64	1	3' - 0"	7' - 0"	1st Phase	20 MIN. FIRE RATED						




## 1 FOUNDATION PLAN



**Architect:** OpeningDesign  
316 W Washington Ave | Suite 6  
Madison, WI 53703  
[n@openingdesign.com](mailto:n@openingdesign.com) | 773.421.0000  
[openingdesign.com](http://openingdesign.com)

AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
FOUNDATION PLAN

# S050



# AALSETH RESIDENCE - 12/03/2018

## 3196 AALSETH LN - STOUGHTON, WI 53589

### EXCAVATION PLAN & 3D DRAWINGS

S051



**Architect:** OpeningDesign  
316 W Washington Ave. | Suite 67



316 W Washington Ave | Suite 6/  
Madison, WI 53703

@openingdesign.com | 773.425.6456

openingdesign.com | 773.423.6100

---

Digitized by srujanika@gmail.com



5

4


3

2

1


C

C




B


B




A

A








**Architect:** OpeningDesign  
316 W Washington Ave | Suite 6  
Madison, WI 53703  
[yan@openingdesign.com](mailto:yan@openingdesign.com) | 773.423.0000  
[openingdesign.com](http://openingdesign.com)


**Architect:** OpeningDesign  
316 W Washington Ave | Suite 6  
Madison, WI 53703  
[in@openingdesign.com](mailto:in@openingdesign.com) | 773.423.0000  
[openingdesign.com](http://openingdesign.com)

AALSETH RESIDENCE - 12/03/2018  
3196 AALSETH LN - STOUGHTON, WI 53589  
FRAMING - ROOF


# S103




1 STRUCTURAL - 3D - NORTHWEST



STRUCTURAL - 3D - NORTHEAST



3 STRUCTURAL - 3D - SOUTHEAST



4 STRUCTURAL - 3D - SOUTHWEST