

# **Report - DataBase Project - IFEBY140**

# Table of contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Analyzis</b>	<b>4</b>
2.1	Redudant Attributes . . . . .	4
2.2	First Normal Form . . . . .	4
2.3	Functional dependencies : . . . . .	5
2.3.1	Non used functional dependencies . . . . .	5
2.4	Constraints . . . . .	5
2.5	Misc . . . . .	5
<b>3</b>	<b>Modelization</b>	<b>6</b>
3.1	ER schema . . . . .	6
3.2	Tables . . . . .	6
<b>4</b>	<b>Implementation</b>	<b>8</b>
4.1	Execution . . . . .	8
4.2	Code Details . . . . .	8
4.2.1	Populate Transports . . . . .	8
4.2.2	Populate Sub-Events . . . . .	9
<b>5</b>	<b>Request examples</b>	<b>10</b>
5.1	Outputs . . . . .	10
5.1.1	Statistics . . . . .	10
5.1.2	The 10 station with the most events . . . . .	10
5.1.3	The title of the 10 events with the most occurrences . . . . .	11
5.1.4	The 10 most used tag . . . . .	11
5.1.5	The 10 biggest group . . . . .	11

# 1 Introduction

[Que Faire à Paris ?](#) is a french website that list events happing in Paris.

The event are archived at this [address](#) in multiple formats including csv.

In this project we propose a normalized database to store the events based on the csv archive.

Course constraint :

- Code everything in psql.

- Don't use pgsql functions to extract the data.

## 2 Analyzis

Initial Columns :

```
['ID' 'URL' 'Titre' 'Chapeau' 'Description' 'Date de début' 'Date de fin'
 'Occurrences' 'Description de la date' "URL de l'image"
 "Texte alternatif de l'image" "Crédit de l'image" 'Mots clés'
 'Nom du lieu' 'Adresse du lieu' 'Code postal' 'Ville'
 'Coordonnées géographiques' 'Accès PMR' 'Accès mal voyant'
 'Accès mal entendant' 'Transport' 'Url de contact' 'Téléphone de contact'
 'Email de contact' 'URL Facebook associée' 'URL Twitter associée'
 'Type de prix' 'Détail du prix' "Type d'accès" 'URL de réservation'
 'URL de réservation - Texte' 'Date de mise à jour' 'Image de couverture'
 'Programmes' 'En ligne - address_url' 'En ligne - address_url_text'
 'En ligne - address_text' 'title_event' 'audience' 'childrens' 'group']
```

### 2.1 Redudant Attributes

We will remove the following attributes : `description_de_la_date`

### 2.2 First Normal Form

Non atomic attributs :

- List
  - Occurences : separated by '\_' (underscore)
  - Tags : separated by ','
  - Childrens : separated by ','
  - Transport : separated by '\n'
- Multiple attributes
  - Transport : `transport_type`, `transport_line`, `station`, `distance`
  - Geographic\_Coordinates : `longitude`, `latitude`

## 2.3 Functional dependencies :

- $\text{id} \rightarrow \text{url}$ 
  - For simplicity sake, we consider that we cannot deduce  $\text{id}$  from  $\text{url}$ . Perhaps, we will use this property to identify  $\text{sub\_events\_id}$  in “childrens”
- $\text{id} \rightarrow \text{titre, chapeau, description, date\_de\_debut, date\_de\_fin, occurrences, url\_de\_l\_image, texte\_alternatif\_de\_l\_image, credit\_de\_l\_image, mots\_clefs, nom\_du\_lieu, adresse\_du\_lieu, code\_postale, ville, url\_du\_contact, telephone\_de\_contact, email\_de\_contact, url\_facebook\_associee, url\_twitter\_associe, type\_de\_prix, detail\_du\_prix, type\_d\_acces, url\_de\_reservation, url\_de\_reservation\_texte, date\_de\_mise\_a\_jour, image\_de\_couverture, programmes, en\_ligne\_address\_url, en\_ligne\_address\_url\_text, en\_ligne\_address\_text, title\_event, audience, childrens, groupe, transport\_type, transport\_line, station, distance}$
- $\text{date\_de\_debut, date\_de\_fin} \rightarrow \text{description\_de\_la\_date}$ 
  - Removed attribute
- $\text{adresse\_du\_lieu, ville, code\_postale} \rightarrow \text{coordonnees\_geographiques}$
- $\text{nom\_du\_lieu, adresse\_du\_lieu, ville, code\_postale} \rightarrow \text{acces\_pmr, acces\_mal\_voyant, acces\_mal\_entendant}$

### 2.3.1 Non used functional dependencies

- In 1NF :  $\text{transport\_station} \rightarrow \text{ville}$ 
  - It’s true, but for simplicity sake, we’ll ignore it.
- $\text{ville} \rightarrow \text{cp}$ 
  - It’s neither true in France and Ile de France

## 2.4 Constraints


- Realistic implementation expectations
  - $\text{date\_end} > \text{date\_start}$
  - NOT NULL :
    - \*  $\text{id, url}$
    - \*  $(\text{date\_start AND date\_end}) \text{ OR } (\text{occurrences})$
- Unrealistic implementation expectations
  - $\text{url}$  must finish with  $\text{id}$
  - all  $\text{urls}$  must be valid
  - $\text{address}$  must be valid
  - $\text{phone\_number}$  must be valid

## 2.5 Misc

We decide to translate everything to english.

## 3 Modelization

### 3.1 ER schema



The following decomposition, satisfies Boyce-codd normal form at the same time :

### 3.2 Tables

**geographic\_correspondance**(address\_street, address\_zipcode, address\_city | lat, lon)

**address\_table**(address\_name, address\_street, address\_zipcode, address\_city | pmr, blind, deaf)

**event\_table** (event\_id | event\_url, title, lead\_text, event\_description, date\_start, date\_end, cover\_url, cover\_alt, cover\_credit, address\_name, address\_street, address\_zipcode, address\_city, price\_type, price\_detail, access\_type, access\_link, access\_link\_text, updated\_at, image\_couverture, programs, title\_event, audience, contact\_url, contact\_phone, contact\_mail,

contact\_facebook, contact\_twitter, address\_url, address\_url\_text, address\_text, keyword,  
group\_name, parent\_event\_id)

**occurence**(event\_id, occurence\_date)

**tag**(event\_id | keyword)

**transport**(event\_id, transport\_type, transport\_line, station | distance)

## 4 Implementation

### 4.1 Execution

Start psql in src folder.

```
cd src
psql -d <database> username
```

Create tables and populate them with :

```
\i XXX_YYY_tables.sql
```

### 4.2 Code Details

We ignore most redundancy errors using `ON CONFLICT DO NOTHING`.

#### 4.2.1 Populate Transports

Raw transport line :

"Métro -> 1 : Bastille (Paris) (304m)

Bus -> 29618791 : Lyon / Daumesnil - Ledru Rollin (Paris) (246m)

Vélib -> Lacuée - Lyon (121.91m)

`<a href=""https://www.geovelo.fr/paris/route?to=2.370458543300628,48.849268481958404"">Calculer`

1. List → Row

- Split over line jump using : `unnest(string_to_array(transport, E'\n')) AS transport`

2. Remove unnecessary HTML content

- `WHERE transport NOT LIKE '<%'`

3. Extract (transport\_type, transport\_line, station + distance)

- use `split_part` over -> and :

4. Vélib case



- If station is empty, it means it is a **Vélib**, and the station was wrongly splitted into `transport_line`. Then we swap `station` and `transport_line`

#### 5. Extract distance

- It can be done using a combination of `substring`, `reverse` and `length` functions.
- Distance information is always between the last occurrence of ( and m).

### 4.2.2 Populate Sub-Events

Raw sub event line example:

"Rencontre avec Jørn Lier Horst (<https://www.paris.fr/evenements/rencontre-avec-jorn-lier-horst>)"

#### 1. List → Row

- Split over ; delimiters using : `unnest(string_to_array(children, ';' ))`

#### 2. Extract id

- The id is always at the end of the url. It can be extracted knowing it's always between the last - and ) of the string.

## 5 Request examples

See the interactive preview of the data with :

```
\i XXX_YYY_data.sql
```

### 5.1 Outputs

#### 5.1.1 Statistics

Number of events : 2816

Number of events with pmr, blind or deaf access : 432

Number of events accessibles with “Vélib” : 264

Number of events with multiple transports : 266

#### 5.1.2 The 10 station with the most events

count	transport_type	transport_line	station
75	Bus	29618791	Lyon / Daumesnil - Ledru Rollin (Paris)
75	Métro	1	Bastille (Paris)
75	Vélib		Lacuée - Lyon
55	Vélib		Boyer - Ménilmontant
30	Bus	2696	Pyrénées - Ménilmontant (Paris)
30	Métro	11	Jourdain (Paris)
29	Bus	397089	Volontaires - Lecourbe (Paris)
29	Vélib		Volontaire - Lecourbe
29	Métro	12	Volontaires (Paris)
25	Métro	3	Gambetta (Paris)

count	id	title
-------	----	-------

### 5.1.3 The title of the 10 events with the most occurrences

count	id	title
9970	41529	Un parcours sonore et urbain
4031	37301	La Cité de l'Histoire, l'expérience immersive à travers l'Histoire de France
641	31363	Une plongée immersive avec les baleines à l'Aquarium tropical
634	11871	Revivre, les animaux disparus en réalité augmentée
572	42634	« Notre-Dame de Paris : au cœur du chantier »
552	53785	Montmartre Enchanté insolite : la visite chantée et commentée
511	32056	Mémorial de l'ancienne gare de déportation de Bobigny
379	32135	Exposition " Notre-Dame de Paris. Des bâtisseurs aux restaurateurs."
352	50933	Sauvez le cinéma, l'escape game du Grand Rex
342	31054	« Félics » au Muséum national d'Histoire naturelle

### 5.1.4 The 10 most used tag

count	keyword
641	Musique
623	Concert
503	Atelier
454	Enfants
393	Loisirs
312	Sport
265	Expo
240	Conférence
234	Théâtre
179	Littérature

### 5.1.5 The 10 biggest group

count	group_name
1184	Aucun
634	Bibliothèques
602	Agenda
214	Activités DJS
74	Centres d'animations
49	Parcs et jardins
23	Nuit Blanche
22	Associations
14	Musées

count	group_name
-------	------------