

Transferability of HRI Research: Potential and Challenges

Wafa Johal

University of Melbourne, Australia
wafa.johal@unimelb.edu.au

Abstract

With advancement of robotics and artificial intelligence, applications for robotics are flourishing. Human-robot interaction (HRI) is an important area of robotics as it allows robots to work closer to humans (with them or for them). One crucial factor for the success of HRI research is transferability, which refers to the ability of research outputs to be adopted by industry and provide benefits to society. In this paper, we explore the potentials and challenges of transferability in HRI research. Firstly, we examine the current state of HRI research and identify various types of contributions that could lead to successful outcomes. Secondly, we discuss the potential benefits for each type of contribution and identify factors that could facilitate industry adoption of HRI research. However, we also recognize that there are several challenges associated with transferability, such as the diversity of well-defined job/skill-sets required from HRI practitioners, the lack of industry-led research, and the lack of standardization in HRI research methods. We discuss these challenges and propose potential solutions to bridge the gap between industry expectations and academic research in HRI.

Introduction

Assessing the impact of research innovation is crucial for determining its economic, social, environmental, and cultural contributions. The Australian Research Council (ARC) provides a definition of research impact that states: “*Research impact is the contribution that research makes to the economy, society, environment or culture, beyond the contribution to academic research.*” (?). This definition distinguishes between the **outputs** of the research (such as knowledge advancement disseminated via publications), the **outcomes** (such as commercial products, job creation, spin-offs, or integration into policy), and the **benefits** (such as economic, quality of life, or workforce benefits). When focusing on the economic and industrial impact, the term *technology transfer* is often used to describe the process of transforming research outputs into outcomes and benefits.

Researchers in Human-Robot Interaction (HRI) have often used user-centred design (UCD), participatory design or co-design, which are valuable methods to make sure a project will be beneficial to end-users (?). These design approaches focus on the needs and preferences of the users

throughout the design process, from the initial concept to the final product. But while involving the target users, these methods often miss the bridge to an outcome that could allow the integration of the research into commercial product. In other words, these design methods primarily focused on meeting the needs and preferences of the users throughout the design process, but they may not always consider the technical and logistical requirements necessary for the project to be integrated into an industrial pipeline. This can lead to a disconnect between the research and the practical applications of the technology. Figure 1) shows an example of research pathway in a project using UCD. Once the outputs are done, it is often hard for researchers to explore the potential outcomes as it may require the feasibility of the solution developed (is there a market? what is the added value of the technology?)




Figure 1: Typical research impact pathway in HRI, where the research will be initiated by a potential impact (1), but it will end with research outputs (3) without bridging back to outcomes.

In this paper, we explore the potential transfer of value from Human-Robot Interaction (HRI) research to industry by examining the types of research contributions generated by HRI research.

A Short Overview of the types of HRI Research Contributions

The field of Human-Robot Interaction (HRI) is highly interdisciplinary, encompassing a broad range of disciplines, from psychology and sociology to mechanical and computer sciences. The ACM/IEEE Conference in Human-Robot Interaction ¹ is one of the main conferences of the field and

¹<https://humanrobotinteraction.org/category/conference/>




Figure 2: Types of Contributions in HRI- derived from (?)

started in 2006. As the research community grew, the conference segmented the types of papers into themes. The current model of the conference now features 5 main themes: 1) User Studies, 2) Design, 3) Theory and Method and 4) Technical and 5) Systems. While these themes were designed for paper submissions, we propose to look at the types of contributions using a framework previously applied to HCI (?). It distinguishes 3 types of contributions (Figure 2): 1) **Practice**: proposing the design of a novel interface, new algorithms, new software architecture or new hardware (usually submitted under Design and Technical/system track); 2) **Evaluation**: proposing the empirical study to understand the experience of the user interacting with the robot(s) - it could be qualitative or quantitative (usually submitted under the user-study track). and 3) the **Theory and Methods**: proposing formal descriptions, models, definitions, procedures or metrics.

Transferability Potentials

Based on these different types of contributions, we derive potential outcomes that could be used for professional HRI practitioners.

Practice: Practice types of contributions can potentially be directly patented and turned into a product as beside the publication outputs, these types of research often generate a physical or software artefact (e.g. a library, a SDK). A key point to turn in into a product is to mobilise enough resources and funds to make the solution accessible to the industry.

Evaluation: Empirical studies usually allow to verify a design or a model that was built. It also allows to loop back and generate theories or validate methods. Apart from the publications, studies also generate datasets, and in a world moving towards more data-greedy methods such as machine learning, data have a huge value. Unfortunately, most user studies presented at the HRI conference do not offer an open version of the data collected.

Theory and Methods: This type of contributions constitute the pedestal of scientifically grounded conventions and guidelines. For a field to establish models, professional procedures, measuring tools and formalised best practices allows professional practitioners to speed-up their design process and achieve robust solutions. For example, HCI designers and developers have worked on UI design principles and

tools (e.g. color, spacing between visual elements, sizes ...) to assist practitioners (an instance of that is Material Design developed by Google² which follow these conventions issued from research).

Transferability Challenges

There are still some challenges for HRI research to transfer to practice and commercialisation. We outlay a couple here, hoping that some investigations will be done to towards tackling them.

Training for the job market. Over the past decade, the number of Human-Robot Interaction (HRI) courses offered to students within higher degree programs has increased significantly. However, based on their syllabus, many of these courses focus heavily on research and theory rather than providing practical, hands-on experience. How can we develop hands-on curriculum that will train HRI practitioners? What skills are expected from the industry and how to design the learning objectives of HRI courses based on those? Becoming an expert in Human-Robot Interaction (HRI) requires not only knowledge but also practical experience (?). While academia and research provide PhD students with a strong theoretical foundation, opportunities for designing and deploying HRI systems in real-world settings with target users are often lacking. This lack of practical experience can make it difficult for students to demonstrate their expertise in the field. Without the opportunity to work on real-world projects, students may struggle to understand the practical challenges and considerations involved in designing effective HRI systems.

To address this challenge, it is essential to provide students with opportunities to gain practical experience in the field of HRI. This can include internships, industry collaborations, and hands-on projects that allow students to work on real-world problems. While these kinds of internships are often managed by universities, the HRI community could put in place some channels of communication to allow research students to find industry internship.

Lack of Industry-led research. When looking at the author's affiliation in the HRI conference, it is striking to see that there are extremely few papers for which the first authors is from the industry. Even more rare, are papers with authors only from the industry. On the other hand, when looking at CHI (?), we see that innovations that had the larger economical impact were often initiated by research conducted in the industry. How can the community facilitate and encourage industry led research?

To encourage industry-led research in the field of HRI, conferences and other academics might need to be designed to better accommodate industry researcher. Designing opportunities for them to present their work, including them in the organisation of workshops and tutorials could also allow more collaboration between industry and academia.

Lack of Norms and Standardisation in the field. guidelines, conventions and processes in the design and imple-

²<https://m3.material.io/>

mentation of HRI systems. But how? studying the interaction in richer, more real-world scenarios. of micro-HRI.

Conclusion

grows and generates productizable solutions. transfer between HRI research and the industry. research outputs, outcomes and benefits. research field.

Acknowledgments

This research is supported by the Australian Research Award (Grant No. DE210100858).