

CallScripter Tutorial

Creating a *Send Email* Report

By Shane Swenson

21st October 2013

0. Introduction


This tutorial will show you how to create a template for sending out an email in a script. It describes the steps we take at OracleCMS when creating all of our email templates, so it is a standard that should be followed.

In CallScripter, this is done by creating a report. However, this report will actually only be used for the purpose of creating the template of the email we want our script to send out – we will not actually schedule the report to be automatically sent to the customer as we would with a call report. This includes the fields we want included in the email, as well as the order they appear and the layout.

Once the report has been created, you can select in the [Report](#) field of a [Emailer – Preview – In Body](#) control in your script to send the email out.

1. Access the Report Designer.

Starting from the CallScripter main menu, select [Reporting System](#), and then [Report Designer](#).



2. Create a new, empty report.


Find your script from the list at the top left, and double click on it to open it.



This will show you a list of the reports that exist for the script already. If you have not created any reports for this script yet, then the list will be blank. Create a new one by clicking the [Add](#) button.



Enter a name for the report and press OK. We generally name it using the script's name (or part of the script's name, if its name is long), followed by *Email* or *Send Email*. This makes the email template easy for someone else to find later on should they need to make changes to it, as we often create multiple reports for each script. For example, you might also have a Monthly Call Report or a Send SMS report.




CallScripter Tutorial – Creating a *Send Email* Report

The newly created report will now appear in the list at the top left. Double click on it to open it.



3. Setting up the Report Options.

After opening up the report, you will see a list of options as shown in the screenshot below. To keep the tutorial simple to follow, I will explain only the ones that we need to use for an Email template.



Here are the Report Options you should set when creating a report for an email template. The rest of the options can be ignored.

Starting with the options at the top of the list (above the line):

- **Report Name:** This will be set automatically to what you named the report when you created it. However, should you need to change the name, you can edit it here.
- **Report Type:** Set this to *Plain Text Template*.

The remainder of the options at the top of the list (above the line) don't have anything to do with a report used for sending an email from within a script and can be ignored.

Report Name:	<input type="text" value="Tutorial Send Email"/>
Report Type:	<input type="text" value="Plain Text Template"/>
Run For:	<input type="text" value="Dealt with calls only"/>
Mark calls as dealt with:	<input type="text" value="No"/>
Member of group:	<input type="text" value="None"/>
Show Headings:	<input type="text" value="No"/>
Encrypt Report:	<input type="checkbox"/>
Public Key:	<div></div>

See next page.

As for the Report Options below the line, these ones are important (see next page for a screenshot).

- **Filename:** I don't think this actually matters, but we always use a filename similar to the report name, without any spaces, and ending in .txt. For example, for a service called Shane's Computer Services, we may call the file [ShanesComputerServicesSendEmail.txt](#).
- **Send Email:** This should be ticked.
- **Email to:** Set the To address for the email. This should be an email address specified by the customer; the address where they want the emails sent from the script to go to. You can list multiple by separating them with commas (but do not use spaces) – for example: [shane@oraclecms.com,ken@oraclecms.com,xavier@oraclecms.com](#)
- **Email from:** For a Send Email report, you can just use [reports@oraclecms.com](#).
- **Email from name:** This should be set to the name of the service.
- **Email CC:** This is optional. If the email should be carbon copied to another address(es), enter them here. Again, you can enter multiple addresses if you separate them with commas.
- **Email BCC:** This should be set to [audit@oraclecms.com](#). This allows us to keep an extra copy of the email for ourselves as proof that we sent the email, should it come into dispute with the customer.
- **Email Subject:** It is important that you do not leave this blank, as otherwise the email will not be sent out. If the service is a simple messaging service, we generally use [MESSAGE FROM ORACLECMS](#) as a subject. If the customer has multiple services with us, then the name of the service would be a better choice so that the customer can differentiate easily.
- **Place Report In Body:** Should be set to [Yes, send in body](#).

There are another two things we need to do, however, the options are specific to the [Plain Text Template](#) report type, and will not appear until after we have saved the report after having set that option. So press the [Save Options](#) button at the bottom now.

Once you've done that, you will have an extra option:

- **Hide Empty Fields:** Should be set to [Yes](#).

See next page.


After setting up the Report Options at the bottom half of the list, your settings may look a bit like the below. As previously mentioned, the *Hide Empty Fields* option and *Generate Template* button will not appear until after you have clicked Save Options, with Plain Text Template set as the report type.

Delivery Options	
Filename: *	<input type="text" value="TutorialSendEmail.txt"/>
	<input type="checkbox"/> Open filename key
Send Email:	<input checked="" type="checkbox"/>
Email to: *	<input type="text" value="shane@oradecms.com"/>
Email from: *	<input type="text" value="reports@oradecms.com"/>
Email from name: *	<input type="text" value="Tutorial"/>
Email CC:	<input type="text"/>
Email BCC:	<input type="text" value="audit@oradecms.com"/>
Email subject: *	<input type="text" value="MESSAGE FROM ORACLECMS"/>
Email body:	<div style="border: 1px solid #ccc; height: 60px;"></div>
If no data:	<input type="button" value="Send the following"/> ▼
Email body (no data):	<div style="border: 1px solid #ccc; height: 60px;"></div>
Place report in body?:	<input type="button" value="Yes, send in body"/> ▼
Report Delivery Event	<input type="button" value="Please Choose.."/> ▼
Save to Path:	<input type="checkbox"/>
Path:	<input type="text"/>
Send SMS:	<input type="checkbox"/>
SMS number:	<input type="text"/>
Cost, in pence, per sms message (or part of message):	<input type="text" value="0.00"/>
Text Template Specific Options	
Hide empty fields:	<input type="button" value="Yes"/> ▼
<input type="button" value="Generate Template"/>	

See next page.

4. Setting up the Report Fields.

Click the second tab at the top of the window called *Report Fields*. You should see the below.



On the left are fields that you can add to be included in the report – ie. Contained in the body of the email that will be sent out by your script.

You should always add these two first:

- Under *Available Special Fields*, double click on *Start Time* and *Session ID*.

The first one is the *time and date when the script opened* – ie. when the caller called us.

The second is a *reference number for the call* automatically generated by CallScripter. We can look up the details of a call easier later on using this reference number, so it is useful to give it to the customer as they can quote it when inquiring about a particular call.

See next page.

CallScripter Tutorial – Creating a *Send Email* Report

After adding these two fields, it should look like this:



Note that the two fields have been added to the list at the right, and also in the list at the top left. We don't really need to worry about the list at the top left as we can see everything clearly at the right.

For the list at the right, the field names are written down the left, and the headings as they will appear in the email are written down the middle. If you click on a field, you will get some options at the top left, as shown:



Here, you can change the field heading, whether the data should be wrapped in quotes in the email, and also any style settings that should be applied to the text.

For the Start Time field, change the heading to *Date / Time* and press Save.

For the Session ID field, change the heading to *Call Ref No* and press Save.

These are the standard heading names we use for these two fields across all reports in all scripts, so this should be followed for all new reports, whether it's for an email template, call report, etc.

From here, you can go ahead add whatever fields you want to include in the email template. Here are some more notes on standards that we follow:

- You should add the fields in a logical order – for example, it would be a good idea to add the field that the agent would input into the script first, let's say the *Enquiry Type*, followed by what is entered next, perhaps *First Name* and *Surname*, and so on.
 - Note that the First Name control is usually actually named *Forename* – this name is a bit weird in Australian English, so you should rename its heading to *First Name*.
 - As for the address fields, you should change the following:
Address1 and *Address2*: Add a space between Address and the number.
OZ Locality: Suburb
OZ State: State
PostCode - Hopewiser - V2: Postcode
- Any fields that are *made up of text*, should have the *Uppercase* style applied to it. This would include, but is not limited to, First Name, Surname, Address, Suburb, State, Message, etc. Adding it to a Phone Number or Postcode field is not needed as these should be only numbers anyway.
- Once you have added all fields, click the *Set All Quotes Off* button in the bottom left. This will set the *Quotes* option for every field to *No*. We do this because it looks a bit bad having quotes surrounding all of the data.
- If you want to *reorder* the fields after you have added them, you can do so by *clicking and dragging them* higher or lower on the list. The order the fields appear in the list is the order they will appear in the email. In some cases, the customer may request the information sent in the email to be presented in a specific order.

See next page.

CallScripter Tutorial – Creating a *Send Email* Report

Here's what the finished list of fields looks like for my particular script:

The screenshot shows the CallScripter Report Designer interface. On the left, there are three sections: 'Used Fields' (containing Date / Time, Call Ref No, First Name, Surname, Tel Number, and Mobile Tel Number), 'Available Script Fields' (containing Address1, Address2, Agent Initials, Chargeable, Comments, and Forename), and 'Available Special Fields' (containing Agent Name (Inbound), Call Duration, End Repeat, End Time, Further Actions, and Joined Script Report). Each section has an 'Add' button. Below these sections are two buttons: 'Set all quotes on' and 'Set all quotes off'. The main area is titled 'Report Designer' and has tabs for 'Report Options', 'Report Fields', 'Filter Report', 'Field Styling', 'Report Groups', and 'Report Attachments'. The 'Report Fields' tab is active, showing a table of fields to be included in the report. The table has three columns: 'Field', 'Heading in report', and 'Style'. The fields listed are Start Time, Session ID, Forename, Surname, Tel Number, Mobile Tel Number, Address1, Address2, OZ Locality, OZ State, PostCode - Hopewiser - V2, and Message. The 'Message' field is highlighted. Below the table, there is a 'Check Positioning' button. A note at the bottom states: 'Use Check Positioning to ensure that any start repeat and end repeat fields match up with each other, and that any special fields that need to be correctly positioned within those repeats are done so.'

Field	Heading in report	Style
Start Time	Date / Time	
Session ID	Call Ref No	
Forename	First Name	Uppercase
Surname	Surname	Uppercase
Tel Number	Tel Number	
Mobile Tel Number	Mobile Tel Number	
Address1	Address 1	Uppercase
Address2	Address 2	Uppercase
OZ Locality	Suburb	Uppercase
OZ State	State	Uppercase
PostCode - Hopewiser - V2	Postcode	
Message	Message	Uppercase

Now that this is done (make sure to click *Set All Quotes Off*!), click back onto the *Report Options* tab, which is the first one. Scroll to the bottom and click the *Generate Template* button.

Whenever you add, delete or re-order the list of fields, you need to go and click this button again or else there will be errors in the email that is sent out, which may mean the wrong fields or there could be fields missing.

After clicking the button, you will see a *Download* and *Upload* button appear as shown in the screenshot below. We need to do one last thing with the report before we are finished. We need to make a small edit to the template that was generated.

The screenshot shows the 'Text Template Specific Options' dialog box. It has a 'Hide empty fields:' label and a 'Yes' dropdown menu. Below this is a 'Generate Template' button. At the bottom, there are 'Download' and 'Upload' buttons.

You can use the Download and Upload buttons, or alternatively, you can access the generated template file at the following location:

<\\192.168.80.226\Reports\ReportTemplates\>

See next page.

Look at the URL in the window where you are editing the report, and note the report ID at the end of the URL. For example:

<http://192.168.80.226/ReportingSystem/ReportDesigner.aspx?tabNum=1&customerID=3&scriptName=Shane+Test&reportID=2016>

The report ID for my report is *2016*.

So I would open the file called *Template2016.txt* in the ReportTemplates folder I mentioned earlier.

In my case, the file looks like this:

```
Tutorial Send Email__BeginRecord__
__SPCL_CallTime_1__: __SPCD_CallTime_1__
__SPCL_SessionID_2__: __SPCD_SessionID_2__
__SCRL_Forename_3__: __SCRD_Forename_3__
__SCRL_Surname_4__: __SCRD_Surname_4__
__SCRL_Tel Number_5__: __SCRD_Tel Number_5__
__SCRL_Mobile Tel Number_6__: __SCRD_Mobile Tel Number_6__
__SCRL_Address1_7__: __SCRD_Address1_7__
__SCRL_Address2_8__: __SCRD_Address2_8__
__SCRL_OZ Locality_9__: __SCRD_OZ Locality_9__
__SCRL_OZ State_10__: __SCRD_OZ State_10__
__SCRL_PostCode - Hopewiser - V2_11__: __SCRD_PostCode - Hopewiser - V2_11__
__SCRL_Message_12__: __SCRD_Message_12__
__EndRecord__
```

The problem here lies with the text at the start of the file, highlighted in yellow. CallScripter, by default, will put the *name of the report into the template*. This means it will be included in the email we send out! To fix this, simply delete the report name from the start of the file, so that the only thing written on the first line is *__BeginRecord__* and then save the file.

If you chose to *Download* the file, you will need to press *Upload* and select *overwrite* to adjust the template.

This is everything you need to do to create a *Send Email* report. You can now use it with an *Emailer – Preview – In Body* control to send an email from within your script.

Lastly, here's how my particular template looks from within my script:

To:	shane@oradecms.com
From:	reports@oradecms.com
From Name:	Tutorial
CC:	
BCC:	audit@oradecms.com
Subject:	MESSAGE FROM ORACLECMS

Date / Time: 22/10/2013 01:13:08
Call Ref No: 5347027
First Name: SHANE
Surname: SWENSON
Tel Number: 03 1111 2222
Mobile Tel Number: 0401 010 101
Address 1: LEVEL 1/456 SPENCER ST
Suburb: WEST MELBOURNE
State: VIC
Postcode: 3003
Message: THIS IS A TEST MESSAGE!

Send



If anything in this document is unclear or you are unsure, ASK QUESTIONS!