Checklist of Oregon Caprifoliaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.

Version 2.1 © 2023 Oregon Flora Project



Lonicera

Checklist contributor: Henrietta Chambers, 8/6/1996

Flora contributor: Christian Feuillet

Lonicera × bella Zab.

Common names: bella honeysuckle

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2007.

FOO - 2:537, accepted, in Oregon (explicit).

Lonicera cauriana Fernald

Common names: western sweetberry honeysuckle

Origin: native Voucher: OSU, most recently collected in 2014.

FOO - 2:537, accepted, in Oregon (explicit); FPN2 - 629, accepted, not in Oregon, ; JPM - 472, accepted, in Oregon (explicit); JPM2 - 601, accepted, in Oregon (explicit).

Synonyms:

Lonicera caurina Fernald

orthographic variant

FPN - 451, synonym for Lonicera caerulea, no geog. info. given; IL - 4:51, accepted, in Oregon (explicit); PEK - 749, accepted, in Oregon (explicit); VP - 4:458, accepted.

Misapplied names:

Lonicera caerulea L.

FPN - 451, accepted, no geog. info. given; VP - 4:456, accepted, in Oregon (implied).

Lonicera ciliosa (Pursh) Poir. ex DC.

Common names: orange honeysuckle

Origin: native Voucher: OSU, most recently collected in 2016.

FOO - 2:537, accepted, in Oregon (explicit); FPN - 452, accepted, in Oregon (implied); FPN2 - 629, accepted, in Oregon (implied), ; GWM - 330, accepted, in Oregon (explicit); IL - 4:53, accepted, in Oregon (implied); JPM - 472, accepted, in Oregon (implied); JPM2 - 601, accepted, in Oregon (implied); PEK - 749, accepted, in Oregon (explicit); VP - 4:458, accepted, in Oregon (implied).

Lonicera conjugialis Kellogg

Common names: purple-flower honeysuckle

Origin: native Voucher: OSU, most recently collected in 2008.

FOO - 2:537, accepted, in Oregon (explicit); FPN - 452, accepted, in Oregon (implied); FPN2 - 630, accepted, in Oregon (implied); JPM - 472, accepted, in Oregon (implied); JPM2 - 601, accepted, in Oregon (implied); PEK - 749, accepted, in Oregon (explicit); VP - 4:458, accepted, in Oregon (implied).

Lonicera hispidula (Lindl.) Douglas ex Torr. & A. Gray

Common names: hairy honeysuckle, pink honeysuckle

Origin: native Voucher: OSU, most recently collected in 2017.

FOO - 2:537, accepted, in Oregon (explicit); FPN - 452, accepted, in Oregon (implied); FPN2 - 629, accepted, in Oregon (implied), ; IL - 4:54, accepted, in Oregon (explicit); JPM2 - 601, accepted, in Oregon (explicit); VP - 4:459, accepted, in Oregon (implied).

Synonyms:

Lonicera hispidula (Lindl.) Douglas ex Torr. & A. Gray var. hispidula

Chambers, 1997A - , in Oregon (explicit); FOO - 2:537, synonym for Lonicera hispidula; PEK - 749, (subtaxon implied), accepted, in Oregon (explicit).

Misapplied names:

Lonicera hispidula (Lindl.) Douglas ex Torr. & A. Gray var. vacillans (Benth.) A. Gray

Chambers, 1997A - , not in Oregon; JPM - 474, accepted, in Oregon (explicit); PEK - 749, accepted, in Oregon (explicit).

Lonicera interrupta Benth.

Common names: chaparral honeysuckle

Origin: native Voucher: OSU, most recently collected in 1997.

FOO - 2:537, accepted, in Oregon (explicit); IL - 4:54, accepted, in Oregon (explicit); JPM - 474, accepted, not in Oregon; JPM2 - 601, accepted, not in Oregon; PEK - 750, accepted, in Oregon (explicit).

Lonicera involucrata (Rich.) Banks ex Spreng.

FOO - 2:538, accepted, in Oregon (explicit); FPN - 451, accepted, in Oregon; GWM - 332, accepted, in Oregon (explicit); IL - 4:52, accepted, in Oregon (implied); IN - 4:540, accepted, in Oregon (explicit); JPM - 474, accepted, in Oregon (implied); PEK - 748, accepted, in Oregon (explicit); VP - 4:460, accepted, in Oregon (implied).

Lonicera involucrata (Rich.) Banks ex Spreng. var. involucrata

Common names: black twinberry

Origin: native Voucher: OSU, most recently collected in 2018.

Chambers, 1997A - accepted, in Oregon (explicit); FOO - 2:538, accepted, in Oregon (explicit); FPN - 451, accepted, in Oregon (implied); FPN2 - 629, accepted, in Oregon (implied), sp. Range: widespread in w N Am, from coast to RM, e to GL, and e Can; JPM - 474, accepted, in Oregon (implied); JPM2 - 601, accepted, in Oregon (implied); VP - 4:460, accepted, in Oregon (implied).

Lonicera involucrata (Rich.) Banks ex Spreng. var. ledebourii (Eschsch.) Jeps.

Common names: coastal twinberry

Origin: native Voucher: OSU, most recently collected in 2012.

Chambers, 1997A - accepted, in Oregon (explicit); FOO - 2:538, accepted, in Oregon (explicit); FPN - 451, accepted, in Oregon (explicit); FPN2 - 629, accepted, in Oregon (implied), ; JPM - 474, accepted, in Oregon (explicit); JPM2 - 601, accepted, in Oregon (explicit).

Lonicera japonica Thunb.

Common names: Japanese honeysuckle

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2011.

FPN2 - 629, accepted, in Oregon (implied), .

Lonicera maackii (Rupr.) Herder

Common names: Amur honeysuckle

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2009.

FPN2 - 630, accepted, in Oregon (implied), ; Zika & Alverson, 2005 - .

Lonicera periclymenum L.

Common names: European honeysuckle, woodbine

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FOO - 2:538, accepted, in Oregon (explicit); FPN2 - 629, accepted, in Oregon (implied), .

Lonicera subspicata Hook. & Arn. var. denudata Rehder

Common names: Santa Barbara honeysuckle

Origin: exotic, not naturalized JPM2 - accepted, not in Oregon.

Lonicera utahensis S. Watson

Common names: Utah honeysuckle

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 2:539, accepted, in Oregon (explicit); FPN - 451, accepted, given distribution: ...at mid to high elev in mts...; FPN2 - 630, accepted, in Oregon (explicit), ; GWM - 332, accepted, in Oregon (explicit); IL - 4:52, accepted, in Oregon (implied); IN - 4:540, accepted, in Oregon (explicit); PEK - 749, accepted, in Oregon (explicit); VP - 4:460, accepted, in Oregon (implied).

Literature cited for Lonicera

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, H.L. 1997A. Notes on some honeysuckles and elderberries (Caprifoliaceae). Oregon Flora Newsletter 3(1):3.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Zika, P.F. and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Symphoricarpos

Checklist contributor: Henrietta Chambers, 2/7/1997

Flora contributor: Christian Feuillet

Symphoricarpos albus (L.) S.F. Blake

FPN - 453, accepted, in Oregon (implied); GWM - 333, accepted, in Oregon (explicit); VP - 4:464, accepted, in Oregon (implied).

Symphoricarpos albus (L.) S.F. Blake var. laevigatus (Fernald) S.F. Blake

Common names: common snowberry, black snowberry

Origin: native Voucher: OSU, most recently collected in 2017.

FOO - 2:539, accepted, in Oregon (explicit); FPN - 453, accepted, in Oregon (implied); FPN2 - 631, accepted, in Oregon (implied); JPM - 475, accepted, in Oregon (implied); JPM2 - 602, accepted, in Oregon (implied); PEK - 747, accepted, in Oregon (explicit).

Misapplied names:

Symphoricarpos albus (L.) S.F. Blake var. albus

FPN - 453, accepted, in Oregon (implied); FPN2 - 631, accepted, given distribution: mostly e RM, n US and s Can, very sporadic to Pac coast, possibly intro in our area, ; PEK - 747, (subtaxon implied), accepted, in Oregon (explicit).

Symphoricarpos longiflorus A. Gray

Common names: desert snowberry, fragrant snowberry

Origin: native Voucher: OSU, most recently collected in 2010.

FOO - 2:539, accepted, in Oregon (explicit); IL - 4:50, accepted, in Oregon (explicit); IN - 4:540, accepted, in Oregon (explicit); JPM - 475, accepted, not in Oregon; JPM2 - 602, accepted, not in Oregon.

Symphoricarpos mollis Nutt.

Common names: creeping snowberry, sharpleaf snowberry, trailing snowberry, trip vine

Origin: native Voucher: OSU, most recently collected in 2018.

FOO - 2:540, accepted, in Oregon (explicit); FPN - 453, accepted, in Oregon (implied); GWM - 333, accepted, in Oregon (explicit); JPM - 475, accepted, in Oregon (implied); JPM2 - 602, accepted, in Oregon (implied); VP - 4:465, accepted, in Oregon (implied).

Synonyms:

Symphoricarpos mollis Nutt. var. acutus A. Gray

FOO - 2:540, synonym for Symphoricarpos mollis; IL - 4:48, accepted, in Oregon (explicit); PEK - 748, accepted, in Oregon (explicit).

Symphoricarpos mollis Nutt. ssp. hesperius G.N. Jones

FOO - 2:540, synonym for Symphoricarpos mollis; IL - 4:49, accepted, in Oregon (implied); PEK - 748, accepted, in Oregon (explicit).

Symphoricarpos mollis Nutt. var. hesperius (G.N. Jones) Cronquist

FOO - 2:540, synonym for Symphoricarpos mollis; FPN - 453, accepted, in Oregon (implied); FPN2 - 631, accepted, in Oregon (implied), ; VP - 4:465, accepted.

Symphoricarpos mollis Nutt. var. mollis

FOO - 2:540, synonym for Symphoricarpos mollis; IL - 4:49, (subtaxon implied), accepted, in Oregon (explicit); PEK - 747, (subtaxon implied), accepted, in Oregon (explicit).

Symphoricarpos rotundifolius A. Gray

Common names: roundleaf snowberry

Origin: native Voucher: OSU, most recently collected in 2021.

FOO - 2:540, accepted, in Oregon (explicit); JPM - 475, accepted, in Oregon (implied).

Synonyms:

Symphoricarpos oreophilus A. Gray

FPN - 453, accepted, in Oregon (implied); GWM - 33, synonym for Symphoricarpos vaccinioides, in Oregon (explicit);

VP - 4:467, accepted, in Oregon (implied).

Symphoricarpos oreophilus A. Gray var. utahensis (Rydb.) A. Nelson

illegitimate name

FPN - 453, accepted, in Oregon (implied); IN - 4:540, accepted, in Oregon (implied).

Symphoricarpos rotundifolius A. Gray var. rotundifolius

JPM - 475, accepted, in Oregon (implied); JPM2 - 602, accepted, in Oregon (implied); PEK - 748, (subtaxon implied), accepted, in Oregon (explicit).

Symphoricarpos rotundifolius A. Gray var. vaccinioides (Rydb.) A.Nelson

FPN2 - 630, accepted, in Oregon (implied), .

Symphoricarpos vaccinioides Rydb.

FPN - 453, synonym for Symphoricarpos oreophilus, in Oregon (implied); GWM - 333, accepted, in Oregon (explicit); IL - 4:50, accepted, in Oregon (explicit).

Misapplied names:

Symphoricarpos rotundifolius A. Gray var. oreophilus (A. Gray) M.E. Jones

PEK - 748, accepted, in Oregon (explicit).

Excluded names:

Lonicera etrusca Santi

FPN - 452, accepted, in Oregon (implied), ...estab in thickets along coast...; FPN2 - 629, accepted, in Oregon (explicit); JL - 4:54, accepted, in Oregon (explicit); JPM - 474, accepted, in Oregon (explicit); JPM2 - 601, accepted, in Oregon (explicit); PEK - 749, accepted, in Oregon (explicit); VP - 4:459, accepted, in Oregon (explicit).

Literature cited for Caprifoliaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, H.L. 1997A. Notes on some honeysuckles and elderberries (Caprifoliaceae). Oregon Flora Newsletter 3(1):3.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Zika, P.F. and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon GWM = Guide to the plants of the Wallowa Mountains of northeastern IL = An Illustrated Flora of the Pacific States IN = Intermountain Flora IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = http://plants.usda.gov

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference
a+ = authority in the reference matches checklist
a± = authority abbreviation in the reference differs
sa = authority at the specific level in the reference
ssa = authority at the subspecific level in the reference