Checklist of Oregon Onagraceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Camissonia

Checklist contributor: Henrietta Chambers, 6/30/2004

Flora contributor: Warren Wagner

Camissonia contorta (Douglas) Kearney

Common names: contorted pod evening primrose, slender evening primrose

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 255, accepted, not in Oregon, ; IN - 3a:196, accepted, in Oregon (explicit); JPM - 782, accepted, in Oregon (implied); JPM2 - 927, accepted, in Oregon (implied).

Synonyms:

Oenothera contorta Douglas

in part

FPN - 312, accepted, in Oregon (explicit).

Oenothera contorta Douglas var. contorta

IL - 3:202, (subtaxon implied), accepted, in Oregon (implied); PEK - 547, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:495, accepted, in Oregon (implied).

Camissonia parvula (Nutt. ex Torr. & A. Gray) P.H. Raven

Common names: Lewis River suncup, Great Basin suncup

Origin: native Voucher: OSU, most recently collected in 2010.

FPN2 - 255, accepted, in Oregon (explicit), ; IN - 3a:194, accepted, in Oregon (explicit); JPM - 784, accepted, in Oregon (implied); JPM2 - 927, accepted, in Oregon (implied).

Camissonia pusilla P.H. Raven

Common names: little wiry suncup

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 312, synonym for Oenothera pubens, in Oregon (implied); FPN2 - 255, accepted, in Oregon (explicit), ; IN - 3a:194, accepted, in Oregon (explicit); JPM - 784, accepted, in Oregon (implied); JPM2 - 927, accepted, in Oregon (implied).

Synonyms:

Oenothera contorta Douglas

in part

Oenothera contorta Douglas var. flexuosa (A. Nelson) Munz

IL - 3:202, accepted, in Oregon (implied); PEK - 547, accepted, in Oregon (explicit).

Literature cited for Camissonia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Raven, P.H. 1969. A revision of the genus Camissonia (Onagraceae). Contributions from the United States National Herbarium 37:161-396.

Camissoniopsis

Checklist contributor:

Flora contributor: Warren Wagner

Camissoniopsis cheiranthifolia (Hornem. ex Spreng.) W.L. Wagner & Hoch ssp. cheiranthifolia

Common names: beach evening primrose

Origin: native Voucher: OSU, most recently collected in 2018.

JPM2 - 928, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia cheiranthifolia (Hornem. ex Spreng.) Raim. ssp. cheiranthifolia

IL - 3:204, (subtaxon implied), accepted; JPM - 782, accepted, in Oregon (explicit).

Oenothera cheiranthifolia Hornem.

PEK - 547, accepted, in Oregon (explicit).

Oenothera cheiranthifolia Hornem. var. cheiranthifolia

FPN - 312, synonym for Oenothera contorta, in Oregon (explicit); IL - 3:204, accepted, in Oregon (explicit).

Literature cited for Camissoniopsis

(Excluding the standard references unless specifically cited in the flora manuscript.)

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Chamaenerion

Checklist contributor:

Flora contributor: Warren Wagner

Chamaenerion angustifolium (L.) Scop.

FPN2 - 255, accepted, in Oregon (implied), .

Synonyms:

Chamerion angustifolium (L.) Scop.

Chamaenerion angustifolium (L.) Scop. ssp. circumvagum (Mosquin) Moldenke

Common names: fireweed

Origin: native Voucher: OSU, most recently collected in 2007.

Synonyms:

Chamaenerion angustifolium (L.) Scop. var. canescens (Alph. Wood) Britton

Chamerion angustifolium (L.) Scop. var. canescens (A.W. Wood) N.H. Holmgren & P.K.

Holmgren

IN - 3a:230, accepted, in Oregon (implied).

Chamerion angustifolium (L.) Scop. ssp. circumvagum (Mosquin) Kartesz

JPM2 - 930, accepted, not in Oregon.

Epilobium angustifolium L.

FPN - 306, accepted, in Oregon (implied); GWM - 240, accepted, in Oregon (explicit); IL - 3:171, accepted, in Oregon (implied); KZ - 1:399, accepted; PEK - 534, accepted, in Oregon (explicit); VP - 3:475, accepted, in Oregon (implied).

Epilobium angustifolium L. ssp. circumvagum Mosquin

IN - 3a:228, synonym for Chamerion angustifolium, in Oregon (implied); JPM - 796, accepted, in Oregon (implied); KZ - 1:399, accepted.

Chamaenerion latifolium (L.) Sweet

Common names: river beauty, dwarf fireweed

Origin: native Voucher: OSU, most recently collected in 2002.

FPN2 - 255, accepted, in Oregon (implied), .

Synonyms:

Chamerion latifolium (L.) Holub

FPN - 306, synonym for Epilobium latifolium, in Oregon; IN - 3a:228, accepted, in Oregon (explicit); JPM2 - 931, accepted, in Oregon (implied).

Epilobium latifolium L.

FPN - 306, accepted, in Oregon (explicit); GWM - 242, accepted, in Oregon (explicit); IL - 3:171, accepted, given distribution: Arctic America to Mono Co. CA; e to Colorado also Eurasia; JPM - 797, accepted, in Oregon (implied); PEK - 534, accepted, in Oregon (explicit); VP - 3:478, accepted, in Oregon (explicit).

Chylismia

Checklist contributor:

Flora contributor: Warren Wagner

Chylismia claviformis (Torr. & Frém.) A. Heller ssp. cruciformis (Kellogg) W.L. Wagner & Hoch

Common names: browneyes, crossflower evening primrose

Origin: native Voucher: OSU, most recently collected in 2021.

FPN2 - 256, accepted, in Oregon (explicit), ; JPM2 - 932, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia claviformis (Torr. & Frém.) P.H. Raven ssp. cruciformis (Kellogg) P.H. Raven

JPM - 782, accepted, in Oregon (explicit).

Camissonia claviformis (Torr. & Frém.) P.H. Raven var. cruciformis (Kellogg) Cronquist

IN - 3a:184, accepted, in Oregon (explicit).

Oenothera claviformis Torr. & Frém. var. cruciformis (Kellogg) Munz

FPN - 311, accepted, in Oregon (explicit); IN - 3a:182, matched with O. clavaeformis var. cruciformis (minor spelling difference), synonym for Camissonia claviformis, in Oregon.

Chylismia claviformis (Torr. & Frém.) A. Heller ssp. integrior (P.H. Raven) W.L. Wagner & Hoch

Common names: browneyes

Origin: native Voucher: OSU, most recently collected in 2007.

JPM2 - 932, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia claviformis (Torr. & Frém.) P.H. Raven ssp. integrior (P.H. Raven) P.H. Raven

JPM - 782, accepted, in Oregon (explicit).

Camissonia claviformis (Torr. & Frém.) P.H. Raven var. purpurascens (S. Watson)

Cronquist

IL - 3:206, accepted; IN - 3a:184, accepted, in Oregon (explicit).

Oenothera claviformis Torr. & Frém. var. purpurascens (S. Watson) Munz

PEK - 546, accepted, in Oregon (explicit).

Chylismia scapoidea (Torr. & Gray) Nutt. ex Raim. ssp. brachycarpa (P.H. Raven) W.L. Wagner & Hoch

Common names: naked stemmed evening primrose

Origin: native Voucher: OSU, most recently collected in 2009.

FPN2 - 256, accepted, in Oregon (explicit), ; Wagner et al., 2007 - accepted.

Synonyms:

Camissonia scapoidea (Nutt. ex Torr. & A. Gray) P.H. Raven ssp. brachycarpa (P.H. Raven)

P.H. Raven

IN - 3a:184, synonym for Camissonia scapoidea var. utahensis, in Oregon.

Oenothera scapoidea Nutt. ex Torr. & A. Gray

FPN - 311, accepted, in Oregon (explicit); PEK - 545, accepted, in Oregon (explicit); VP - 3:499, accepted, in Oregon (explicit).

Oenothera scapoidea Nutt. ex Torr. & A. Gray ssp. brachycarpa P.H. Raven

FPN - 311, accepted, in Oregon.

Oenothera scapoidea Nutt. ex Torr. & A. Gray var. seorsa (A. Nelson) Munz

FPN - 311, synonym for Oenothera scapoidea ssp. brachycarpa, in Oregon (explicit); IL - 3:206, accepted, in Oregon (explicit); VP - 3:499, accepted.

Chylismia scapoidea (Torr. & Gray) Nutt. ex Raim. ssp. scapoidea

Common names: Paiute suncup

Origin: native Voucher: OSU, most recently collected in 2020.

FPN2 - 256, accepted, in Oregon (explicit), ; Wagner et al., 2007 - accepted.

Synonyms:

Camissonia scapoidea (Nutt. ex Torr. & A. Gray) P.H. Raven ssp. scapoidea

IN - 3a:184, accepted, in Oregon (explicit).

Literature cited for Chylismia

 $(Excluding \ the \ standard \ references \ unless \ specifically \ cited \ in \ the \ flora \ manuscript.)$

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Chylismiella

Checklist contributor:

Flora contributor: Warren Wagner

Chylismiella pterosperma (S. Watson) W.L. Wagner & Hoch

Common names: wing seeded evening primrose

Origin: native Voucher: OSU, most recently collected in 1945.

FPN2 - 256, accepted, in Oregon (explicit), ; JPM2 - 933, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia pterosperma (S. Watson) P.H. Raven

IN - 3a:186, accepted, in Oregon (explicit); JPM - 784, accepted, in Oregon (explicit).

Oenothera pterosperma S. Watson

IL - 3:204, accepted, in Oregon (explicit); PEK - 545, accepted, in Oregon (explicit).

Literature cited for Chylismiella

(Excluding the standard references unless specifically cited in the flora manuscript.)

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Circaea

Checklist contributor: Henrietta Chambers, 6/6/2005

Flora contributor: Warren Wagner

Circaea pacifica Asch. & Magnus

Common names: enchanter's nightshade

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 305, synonym for Circaea alpina, in Oregon (implied); IL - 3:212, accepted, in Oregon (implied); PEK - 550, accepted, in Oregon (explicit).

Synonyms:

Circaea alpina L.

FPN - 305, accepted, in Oregon (implied); GWM - 238, accepted, in Oregon (explicit); IL - 3:212, accepted, not in Oregon; IN - 3a:173, accepted, in Oregon (implied); PEK - 550, accepted, in Oregon (explicit); VP - 3:468, accepted, in Oregon (implied).

Circaea alpina L. ssp. pacifica (Asch. & Magnus) P.H. Raven

FPN2 - 256, accepted, in Oregon (implied), ; JPM - 786, accepted, in Oregon (implied); JPM2 - 933, accepted, in Oregon (implied).

Circaea alpina L. var. pacifica (Asch. & Magnus) M.E. Jones

FPN - 305, synonym for Circaea alpina, in Oregon (implied); IN - 3a:174, accepted; VP - 3:468, accepted.

Clarkia

Checklist contributor: Henrietta Chambers, 9/27/2005

Flora contributor: Warren Wagner

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr.

FPN - 305, accepted, in Oregon (explicit); FPN2 - 257, accepted, in Oregon (explicit), ; JPM - 788, accepted, in Oregon (implied); VP - 3:470, accepted.

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. amoena

Common names: farewell to spring, godetia

Origin: native Voucher: WTU, most recently collected in 1986.

IL - 3:187, (subtaxon implied), accepted; JPM - 788, accepted, not in Oregon; JPM2 - 936, accepted, not in Oregon; PEK - 541, (subtaxon implied), accepted, in Oregon (explicit).

Synonyms:

Godetia amoena (Lehm.) G. Don var. amoena

IL - 3:187, accepted, in Oregon (implied); PEK - 541, (subtaxon implied), accepted, in Oregon (explicit).

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. caurina (Abrams ex Piper) F.H. Lewis & M.E. Lewis

Common names: northwestern farewell to spring

Origin: native Voucher: OSU, most recently collected in 2010.

Synonyms:

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. var. caurina (Abrams) C.L. Hitchc.

FPN - 305, accepted, in Oregon (explicit); VP - 3:470, accepted, in Oregon (explicit).

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. var. pacifica (M. Peck) C.L. Hitchc.

FPN - 305, accepted, in Oregon (explicit); VP - 3:470, accepted, in Oregon (explicit).

Godetia pacifica M. Peck

FPN - 305, synonym for Clarkia amoena var. pacifica, in Oregon (explicit); IL - 3:190, accepted, in Oregon (explicit);

PEK - 542, accepted, in Oregon (explicit).

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. huntiana (Jeps.) F.H. Lewis & M.E. Lewis

Common names: Hunt's farewell to spring

Origin: native Voucher: OSU, most recently collected in 2011.

JPM - 789, accepted, in Oregon (explicit); JPM2 - 936, accepted, in Oregon (explicit).

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. lindleyi (Douglas) F.H. Lewis & M.E. Lewis

Common names: Lindley's clarkia

Origin: native Voucher: OSU, most recently collected in 2013.

Synonyms:

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. var. lindleyi (Douglas) C.L. Hitchc.

FPN - 305, accepted, in Oregon (implied); VP - 3:470, accepted, in Oregon (implied).

Clarkia amoena (Lehm.) A. Nelson & J.F. Macbr. ssp. whitneyi (A. Gray) F.H. Lewis & M.E.Lewis

Common names: Whitney's clarkia

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2013.

JPM2 - accepted, not in Oregon.

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr.

FPN - 305, accepted, in Oregon; JPM - 790, accepted, in Oregon (implied); VP - 3:470, accepted, in Oregon (explicit).

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr. ssp. gracilis

Common names: slender godetia

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 257, accepted, in Oregon (implied), ; JPM - 790, accepted, in Oregon (implied); JPM2 - 938, accepted, in Oregon (implied).

Synonyms:

Godetia amoena (Lehm.) G. Don var. gracilis (Piper) C.L. Hitchc.

FPN - 305, synonym for Clarkia gracilis, in Oregon (implied); IL - 3:187, accepted, in Oregon (explicit); PEK - 541, accepted, in Oregon (explicit).

Clarkia gracilis (Piper) A. Nelson & J.F. Macbr. ssp. sonomensis (C.L. Hitchc.) F.H. Lewis & M.E. Lewis

Common names: Sonoma fairyfan

Origin: native Voucher: OSU, most recently collected in 1998.

JPM - 790, accepted, in Oregon (explicit); JPM2 - 938, accepted, in Oregon (explicit).

Clarkia heterandra (Torr.) F.H. Lewis & P.H. Raven

Common names: California gaura

Origin: native Voucher: OSU, most recently collected in 1998.

Chambers, 1995A - , in Oregon (explicit); JPM - 790, accepted, not in Oregon; JPM2 - 938, accepted, not in Oregon.

Synonyms:

Gaura heterantha Torr.

Chambers, 1995A -; PEK - 549, accepted, in Oregon (explicit).

Heterogaura heterandra (Torr.) Coville

Chambers, 1995A - , in Oregon (explicit); IL - 3:211, accepted, not in Oregon.

Clarkia lassenensis (Eastw.) F.H. Lewis & M.E. Lewis

Common names: Mount Lassen godetia

Origin: native Voucher: OSU, most recently collected in 1997.

FPN2 - 257, accepted, in Oregon (explicit); JPM - 3a:221, accepted, in Oregon (explicit); JPM - 790, accepted, in Oregon (explicit); JPM2 - 938, accepted, in Oregon (explicit); VP - 3:470, accepted.

Synonyms:

Godetia lassenensis Eastw.

PEK - 541, accepted, in Oregon (explicit).

Clarkia pulchella Pursh

Common names: ragged robin, elkhorns clarkia

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 305, accepted, in Oregon (explicit); FPN2 - 257, accepted, in Oregon (explicit), ; GWM - 239, accepted, in Oregon (explicit); IL - 3:184, accepted, in Oregon (implied); IN - 3a:222, accepted, in Oregon (explicit); Oregon Flora Project, 2001C - ; PEK - 540, accepted, in Oregon (explicit); VP - 3:470, accepted, in Oregon (explicit).

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr.

FPN - 305, accepted, in Oregon; FPN2 - 257, accepted, in Oregon (explicit), ; JPM - 792, accepted, in Oregon (implied); VP - 3:470, accepted, in Oregon (explicit).

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. purpurea

Common names: winecup fairyfan

Origin: native Voucher: OSU, most recently collected in 2013.

JPM - 792, accepted, in Oregon (explicit); JPM2 - 938, accepted, in Oregon (explicit).

Synonyms:

Godetia purpurea (Curtis) G. Don var. purpurea

IL - 3:185, accepted, not in Oregon.

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. *quadrivulnera* (Douglas ex Lindl.) F.H. Lewis & M.E. Lewis

Common names: small flowered godetia

Origin: native Voucher: OSU, most recently collected in 2017.

JPM - 792, accepted, not in Oregon; JPM2 - 938, accepted, not in Oregon.

Synonyms:

Clarkia quadrivulnera (Douglas ex Lindl.) A. Nelson & J.F. Macbr.

FPN - 306, accepted, in Oregon (explicit); FPN2 - 257, accepted, in Oregon (explicit), ; VP - 3:472, accepted, in Oregon (explicit).

Godetia purpurea (Curtis) G. Don var. parviflora (S. Watson) C.L. Hitchc.

FPN - 305, synonym for Clarkia purpurea, in Oregon (explicit); IL - 3:187, accepted, in Oregon (explicit); PEK - 541, accepted, in Oregon (explicit).

Godetia quadrivulnera (Douglas) Spach

FPN - 306, synonym for Clarkia quadrivulnera, in Oregon (explicit); IL - 3:185, accepted, in Oregon (implied); PEK - 541, accepted, in Oregon (explicit).

Clarkia purpurea (Curtis) A. Nelson & J.F. Macbr. ssp. viminea (Douglas) F.H. Lewis & M.E. Lewis

Common names: purple godetia

Origin: native Voucher: OSU, most recently collected in 2017.

JPM - 792, accepted, in Oregon (explicit); JPM2 - 938, accepted, in Oregon (explicit).

Synonyms:

Clarkia viminea (Douglas ex Hook.) A. Nelson & J.F. Macbr.

FPN - 306, accepted, in Oregon (explicit); FPN2 - 257, accepted, in Oregon (explicit), ; IL - 3:188, accepted; VP - 3:473, accepted, in Oregon (explicit).

Godetia viminea (Douglas) Spach

FPN - 306, synonym for Clarkia viminea, in Oregon (explicit); IL - 3:188, accepted, in Oregon (explicit); PEK - 541, accepted, in Oregon (explicit).

Clarkia rhomboidea Douglas ex Hook.

Common names: diamond clarkia, common clarkia, rhombic petaled clarkia

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 305, accepted, in Oregon (explicit); FPN2 - 257, accepted, in Oregon (explicit), ; GWM - 239, accepted, in Oregon (explicit); IL - 3:183, accepted, in Oregon (implied); IN - 3a:222, accepted, in Oregon (implied); JPM - 792, accepted, in Oregon (implied); JPM2 - 940, accepted, in Oregon (implied); Lewis & Lewis, 1955 - 20:241-392, accepted; PEK - 540, accepted, in Oregon (explicit); VP - 3:473, accepted, in Oregon (explicit).

Clarkia unguiculata Lindl.

Common names: elegant clarkia Origin: exotic, not naturalized

JPM2 - accepted, not in Oregon.

Voucher: OSU, most recently collected in 2013.

Literature cited for Clarkia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Lewis, H. and M.E. Lewis. 1955. The genus Clarkia. University of California Publications in Botany 20(4):241-392.

Epilobium

Checklist contributor: Richard Halse, Henrietta Chambers, 8/31/2005

Flora contributor: Warren Wagner

Epilobium anagallidifolium Lam.

Common names: alpine willowherb

Origin: native Voucher: OSU, most recently collected in 1998.

FPN - 308, synonym for Epilobium alpinum var. alpinum, in Oregon (implied); FPN2 - 259, accepted, in Oregon (implied), ; GWM - 240, accepted, in Oregon (explicit); JPM - 796, accepted, in Oregon (implied); JPM2 - 942, accepted, not in Oregon.

Synonyms:

Epilobium alpinum L. var. alpinum

FPN - 308, accepted, in Oregon (implied); GWM - 240, accepted; IN - 3a:236, accepted, in Oregon (implied); VP - 3:474, accepted, in Oregon (implied).

Misapplied names:

Epilobium alpinum L.

PEK - 537, accepted, in Oregon (explicit).

Epilobium brachycarpum C. Presl

Common names: tall annual willowherb, autumn willowherb

Origin: native Voucher: OSU, most recently collected in 2019.

FPN2 - 258, accepted, in Oregon (implied), ; IN - 3a:238, accepted, in Oregon (implied); JPM - 796, accepted, in Oregon (implied); JPM2 - 942, accepted, in Oregon (implied).

Synonyms:

Epilobium paniculatum Nutt.

FPN - 307, accepted, in Oregon (implied); GWM - 242, accepted, in Oregon (explicit); VP - 3:481, accepted, in Oregon (implied).

Epilobium paniculatum Nutt. var. hammondii (Howell) M. Peck

PEK - 538, accepted, in Oregon (explicit).

Epilobium paniculatum Nutt. var. jucundum (A. Gray) Trel.

FPN - 307, accepted, in Oregon (implied); IL - 3:174, accepted, in Oregon (implied); PEK - 538, accepted, in Oregon (explicit); VP - 3:481, synonym for Epilobium paniculatum.

Epilobium paniculatum Nutt. var. paniculatum

FPN - 307, accepted, in Oregon (implied); IL - 3:173, (subtaxon implied), accepted, in Oregon (implied); PEK - 538, (subtaxon implied), accepted, in Oregon (explicit).

Epilobium campestre (Jeps.) Hoch & W.L. Wagner

Common names: smooth spikeprimrose

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 258, accepted, in Oregon (explicit), ; JPM2 - 942, accepted, in Oregon (implied).

Synonyms:

Boisduvalia glabella (Nutt.) Walp.

FPN - 304, accepted, in Oregon (implied); IL - 3:180, accepted, in Oregon (explicit); PEK - 540, accepted, in Oregon (explicit); VP - 3:466, accepted, in Oregon (implied).

Epilobium pygmaeum (Speg.) Hoch & P.H. Raven

illegitimate name

IN - 3a:242, accepted, in Oregon (explicit); JPM - 797, accepted, in Oregon (implied).

Epilobium canum (Greene) P.H. Raven

IN - 3a:240, accepted, in Oregon (explicit), [ssp. latifolium synonymized here]; JPM - 796, accepted, in Oregon (explicit).

Epilobium canum (Greene) P.H. Raven ssp. latifolium (Hook.) P.H. Raven

Common names: California fire chalice, zauschneria

Origin: native Voucher: OSU, most recently collected in 2015.

JPM - 796, accepted, in Oregon (explicit); JPM2 - 942, accepted, in Oregon (explicit).

Synonyms:

Zauschneria latifolia (Hook.) Greene

IL - 3:169, accepted, in Oregon (explicit); PEK - 539, accepted, in Oregon (explicit).

Zauschneria latifolia (Hook.) Greene var. latifolia

IL - 3:169, (subtaxon implied), accepted, in Oregon (explicit).

Epilobium ciliatum Raf.

FPN2 - 260, accepted, in Oregon (implied), ; JPM - 796, accepted, in Oregon (implied).

Synonyms:

Epilobium adenocaulon Hausskn.

FPN - 307, synonym for Epilobium watsonii var. occidentale, in Oregon (implied); GWM - 240, accepted, in Oregon (explicit).

Epilobium watsonii Barbey

FPN - 307, accepted, in Oregon (implied); IL - 3:179, accepted, not in Oregon; VP - 3:482, accepted.

Epilobium ciliatum Raf. ssp. ciliatum

Common names: purple leaved willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

JPM - 796, accepted, not in Oregon; JPM2 - 943, accepted, not in Oregon.

Synonyms:

Epilobium adenocaulon Hausskn. var. adenocaulon

IL - 3:179, (subtaxon implied), accepted, in Oregon (implied); PEK - 535, (subtaxon implied), accepted, in Oregon (explicit).

Epilobium adenocaulon Hausskn. var. perplexans Trel.

IL - 3:179, accepted, in Oregon (implied).

Epilobium brevistylum Barbey

in part

Epilobium brevistylum Barbey var. brevistylum

IL - 3:176, (subtaxon implied), accepted, in Oregon (implied); PEK - 537, (subtaxon implied), accepted, in Oregon (explicit).

Epilobium brevistylum Barbey var. ursinum (Parish) Jeps.

IL - 3:176, accepted, in Oregon (implied); PEK - 537, accepted, in Oregon (explicit).

Epilobium californicum Hausskn.

FPN - 307, synonym for Epilobium watsonii var. parishii, in Oregon (implied); IL - 3:179, accepted, in Oregon (explicit); PEK - 536, accepted, in Oregon (explicit).

Epilobium ciliatum Raf. var. ciliatum

IN - 3a:237, accepted, in Oregon (implied).

Epilobium glandulosum Lehm.

in part

Epilobium glandulosum Lehm. var. macounii (Trel.) C.L. Hitchc.

FPN - 307, accepted, in Oregon (explicit); VP - 3:478, accepted, in Oregon (explicit).

Epilobium watsonii Barbey var. occidentale (Trel.) C.L. Hitchc.

FPN - 307, accepted, in Oregon (implied); VP - 3:485, accepted, in Oregon (implied).

Epilobium watsonii Barbey var. parishii (Trel.) C.L. Hitchc.

FPN - 307, accepted, in Oregon (implied); VP - 3:485, accepted, in Oregon (implied).

Epilobium ciliatum Raf. ssp. glandulosum (Lehm.) Hoch & P.H. Raven

Common names: common willowherb

Origin: native Voucher: OSU, most recently collected in 2016.

JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium adenocaulon Hausskn. var. cinerascens (Piper) M. Peck

PEK - 536, accepted, in Oregon (explicit).

Epilobium adenocaulon Hausskn. var. occidentale Trel.

IL - 3:179, accepted, in Oregon (implied); PEK - 536, accepted, in Oregon (explicit).

Epilobium ciliatum Raf. var. glandulosum (Lehm.) Dorn

IN - 3a:236, accepted, in Oregon (implied).

Epilobium glandulosum Lehm.

in part

Epilobium glandulosum Lehm. var. glandulosum

FPN - 307, accepted, in Oregon (explicit); VP - 3:478, accepted, in Oregon (explicit).

Epilobium ciliatum Raf. ssp. watsonii (Barbey) Hoch & P.H. Raven

Common names: Pacific willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium franciscanum Barbey

FPN - 307, synonym for Epilobium watsonii var. watsonii, in Oregon (implied); IL - 3:179, accepted, in Oregon (explicit); PEK - 536, accepted, in Oregon (explicit).

Epilobium watsonii Barbey var. watsonii

FPN - 307, accepted, in Oregon (implied); VP - 3:483, accepted, in Oregon (implied).

Epilobium clavatum Trel.

Common names: club fruited willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 308, synonym for Epilobium alpinum var. clavatum, in Oregon (implied); FPN2 - 259, accepted, in Oregon (implied), ; GWM - 241, accepted, in Oregon (explicit); IL - 3:177, accepted, in Oregon (explicit); JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied); PEK - 538, accepted, in Oregon (explicit).

Synonyms:

Epilobium alpinum L. var. clavatum (Trel.) C.L. Hitchc.

FPN - 308, accepted, in Oregon (implied); IN - 3a:236, accepted, in Oregon (explicit); VP - 3:475, accepted, in Oregon (implied).

Misapplied names:

Epilobium alpinum L.

Epilobium densiflorum (Lindl.) Hoch & P.H. Raven

Common names: denseflower spikeprimrose

Origin: native Voucher: OSU, most recently collected in 2019.

FPN2 - 258, accepted, in Oregon (implied), ; IN - 3a:242, accepted, in Oregon (implied); JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Boisduvalia densiflora (Lindl.) S. Watson

FPN - 304, accepted, in Oregon (implied); GWM - 238, accepted, in Oregon (explicit); IL - 3:180, accepted, in Oregon (implied); PEK - 539, accepted, in Oregon (explicit); VP - 3:465, accepted, in Oregon (implied).

Boisduvalia densiflora (Lindl.) S. Watson var. densiflora

FPN - 304, accepted, in Oregon (implied); IL - 3:180, (subtaxon implied), accepted, in Oregon (implied).

Boisduvalia densiflora (Lindl.) S. Watson var. pallescens Suksd.

FPN - 304, synonym for Boisduvalia densiflora var. densiflora, in Oregon (implied); IL - 3:180, accepted, in Oregon (implied).

Boisduvalia densiflora (Lindl.) S. Watson var. salina (Rydb.) Munz

orthographic variant

FPN - 304, accepted, in Oregon (implied).

Epilobium foliosum (Torr. & A. Gray) Suksd.

Common names: California willowherb, Suksdorf's willowherb

Origin: native Voucher: OSU, most recently collected in 2016.

JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium minutum Lindl. var. foliosum Torr. & A. Gray

IL - 3:174, accepted, in Oregon (explicit).

Epilobium glaberrimum Barbey

FPN - 307, accepted, in Oregon (implied); FPN2 - 258, accepted, in Oregon (implied), ; JPM - 796, accepted, in Oregon (implied).

Epilobium glaberrimum Barbey ssp. fastigiatum (Nutt.) Hoch & P.H. Raven

Common names: glaucous willowherb

Origin: native Voucher: OSU, most recently collected in 2013.

JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium glaberrimum Barbey var. fastigiatum (Nutt.) Jeps.

FPN - 307, accepted, in Oregon (implied); GWM - 241, accepted, in Oregon (explicit); IL - 3:177, accepted, in Oregon (implied); IN - 3a:238, accepted, in Oregon (explicit); PEK - 536, accepted, in Oregon (explicit); VP - 3:477, accepted, in Oregon (implied).

Epilobium glaberrimum Barbey ssp. glaberrimum

Common names: smooth willowweed

Origin: native Voucher: OSU, most recently collected in 2010.

JPM - 796, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium glaberrimum Barbey var. glaberrimum

FPN - 307, accepted, in Oregon (implied); IL - 3:177, (subtaxon implied), accepted, in Oregon (implied); IN - 3a:238, accepted, in Oregon (explicit); PEK - 536, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:477, accepted, in Oregon (implied).

Epilobium hallianum Hausskn.

Common names: Sierra willowherb, Hall's willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 260, accepted, in Oregon (implied), ; JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium brevistylum Barbey

in part

Epilobium brevistylum Barbey var. subfalcatum (Trel.) Munz

IL - 3:176, accepted, in Oregon (implied); PEK - 537, accepted, in Oregon (explicit).

Epilobium brevistylum Barbey var. tenue (Trel.) Jeps.

GWM - 241, accepted; IL - 3:176, accepted, in Oregon (explicit).

Epilobium delicatum Trel.

FPN - 307, synonym for Epilobium glandulosum var. tenue, in Oregon (implied); IL - 3:176, accepted, in Oregon (explicit); PEK - 537, accepted, in Oregon (explicit).

Epilobium glandulosum Lehm.

in part

Epilobium glandulosum Lehm. var. tenue (Trel.) C.L. Hitchc.

FPN - 307, accepted, in Oregon (implied); GWM - 243, accepted; VP - 3:478, accepted, in Oregon (implied).

Epilobium halleanum Hausskn.

orthographic variant

FPN - 307, synonym for Epilobium glandulosum var. macounii, in Oregon (implied); GWM - 241, accepted, in Oregon (explicit); IL - 3:176, accepted, in Oregon (implied); IN - 3a:232, accepted, in Oregon (implied); JPM - 797, accepted, in Oregon (implied); PEK - 536, accepted, in Oregon (explicit).

Epilobium hirsutum L.

Common names: fiddlegrass

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FPN - 306, accepted, given distribution: ...intor in swampy places w Cas, as at Belling and near Bingen, Wa...; FPN2 - 258, accepted, in Oregon (explicit), .

Epilobium hornemannii Rchb.

FPN - 308, synonym for Epilobium alpinum var. nutans, in Oregon (implied); GWM - 242, accepted, in Oregon (explicit); IL - 3:177, accepted, in Oregon (implied); PEK - 538, accepted, in Oregon (explicit).

Epilobium hornemannii Rchb. ssp. hornemannii

Common names: Hornemann's willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 259, accepted, in Oregon (implied), ; JPM - 797, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Synonyms:

Epilobium alpinum L. var. nutans (Hornem.) Hook.

FPN - 308, accepted, in Oregon (implied); VP - 3:475, accepted, in Oregon (implied).

Epilobium hornemannii Rchb. var. hornemannii

IN - 3a:234, accepted, in Oregon (implied).

Misapplied names:

Epilobium alpinum L.

Epilobium lactiflorum Hausskn.

Common names: white flowered willowherb

Collinion names. while howered willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 308, synonym for Epilobium alpinum var. lactiflorum, in Oregon (implied); FPN2 - 259, accepted, in Oregon (implied), ; GWM - 242, accepted, in Oregon (explicit); IL - 3:177, accepted, in Oregon (implied); JPM - 797, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied); PEK - 538, accepted, in Oregon (explicit).

Synonyms:

Epilobium alpinum L. var. lactiflorum (Hausskn.) C.L. Hitchc.

FPN - 308, accepted, in Oregon (implied); VP - 3:475, accepted, in Oregon (implied).

Epilobium hornemannii Rchb. var. lactiflorum (Hausskn.) D. Löve

IN - 3a:234, accepted, in Oregon (implied).

Misapplied names:

Epilobium alpinum L.

Epilobium leptocarpum Hausskn.

Common names: low willowherb

Origin: native Voucher: OSU, most recently collected in 1944.

FPN - 307, synonym for Epilobium glandulosum var. macounii, in Oregon (explicit); FPN2 - 259, accepted, in Oregon (explicit), ; IL - 3:176, accepted, in Oregon (explicit); PEK - 537, accepted, in Oregon (explicit).

Epilobium leptophyllum Raf.

Common names: bog willowherb

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1976.

FPN - 307, synonym for Epilobium palustre, not in Oregon; FPN2 - 260, accepted, in Oregon (implied), ; IL - 3:174, accepted, not in Oregon; IN - 3a:232, accepted, in Oregon (implied); JPM - 797, accepted, in Oregon (implied); JPM2 - 943, accepted, in Oregon (implied).

Epilobium luteum Pursh

Common names: yellow willowherb

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 306, accepted, in Oregon (explicit); FPN2 - 258, accepted, in Oregon (implied), ; IL - 3:173, accepted, in Oregon (explicit); JPM - 797, accepted, in Oregon (implied); JPM2 - 944, accepted, in Oregon (implied); PEK - 535, accepted, in Oregon (explicit); VP - 3:479, accepted, in Oregon (explicit).

Epilobium minutum Lindl.

Common names: small flowered willowherb

Origin: native Voucher: OSU, most recently collected in 2020.

FPN - 306, accepted, in Oregon (implied); FPN2 - 259, accepted, in Oregon (implied), ; IN - 3a:238, accepted, in Oregon (explicit); JPM - 797, accepted, in Oregon (implied); JPM2 - 944, accepted, in Oregon (implied); PEK - 538, accepted, in Oregon (explicit); VP - 3:479, accepted, in Oregon (implied).

Synonyms:

Epilobium minutum Lindl. var. minutum

IL - 3:174, (subtaxon implied), accepted, in Oregon (implied).

Epilobium obcordatum A. Gray

Common names: rose willowherb

Origin: native Voucher: OSU, most recently collected in 2011.

FPN - 306, accepted, in Oregon (explicit); FPN2 - 258, accepted, in Oregon (explicit), ; IL - 3:171, accepted, in Oregon (explicit); IN - 3a:231, accepted, in Oregon (explicit); JPM - 797, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit); PEK - 535, accepted, in Oregon (explicit); VP - 3:481, accepted, in Oregon (explicit).

Epilobium oreganum Greene

Common names: Oregon willowherb

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 258, accepted, given distribution: found s of our area, in genus desc.; IL - 3:177, accepted, in Oregon (explicit), "an uncertain species of which more material is needed to determine whether or not it is only a large-flowered form of E. glaberrimum..."; JPM - 797, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit).

Synonyms:

Epilobium exaltatum Drew

FPN - 307, synonym for Epilobium glandulosum var. glandulosum, in Oregon (explicit); IL - 3:174, accepted, in Oregon (implied); PEK - 535, accepted, in Oregon (explicit).

Epilobium oregonense Hausskn.

Common names: slimstem willowweed

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 259, accepted, in Oregon (implied); JPM - 242, accepted, in Oregon (explicit); IL - 3:176, accepted, in Oregon (implied); IN - 3a:232, accepted, in Oregon (implied); JPM - 797, accepted, in Oregon (implied); JPM2 - 944, accepted, in Oregon (implied); PEK - 537, accepted, in Oregon (explicit).

Synonyms:

Epilobium alpinum L. var. gracillimum (Trel.) C.L. Hitchc.

FPN - 308, accepted, in Oregon (implied); VP - 3:475, accepted, in Oregon (implied).

Misapplied names:

Epilobium alpinum L.

Epilobium pallidum (Eastw.) Hoch & P.H. Raven

Common names: pale boisduvalia

Origin: native Voucher: OSU, most recently collected in 2003.

IN - 3a:244, accepted, in Oregon (explicit); JPM - 797, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit).

Synonyms:

Boisduvalia pallida Eastw.

IL - 3:181, accepted, in Oregon (explicit); PEK - 539, accepted, in Oregon (explicit).

Epilobium palustre L.

Common names: swamp willowherb

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 307, accepted, not in Oregon; FPN2 - 260, accepted, in Oregon (implied), ; IL - 3:174, accepted, not in Oregon; IN - 3a:232, accepted, in Oregon (implied); JPM - 797, accepted, in Oregon (implied); JPM2 - 944, accepted, not in Oregon; PEK - 536, accepted, in Oregon (explicit); VP - 3:481, accepted, in Oregon (implied).

Epilobium rigidum Hausskn.

Common names: rigid willowherb

Origin: native Voucher: OSU, most recently collected in 2011.

IL - 3:173, accepted, in Oregon (explicit); JPM - 798, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit); PEK - 535, accepted, in Oregon (explicit).

Epilobium saximontanum Hausskn.

Common names: Rocky Mountain willowherb, Rocky Mountain willowweed, glandular willowherb

Origin: native

FPN - 307, synonym for Epilobium glandulosum var. glandulosum, in Oregon (explicit); FPN2 - 260, accepted, given distribution: e BC s, e Cas, to ID, also e CA, ; IN - 3a:238, accepted, in Oregon (explicit); JPM - 798, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit).

Epilobium siskiyouense (Munz) Hoch & P.H. Raven

Common names: Siskiyou willowherb

Origin: native Voucher: OSU, most recently collected in 2007.

JPM - 798, accepted, in Oregon (explicit); JPM2 - 944, accepted, in Oregon (explicit).

Epilobium torreyi (S. Watson) Hoch & P.H. Raven

Common names: stiff spikeprimrose, Torrey's epilobium

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 258, accepted, in Oregon (implied), ; IN - 3a:244, accepted, in Oregon (implied); JPM - 798, accepted, in Oregon (implied); JPM2 - 944, accepted, in Oregon (implied).

Synonyms:

Boisduvalia stricta (A. Gray) Greene

FPN - 304, accepted, in Oregon (explicit); IL - 3:181, accepted, in Oregon (implied); PEK - 539, accepted, in Oregon (explicit); VP - 3:466, accepted, in Oregon (explicit).

Literature cited for Epilobium

(Excluding the standard references unless specifically cited in the flora manuscript.)

Greuter, W., J. McNeill, F.R. Barrie, H.M. Burdet, V. Demoulin, T.S. Filgueiras, D.H. Nicolson, P.C. Silva, J.E. Skog, P. Trehane, N.J. Turland, and D.L. Hawksworth, Eds. 2000. International Code of Botanical Nomenclature: Saint Louis Code. Koeltz Scienti

Eremothera

Checklist contributor:

Flora contributor: Warren Wagner

Eremothera boothii (Douglas) W.L. Wagner & Hoch ssp. alyssoides (Hook. & Arn.) P.H. Raven

Common names: alyssum like evening primrose, Pine Creek evening primrose

Origin: native Voucher: OSU, most recently collected in 2010.

JPM2 - 946, accepted, not in Oregon; Wagner et al., 2007 - accepted.

Synonyms:

Camissonia boothii (Douglas ex Lehm.) P.H. Raven ssp. alyssoides (Hook. & Arn.) P.H.

Raven

JPM - 781, accepted, not in Oregon.

Camissonia boothii (Douglas ex Lehm.) P.H. Raven var. alyssoides (Hook. & Arn.) N.H.

Holmgren & P.K. Holmgren

IN - 3a:190, accepted, in Oregon (explicit).

Camissonia boothii (Douglas ex Lehm.) P.H. Raven var. villosa (S. Watson) Cronquist

IN - 3a:190, accepted.

Oenothera alyssoides Hook. & Arn.

IL - 3:200, accepted, in Oregon (explicit); PEK - 546, accepted, in Oregon (explicit); VP - 3:491, accepted, in Oregon (explicit).

Oenothera boothii Douglas ex Lehm. ssp. alyssoides (Hook. & Arn.) Munz

FPN - 312, accepted, in Oregon (explicit).

Eremothera boothii (Douglas) W.L. Wagner & Hoch ssp. boothii

Common names: Booth's suncup, Booth's evening primrose

Origin: native Voucher: OSU, most recently collected in 2020.

FPN2 - 261, accepted, in Oregon (implied), ; JPM2 - 946, accepted, in Oregon (implied); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia boothii (Douglas ex Lehm.) P.H. Raven ssp. boothii

FPN - 312, accepted; IN - 3a:190, accepted, in Oregon (implied); JPM - 781, accepted, in Oregon (implied).

Oenothera boothii Douglas ex Lehm. ssp. boothii

FPN - 312, accepted, in Oregon (explicit).

Oenothera boothii Douglas ex Lehm. var. boothii

IL - 3:201, (subtaxon implied), accepted, in Oregon (implied); IN - 3a:187, excluded for Camissonia boothii; PEK - 546, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:491, accepted.

Eremothera minor (A. Nelson) W.L. Wagner & Hoch

Common names: small flowered evening primrose, Nelson's evening primrose

Origin: native Voucher: OSU, most recently collected in 2010.

FPN2 - 261, accepted, in Oregon (explicit), ; JPM2 - 946, accepted, in Oregon (implied); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia minor (A. Nelson) P.H. Raven

IN - 3a:190, accepted, in Oregon (explicit); JPM - 784, accepted, in Oregon (implied).

Oenothera minor (A. Nelson) Munz

FPN - 312, accepted, in Oregon (implied); PEK - 546, accepted, in Oregon (explicit).

Oenothera minor (A. Nelson) Munz var. cusickii Munz

FPN - 312, synonym for Oenothera minor, in Oregon (implied); IL - 3:200, accepted, in Oregon (explicit); PEK - 546, accepted, in Oregon (explicit); VP - 3:498, accepted, in Oregon (explicit).

Eremothera pygmaea (Douglas ex Lehm.) W.L. Wagner & Hoch

Common names: pygmy evening primrose

Origin: native Voucher: OSU, most recently collected in 2003.

FPN2 - 261, accepted, in Oregon (explicit), ; Wagner et al., 2007 - accepted.

Synonyms:

Camissonia pygmaea (Douglas ex Lehm.) P.H. Raven

IN - 3a:192, accepted, in Oregon (explicit).

Oenothera boothii Douglas ex Lehm.

in part

Oenothera boothii Douglas ex Lehm. var. pygmaea (Douglas ex Lehm.) Torr. & A. Gray

FPN - 312, synonym for Oenothera pygmaea, in Oregon (explicit); IL - 3:201, accepted, in Oregon (explicit); PEK - 546, accepted, in Oregon (explicit).

Oenothera pygmaea Douglas ex Hook.

FPN - 312, accepted, in Oregon.

Literature cited for Eremothera

(Excluding the standard references unless specifically cited in the flora manuscript.)

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Fuchsia

Checklist contributor: Henrietta Chambers, 6/10/2005

Flora contributor: Warren Wagner

Fuchsia magellanica Lam.

Common names: hardy fuchsia

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FPN2 - 261, accepted, in Oregon (explicit), ; Sundberg, 2003A - , in Oregon (explicit).

Literature cited for Fuchsia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Sundberg, S. 2003A. New Oregon records. Oregon Flora Newsletter 9(1):5.

Gayophytum

Checklist contributor: Kenton Chambers, 2/27/2001

Flora contributor: Kenton Chambers

Gayophytum decipiens F.H. Lewis & Szweyk.

Common names: deceptive groundsmoke

Origin: native Voucher: OSU, most recently collected in 2010.

Chambers, 2001B - ; Chambers, 2001C - ; FPN - 309, accepted, in Oregon (implied); FPN2 - 261, accepted, in Oregon (implied), ; IN - 3a:224, accepted, in Oregon (implied); JPM - 799, accepted, given distribution: SNH, SnGb, SnBr, Wrn, W&I, DMtns (Panamint Mtns); &plus_minus; w US; JPM2 - 947, accepted, in Oregon (implied).

Gayophytum diffusum Torr. & A. Gray

Chambers, 2001C -; FPN - 309, accepted, in Oregon; FPN2 - 262, accepted, in Oregon (implied), ; JPM - 799, accepted, in Oregon (implied).

Gayophytum diffusum Torr. & A. Gray ssp. diffusum

Common names: spreading groundsmoke

Origin: native Voucher: OSU, most recently collected in 2010.

Chambers, 2001B - ; JPM - 799, accepted, in Oregon (implied); JPM2 - 947, accepted, in Oregon (implied).

Synonyms:

Gayophytum diffusum Torr. & A. Gray var. diffusum

IL - 3:208, (subtaxon implied), accepted, in Oregon (implied); IN - 3a:226, accepted, not in Oregon; PEK - 548, (subtaxon implied), accepted, in Oregon (explicit).

Gayophytum diffusum Torr. & A. Grav var. villosum Munz

IL - 3:208, accepted, in Oregon (explicit); PEK - 548, accepted, in Oregon (explicit).

Gayophytum nuttallii Torr. & A. Gray

in part

Misapplied names:

Gayophytum eriospermum Coville

Chambers, 2001C -; FPN - 309, synonym for Gayophytum diffusum, in Oregon (implied); FPN2 - 261, accepted, given distribution: found s of our area, in genus desc.; IL - 3:209, accepted, in Oregon (explicit); JPM - 799, accepted, not in Oregon; JPM2 - 948, accepted, not in Oregon; PEK - 549, accepted, in Oregon (explicit).

Gayophytum diffusum Torr. & A. Gray ssp. parviflorum F.H. Lewis & Szweyk.

Common names: Nuttall's groundsmoke

Origin: native Voucher: OSU, most recently collected in 2019.

Chambers, 2001B -; GWM - 243, accepted, in Oregon (explicit); JPM - 799, accepted, not in Oregon; JPM2 - 947, accepted, not in Oregon.

Synonyms:

Gayophytum diffusum Torr. & A. Gray var. strictipes (Hook.) Dorn

IN - 3a:226, accepted, in Oregon (implied).

Gayophytum lasiospermum Greene var. hoffmannii Munz

IL - 3:209, accepted, in Oregon (explicit); PEK - 549, accepted, in Oregon (explicit).

Gayophytum lasiospermum Greene var. lasiospermum

IL - 3:209, (subtaxon implied), accepted, in Oregon (implied); PEK - 549, (subtaxon implied), accepted, in Oregon (explicit).

Gayophytum nuttallii Torr. & A. Gray

in part

Gayophytum nuttallii Torr. & A. Gray var. abramsii Munz

IL - 3:208, accepted, in Oregon (explicit); PEK - 548, accepted, in Oregon (explicit).

Gayophytum nuttallii Torr. & A. Gray var. intermedium (Rydb.) Munz

IL - 3:208, accepted, in Oregon (explicit); PEK - 548, accepted, in Oregon (explicit).

Gayophytum nuttallii Torr. & A. Gray var. nuttallii

IL - 3:208, (subtaxon implied), accepted, in Oregon (implied); PEK - 548, (subtaxon implied), accepted, in Oregon (explicit).

Gayophytum heterozygum F.H. Lewis & Szweyk.

Common names: zigzag groundsmoke

Origin: native Voucher: OSU, most recently collected in 2017.

Chambers, 2001B - ; Chambers, 2001C - ; FPN2 - 262, accepted, in Oregon (explicit), ; GWM - 243, accepted, in Oregon (explicit); IN - 3a:225, accepted, in Oregon (explicit); JPM - 799, accepted, in Oregon (implied); JPM2 - 948, accepted, in Oregon (implied).

Gayophytum humile Juss.

Common names: dwarf groundsmoke

Origin: native Voucher: OSU, most recently collected in 2011.

Chambers, 2001B - ; Chambers, 2001C - ; FPN - 309, accepted, in Oregon (implied); FPN2 - 261, accepted, in Oregon (implied); JPM - 3a:224, accepted, in Oregon (implied); JPM - 799, accepted, in Oregon (implied); JPM2 - 948, accepted, in Oregon (implied); VP - 3:486, accepted, in Oregon (implied).

Synonyms:

Gayophytum humile Juss. var. hirtellum Munz

IL - 3:209, accepted, not in Oregon; PEK - 548, accepted, in Oregon (explicit).

Gayophytum humile Juss. var. humile

IL - 3:209, (subtaxon implied), accepted, in Oregon (implied); PEK - 548, (subtaxon implied), accepted, in Oregon (explicit).

Gayophytum racemosum Torr. & A. Gray

Common names: racemed groundsmoke

Origin: native Voucher: OSU, most recently collected in 2007.

Chambers, 2001B - ; Chambers, 2001C - ; FPN - 309, accepted, in Oregon (implied); FPN2 - 261, accepted, in Oregon (implied); JPM - 33:224, accepted, in Oregon (implied); JPM - 799, accepted, in Oregon (implied); JPM2 - 948, accepted, in Oregon (implied); VP - 3:487, accepted, in Oregon (implied).

Synonyms:

Gayophytum helleri Rydb.

FPN - 309, synonym for Gayophytum racemosum, in Oregon (implied); IL - 3:209, accepted, in Oregon (implied); PEK - 549, accepted, in Oregon (explicit).

Gayophytum racemosum Torr. & A. Gray var. caesium (Torr. & A. Gray) Munz

IL - 3:209, accepted, in Oregon (implied); PEK - 548, accepted, in Oregon (explicit).

Gayophytum racemosum Torr. & A. Gray var. racemosum

IL - 3:209, (subtaxon implied), accepted, in Oregon (implied); PEK - 548, (subtaxon implied), accepted, in Oregon (explicit).

Gayophytum ramosissimum Torr. & A. Gray

Common names: hairstem groundsmoke

Origin: native Voucher: OSU, most recently collected in 2008.

Chambers, 2001B - ; FPN - 309, accepted, in Oregon (implied); FPN2 - 261, accepted, in Oregon (implied), ; IL - 3:208, accepted, in Oregon (implied); IN - 3a:226, accepted, in Oregon (implied); JPM - 800, accepted, in Oregon (implied); JPM2 - 948, accepted, in Oregon (implied); PEK - 548, accepted, in Oregon (explicit); VP - 3:487, accepted, in Oregon (implied).

Literature cited for Gayophytum

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2001B. Key to Oregon species of Gayophytum. Oregon Flora Newsletter 7(2):11.

Chambers, K.L. 2001C. Don't give up groundsmoking. Oregon Flora Newsletter 7(2):7,10-11.

Dixon, D.G. 1959. Chromosome counts in the genus Gayophytum. Madroño 15:90-93.

Johansen, D.A. 1933. Studies on the morphology of the Onagraceae. VII. Gayophytum ramosissimum. Bulletin of the Torrey Botanical Club 60:1-8.

Lewis, H. and J. Szweykowski. 1964. The genus Gayophytum (Onagraceae). Brittonia 16:343-391.

Ludwigia

Checklist contributor: Henrietta Chambers, 4/26/2005

Flora contributor: Brenda Grewell

Ludwigia hexapetala (Hook. & Arn.) Zardini, H.Y. Gu & P.H. Raven

Common names: primrose willow

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FPN2 - 262, accepted, in Oregon (implied), ; JPM - 800, accepted, in Oregon (implied); JPM2 - 948, accepted, in Oregon (explicit).

Synonyms

Jussiaea uruguayensis Cambess.

FPN - 309, accepted, in Oregon (explicit); VP - 3:489, accepted, in Oregon (explicit).

Ludwigia palustris (L.) Elliott

Common names: eastern false loosestrife

Origin: native Voucher: OSU, most recently collected in 2021.

FPN - 309, accepted, in Oregon (implied); FPN2 - 262, accepted, in Oregon (implied), ; JPM - 800, accepted, in Oregon (implied); JPM2 - 949, accepted, in Oregon (implied); VP - 3:489, accepted, in Oregon (implied).

Synonyms:

Ludwigia palustris (L.) Elliott var. americana (DC.) Fernald & Griscom

FPN - 309, accepted, given distribution: Cas to Atl coast; IL - 3:168, accepted, in Oregon (explicit); PEK - 533, accepted, in Oregon (explicit); VP - 3:489, accepted.

Ludwigia palustris (L.) Elliott var. pacifica Fernald & Griscom

FPN - 309, accepted, in Oregon (implied); IL - 3:168, accepted, in Oregon (implied); VP - 3:489, accepted.

Ludwigia peploides (Kunth) P.H. Raven ssp. montevidensis (Spreng.) P.H. Raven

Common names: floating primrose-willow

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FPN2 - 262, accepted, in Oregon (explicit), ; JPM2 - 1:949, accepted.

Ludwigia peploides (Kunth) P.H. Raven ssp. peploides

Common names: floating primrose willow, matted water primrose

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2015.

FPN2 - 262, accepted, in Oregon (explicit), ; JPM - 800, accepted, in Oregon (explicit); JPM2 - 949, accepted, in Oregon (explicit).

Synonyms:

Jussiaea repens L. var. peploides (Kunth) Griseb.

IL - 3:168, accepted, in Oregon (explicit).

Literature cited for Ludwigia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Zardini, E.M., H. Gu, and P.H. Raven. 1991. On the separation of two species within the Ludwigia uruguayensis complex (Onagraceae). Systematic Botany 16(2):242-244.

Neoholmgrenia

Checklist contributor:

Flora contributor: Warren Wagner

Neoholmgrenia andina (Nutt.) W.L. Wagner & Hoch

Common names: obscure evening primrose

Origin: native Voucher: OSU, most recently collected in 2011.

FPN2 - 262, accepted, in Oregon (implied), ; JPM2 - 949, accepted, in Oregon (implied).

Synonyms:

Camissonia andina (Nutt.) P.H. Raven

IN - 3a:196, accepted, in Oregon (explicit); JPM - 780, accepted, in Oregon (implied).

Oenothera andina Nutt.

FPN - 312, accepted, in Oregon (implied); GWM - 244, accepted; IL - 3:201, accepted, in Oregon (implied); PEK - 547, accepted, in Oregon (explicit); VP - 3:491, accepted, in Oregon (implied).

Neoholmgrenia hilgardii (Greene) W. L. Wagner & Hoch

Common names: Hilgard's evening primrose

Origin: native Voucher: GH

FPN2 - 262, accepted, in Oregon (explicit), ; Wagner & Hoch, 2009 - accepted.

Synonyms:

Camissonia hilgardii (Greene) P.H. Raven

Raven, 1969 - 337,..

Oenothera contorta Douglas

in part

Oenothera contorta Douglas var. hilgardii (Greene) Munz

PEK - 547, accepted, in Oregon (explicit).

Oenothera hilgardii Greene

FPN - 312, accepted, in Oregon (explicit).

Literature cited for Neoholmgrenia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Raven, P.H. 1969. A revision of the genus Camissonia (Onagraceae). Contributions from the United States National Herbarium 37:161-396.

Wagner, W.L. and P.C. Hoch. 2009. Nomenclatural corrections in Onagraceae. Novon 19(1):130-132.

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Oenothera

Checklist contributor: Henrietta Chambers, 6/30/2004

Flora contributor: Warren Wagner

Oenothera biennis L.

Common names: common evening primrose, eastern evening primrose

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

FPN2 - 264, accepted, in Oregon (implied), ; GWM - 244, accepted; IL - 3:193, accepted, in Oregon (explicit); JPM - 802, accepted, in Oregon (implied); JPM2 - 950, accepted, given distribution: NW, CW, SW; native to c&e N.Am; +- weedy worldwide.; PEK - 543, accepted, in Oregon (explicit); VP - 3:492, accepted, in Oregon (implied).

Oenothera cespitosa Nutt. ssp. cespitosa

Common names: tufted evening primrose, fragrant evening primrose

Origin: native Voucher: OSU, most recently collected in 2012.

FPN2 - 263, accepted, in Oregon (implied), .

Synonyms:

Oenothera caespitosa Nutt. ssp. caespitosa

orthographic variant

Oenothera caespitosa Nutt. var. caespitosa

orthographic variant

FPN - 310, accepted, in Oregon (explicit); IL - 3:195, (subtaxon implied), accepted, in Oregon (explicit); IN - 3a:208, accepted, in Oregon (explicit); PEK - 544, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:495, accepted, in Oregon (explicit).

Oenothera caespitosa Nutt. var. montana (Nutt.) Durand

orthographic variant

FPN - 310, accepted, in Oregon (explicit); IL - 3:195, accepted, in Oregon (explicit); PEK - 544, accepted, in Oregon (explicit); VP - 3:495, accepted, in Oregon (explicit).

Oenothera caespitosa Nutt. var. purpurea (S. Watson) Munz

orthographic variant

FPN - 310, accepted, given distribution: E Wn to Nev; IL - 3:195, accepted, in Oregon (explicit); PEK - 544, accepted, in Oregon (explicit); VP - 3:495, accepted, given distribution: e. Wash. s. to Nev..

Oenothera cespitosa Nutt. var. cespitosa

IN - 3a:208, accepted; PEK - 544, (subtaxon implied), accepted, in Oregon (explicit); VP - 3:495, accepted.

Oenothera cespitosa Nutt. var. montana (Nutt.) Durand

PEK - 544, accepted, in Oregon (explicit).

Oenothera cespitosa Nutt. var. purpurea (S. Watson) Munz

PEK - 544, accepted, in Oregon (explicit).

Oenothera cespitosa Nutt. ssp. marginata (Nutt. ex Hook. & Arn.) Munz

Common names: tufted evening primrose

Origin: native Voucher: OSU, most recently collected in 2011.

FPN2 - 263, accepted, in Oregon (implied), ; IN - 3a:206, synonym for Oenothera cespitosa var. marginata, in Oregon (implied); JPM2 - 952, accepted, in Oregon (implied).

Synonyms:

Oenothera caespitosa Nutt. ssp. marginata (Nutt. ex Hook. & Arn.) Munz

orthographic variant

IN - 3a:208, accepted, not in Oregon; JPM - 803, accepted, in Oregon (implied).

Oenothera caespitosa Nutt. var. marginata (Nutt.) Munz

orthographic variant

FPN - 310, accepted, in Oregon (implied); IL - 3:195, accepted, in Oregon (implied); PEK - 544, accepted, in Oregon (explicit); VP - 3:495, accepted, in Oregon (implied).

Oenothera cespitosa Nutt. var. marginata (Nutt.) Munz

FPN - 310, accepted; IN - 3a:208, accepted; PEK - 544, accepted, in Oregon (explicit); VP - 3:495, accepted.

Oenothera curtiflora W.L. Wagner & Hoch

Common names: lizard tail, velvet weed

Origin: native Voucher: OSU, most recently collected in 2019.

FPN2 - 263, accepted, in Oregon (explicit), ; JPM2 - 952, accepted, given distribution: SnFrB, SW; probably native to c US; naturalized widely.; Wagner et al., 2007 - accepted.

Synonyms:

Gaura parviflora Douglas ex Lehm.

FPN - 308, accepted, given distribution: e Wn to e US, s to Mex; IL - 3:211, accepted, in Oregon (explicit); IN - 3a:220, accepted, in Oregon (implied); JPM - 798, accepted, not in Oregon; PEK - 549, accepted, in Oregon (explicit); VP - 3:485, accepted, not in Oregon.

Oenothera deltoides Torr. & Frém. ssp. piperi (Munz) W. Klein

Common names: hairy evening primrose, lion in a cage

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 264, accepted, in Oregon (explicit), ; JPM - 803, accepted, in Oregon (explicit); JPM2 - 952, accepted, in Oregon (explicit).

Synonyms:

Oenothera deltoides Torr. & Frém. var. piperi Munz

FPN - 310, accepted, given distribution: var. piperi "barely reaching the edge of our range"; IL - 3:194, accepted, in Oregon (explicit); IN - 3a:214, accepted, in Oregon (explicit); PEK - 543, accepted, in Oregon (explicit); VP - 3:496, accepted.

Oenothera elata Kunth

FPN2 - 264, accepted, in Oregon (implied), ; IN - 3a:202, accepted, in Oregon (implied); JPM - 803, accepted, in Oregon (implied).

Oenothera elata Kunth ssp. hirsutissima (A. Gray ex S. Watson) W. Dietr.

Common names: western evening primrose

Origin: native Voucher: OSU, most recently collected in 2012.

JPM - 803, accepted, in Oregon (implied); JPM2 - 952, accepted, in Oregon (implied).

Synonyms:

Oenothera elata Kunth var. hirsutissima (A. Gray ex S. Watson) Cronquist

IN - 3a:202, accepted.

Oenothera hookeri Torr. & A. Gray

in par

FPN - 311, accepted, in Oregon (implied).

Oenothera hookeri Torr. & A. Gray ssp. angustifolia (Gates) Munz

FPN - 311, synonym for Oenothera hookeri var. angustifolia, in Oregon (explicit); IL - 3:193, accepted, in Oregon (implied); PEK - 543, accepted, in Oregon (explicit).

Oenothera hookeri Torr. & A. Gray var. angustifolia R.R. Gates

FPN - 311, accepted, in Oregon (explicit); IL - 3:193, synonym for Oenothera hookeri ssp. angustifolia, in Oregon (implied); VP - 3:498, accepted, in Oregon (explicit).

Oenothera hookeri Torr. & A. Gray var. ornata (A. Nelson) Munz

FPN - 311, accepted, not in Oregon.

Oenothera flava (A. Nelson) Garrett

Common names: long tubed evening primrose

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 310, accepted, not in Oregon; FPN2 - 263, accepted, in Oregon (implied), ; IL - 3:196, accepted, not in Oregon; IN - 3a:205, accepted, in Oregon (explicit); JPM2 - 953, accepted, in Oregon (implied); PEK - 544, accepted, in Oregon (explicit); VP - 3:496, accepted, in Oregon (implied).

Synonyms:

Oenothera flava (A. Nelson) Garrett ssp. flava

IN - 3a:205, accepted; JPM - 803, accepted, in Oregon (implied).

Oenothera glazioviana Micheli

Common names: red sepaled evening primrose

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FPN2 - 264, accepted, in Oregon (implied), ; JPM - 803, accepted, not in Oregon; JPM2 - 953, accepted, given distribution: NW, CW, SW; +- worldwide..

Synonyms:

Oenothera × erythrosepala Borbás

FPN - 311, matched with ×Oenothera erythrosepala (named hybrid), accepted, in Oregon (implied); IL - 3:194, accepted, in Oregon (implied); PEK - 543, accepted, in Oregon (explicit).

Oenothera pallida Lindl.

FPN - 310, accepted, in Oregon (implied); IL - 3:194, accepted, in Oregon (explicit); PEK - 544, accepted, in Oregon (explicit).

Oenothera pallida Lindl. ssp. pallida

Common names: whitestem evening primrose

Origin: native Voucher: OSU, most recently collected in 2008.

FPN2 - 264, accepted, in Oregon (explicit), .

Synonyms:

Oenothera pallida Lindl. var. pallida

FPN - 310, accepted, in Oregon (implied); IN - 3a:215, accepted, in Oregon (implied); VP - 3:499, accepted, in Oregon (explicit).

Oenothera villosa Thunb.

IN - 3a:203, accepted, in Oregon (implied).

Oenothera villosa Thunb. ssp. strigosa (Rydb.) W. Dietr. & P.H. Raven

Common names: villous evening primrose

Origin: native Voucher: OSU, most recently collected in 2013.

JPM - 804, accepted, in Oregon (implied); JPM2 - 953, accepted, in Oregon (implied).

Synonyms:

Oenothera rydbergii House

FPN - 311, synonym for Oenothera strigosa, in Oregon (implied); IL - 3:193, accepted, in Oregon (explicit); PEK - 543, accepted, in Oregon (explicit).

Oenothera strigosa Mack. & Bush

FPN - 311, accepted, in Oregon (implied).

Oenothera wolfii (Munz) P.H. Raven, W. Dietr. & Stubbe

Common names: Wolf's evening primrose

Origin: native Voucher: OSU, most recently collected in 2002.

JPM - 804, accepted, in Oregon (explicit); JPM2 - 953, accepted, in Oregon (explicit).

Synonyms:

Oenothera hookeri Torr. & A. Gray

in part

Oenothera hookeri Torr. & A. Gray ssp. wolfii Munz

IL - 3:193, accepted, in Oregon (explicit); PEK - 543, accepted, in Oregon (explicit).

Literature cited for Oenothera

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2001C. Don't give up groundsmoking. Oregon Flora Newsletter 7(2):7,10-11.

Dietrich, W., W.L. Wagner, and P.H. Raven. 1997. Systematics of Oenothera section Oenothera subsection Oenothera (Onagraceae). Systematic Botany Monographs 50:1-234.

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Wagner, W.L., R.E. Stockhouse, and W.M. Klein. 1985. The systematics and evolution of the Oenothera caespitosa species complex (Onagraceae). Monographs in Systematic Botany from the Missouri Botanical Garden 12:1-103.

Taraxia

Checklist contributor:

Flora contributor: Warren Wagner

Taraxia ovata (Nutt.) Small

Common names: golden eggs, suncup

Origin: native Voucher: OSU, most recently collected in 2012.

FPN2 - 264, accepted, in Oregon (explicit), ; JPM2 - 954, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia ovata (Nutt. ex Torr. & A. Gray) P.H. Raven

JPM - 784, accepted, in Oregon (explicit).

Oenothera ovata Nutt.

IL - 3:197, accepted, in Oregon (explicit); PEK - 545, accepted, in Oregon (explicit).

Taraxia subacaulis (Pursh) Rydberg

Common names: long leaved evening primrose

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 264, accepted, in Oregon (implied), ; JPM2 - 954, accepted, in Oregon (implied); Wagner et al., 2007 - accepted.

Synonyms:

Camissonia subacaulis (Pursh) P.H. Raven

IN - 3a:197, accepted, in Oregon (implied); JPM - 786, accepted, in Oregon (implied).

Oenothera heterantha Nutt.

FPN - 311, synonym for Oenothera subacaulis, in Oregon (implied); GWM - 246, accepted; IL - 3:197, accepted, in Oregon (implied); PEK - 545, accepted, in Oregon (explicit).

Oenothera subacaulis (Pursh) Garrett

FPN - 311, accepted, in Oregon (implied).

Taraxia tanacetifolia (Torr. & A. Gray) Piper

Common names: tansy leaf evening primrose

Origin: native Voucher: OSU, most recently collected in 2019.

FPN2 - 265, accepted, in Oregon (implied), ; JPM2 - 954, accepted, in Oregon (implied); Raven, 1969 - 249, accepted, not in Oregon; Wagner et al., 2007 - accepted.

Synonyms:

Camissonia tanacetifolia (Torr. & A. Gray) P.H. Raven

IN - 3a:198, accepted, in Oregon (explicit); JPM - 786, accepted, in Oregon (implied).

Camissonia tanacetifolia (Torr. & A. Gray) P.H. Raven ssp. tanacetifolia

JPM - 786, accepted, in Oregon (implied).

Oenothera tanacetifolia Torr. & A. Gray

FPN - 311, accepted, in Oregon (implied); IL - 3:197, accepted, in Oregon (implied); IN - 3a:198, synonym for Camissonia tanacetifolia; PEK - 545, accepted, in Oregon (explicit); VP - 3:501, accepted, in Oregon (implied).

Taraxia tanacetifolia (Torr. & A. Gray) Piper ssp. tanacetifolia

Misapplied names:

Camissonia breviflora (Torr. & A. Gray) P.H. Raven

IN - 3a:198, accepted, not in Oregon.

Oenothera breviflora Torr. & A. Gray

FPN - 311, accepted, in Oregon (explicit); VP - 3:493, accepted, in Oregon (explicit).

Taraxia breviflora (Torr. & A. Gray) Nutt. ex Small

FPN2 - 265, accepted, given distribution: c BC s, e Cas, to ID and NV, ; Wagner et al., 2007 - accepted.

Literature cited for Taraxia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Raven, P.H. 1969. A revision of the genus Camissonia (Onagraceae). Contributions from the United States National Herbarium 37:161-396.

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Tetrapteron

Checklist contributor:

Flora contributor: Warren Wagner

Tetrapteron graciliflorum (Hook. & Arn.) W.L. Wagner & Hoch

Common names: slender flowered evening primrose, hill suncup

Origin: native Voucher: OSU, most recently collected in 1993.

JPM2 - 954, accepted, in Oregon (explicit).

Synonyms:

Camissonia graciliflora (Hook. & Arn.) P.H. Raven

JPM - 782, accepted, in Oregon (explicit).

Oenothera graciliflora Hook. & Arn.

IL - 3:197, accepted, in Oregon (explicit); PEK - 545, accepted, in Oregon (explicit).

Tetrapteron graciliflora (Hook. & Arn.) W.L. Wagner & Hoch

orthographic variant

Tetrapteron palmeri (S. Watson) W.L. Wagner & Hoch

Common names: Palmer's evening primrose

Origin: native Voucher: OSU, most recently collected in 1940.

FPN2 - 265, accepted, in Oregon (explicit), ; JPM2 - 954, accepted, in Oregon (explicit); Wagner et al., 2007 - accepted.

Camissonia palmeri (S. Watson) P.H. Raven

IN - 3a:199, accepted, in Oregon (explicit); JPM - 784, accepted, in Oregon (explicit).

Oenothera palmeri S. Watson

FPN - 310, accepted, in Oregon (explicit); IL - 3:196, accepted, in Oregon (explicit); PEK - 544, accepted, in Oregon (explicit); VP - 3:499, accepted, in Oregon (explicit).

Literature cited for Tetrapteron

(Excluding the standard references unless specifically cited in the flora manuscript.)

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Excluded names:

Oenothera cespitosa Nutt. ssp. crinita (Rydb.) Munz

JPM2 - 952, accepted, in Oregon (implied).

Literature cited for Onagraceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2001B. Key to Oregon species of Gayophytum. Oregon Flora Newsletter 7(2):11.

Chambers, K.L. 2001C. Don't give up groundsmoking. Oregon Flora Newsletter 7(2):7,10-11.

Dietrich, W., W.L. Wagner, and P.H. Raven. 1997. Systematics of Oenothera section Oenothera subsection Oenothera (Onagraceae). Systematic Botany Monographs 50:1-234.

Dixon, D.G. 1959. Chromosome counts in the genus Gayophytum. Madroño 15:90-93.

Greuter, W., J. McNeill, F.R. Barrie, H.M. Burdet, V. Demoulin, T.S. Filgueiras, D.H. Nicolson, P.C. Silva, J.E. Skog, P. Trehane, N.J. Turland, and D.L. Hawksworth, Eds. 2000. International Code of Botanical Nomenclature: Saint Louis Code. Koeltz Scientific Books, Königstein, Germany.

Johansen, D.A. 1933. Studies on the morphology of the Onagraceae. VII. Gayophytum ramosissimum. Bulletin of the Torrey Botanical Club 60:1-8.

Lewis, H. and J. Szweykowski. 1964. The genus Gayophytum (Onagraceae). Brittonia 16:343-391.

Lewis, H. and M.E. Lewis. 1955. The genus Clarkia. University of California Publications in Botany 20(4):241-392.

Raven, P.H. 1969. A revision of the genus Camissonia (Onagraceae). Contributions from the United States National Herbarium 37:161-

Sundberg, S. 2003A. New Oregon records. Oregon Flora Newsletter 9(1):5.

Wagner, W.L. and P.C. Hoch. 2009. Nomenclatural corrections in Onagraceae. Novon 19(1):130-132.

Wagner, W.L., P.C. Hoch, and P.H. Raven. 2007. Revised classification of the Onagraceae. Systematic Botany Monographs 83:1-240.

Wagner, W.L., R.E. Stockhouse, and W.M. Klein. 1985. The systematics and evolution of the Oenothera caespitosa species complex (Onagraceae). Monographs in Systematic Botany from the Missouri Botanical Garden 12:1-103.

Zardini, E.M., H. Gu, and P.H. Raven. 1991. On the separation of two species within the Ludwigia uruguayensis complex (Onagraceae). Systematic Botany 16(2):242-244.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IN = Intermountain Flora

JPM = The Jepson manual KZ = A synonymized checklist...(Kartesz) PLANTS = http://plants.usda.gov IPNI = The International Plant Names Index VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist IL = An Illustrated Flora of the Pacific States PEK = A manual of the higher plants of Oregon a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference