

# pXp analysis

Luiz Emediato (Sao Paulo)

Tom McDowell, Cory Rude, Brandon Williams,


Jane Nachtman (Ulowa)

Mike Albrow (FNAL)


conditions:

1.  $p_{T\text{cut}}=0.0$
2. no CTpycut
3. no CTpxcut
4. PID yes
5. total charge = 0
6. charge of the pion-pairs = 0
7. fiducial yes


# vtx.isFake()




# vtx.isFake() 4 tracks both $|\eta|<2.5$ and OS




# Ntrk for nPixelHits>0




# Ntrkvtx



# Ntrkvtx2




# Ntrkvtx0







# Nvtx




$M_{4\pi}$  OS




# $M_{4\pi}$ TT/BB OS




# $M_{4\pi}$ TB/BT OS




$M_{4\pi}$  OS




# $M_{4\pi}$ TT/BB OS



# $M_{4\pi}$ TB/BT OS




$M_{\pi_1\pi_2}$  OS







$M_{\pi_3\pi_4}$  OS




# $M_{\pi_1\pi_3}$ OS




# $M_{\pi_2\pi_4}$ OS




X vtx




Y vtx




# Z vtx



# X vs Y vtx




# X vs Z vtx





# Y vs Z vtx




Vertex Collection: using itVtx → Print() per event:


vertex information:	vertex information:	vertex information:
id : 0	id : 0	id : 0
x : 0.0868251	x : 0.0445989	x : 0.0719692
y : 0.13628	y : 0.135187	y : 0.0268902
z : -0.700064	z : 6.41865	z : -5.04181
error x : 0.149151	error x : 0.0312259	error x : 0.0355899
error y : 0.0408441	error y : 0.0336866	error y : 0.0282491
error z : 0.264829	error z : 0.0297338	error z : 0.150801
validity : 1	validity : 1	validity : 1
fake : 0	fake : 0	fake : 0
chi2 : 0.0083628	chi2 : 0.991081	chi2 : 2.91895
ndof : 0.942757	ndof : 4.86067	ndof : 2.80123
chi2n : 0.00887058	chi2n : 0.203898	chi2n : 1.04202
ntracks : 2	ntracks : 4	ntracks : 3
SumPtTracks: 0.737237	SumPtTracks: 1.03838	SumPtTracks: 1.58471

We do not have secondary vertex information in the code, only primary.  
However, we do have secondary vertex in the data: K-shorts do appear!  
see next plots


$$M_{\pi_1\pi_2} + M_{\pi_3\pi_4} + M_{\pi_1\pi_3} + M_{\pi_2\pi_4} \text{ OS}$$




$M_{\pi_1\pi_2}$  OS




$M_{\pi_3\pi_4}$  OS



# $M_{\pi_1\pi_3}$ OS



$M_{\pi_2\pi_4}$  OS



why do we have a K-short peak in the pion-pair mass distribution plots, requesting  $n_{trkvtx}=2$  &  $n_{vtx}=1$  for the 4-track events, but the transverse x & y positions are primary?

contradictory !

something is wrong with vertex system



thanks for the attention!