

SOFTWARE SHARKS

Coding Standards for NINSHIKI Version 1.0.0 - Demo #5 Final

A detailed set of guidelines dictating the best practices, programming styles and conventions that all developers of this project will adhere to. Please note that these guidelines were heavily influenced by the style guides released by Google¹ under the Creative Commons Licence².

Compiled By

The Software Sharks Team

Coetzer MJ
Bester TJ
Orrie O
Lew J
Matodzi MC

Department of Computer Science
The University of Pretoria



UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA
Denkleiers • Leading Minds • Dikgopolo tša Dihlalefi

For

Bramhope International School of Innovation

¹<http://google.github.io/styleguide/>

²<https://creativecommons.org/licenses/by/3.0/>

COS 301 Team: Software Sharks

Department of Computer Science, University of Pretoria

<https://github.com/OrishaOrrie/SoftwareSharks>

This coding standards document was drafted under the supervision of involved lecturers according to the assessment guidelines of the final year Computer Science module: COS 301 - Software Engineering, presented by the Department of Computer Science in the faculty of Engineering, Built Environment and Information Technology at the University of Pretoria during the first semester of the year 2018.

Disclaimer: This document is a modification of the Google Style Guides licensed under the Creative Commons 3.0 Attribution - Allowing total reuse and modification and as such the Software Sharks, Department of Computer Science nor the University of Pretoria claim this entire document to be their original work.



First release, September 2018

Contents

1	Introduction	3
2	Detailed System design	3
3	Code Review Processes	5
3.1	Github	5
3.2	Informal Reviews	5
4	Github Repository Structure	6
5	Software Sharks General Coding Conventions	8
5.1	File Headers	8
5.2	HTML/CSS	9
5.2.1	General Style Rules	9
5.2.2	General Formatting Rules	9
5.2.3	General Meta Rules	10
5.3	HTML	11
5.3.1	HTML Style Rules	11
5.3.2	HTML Formatting Rules	12
5.4	CSS	13
5.4.1	CSS Style Rules	13
5.4.2	CSS Formatting Rules	14
5.4.3	CSS Meta Rules	15
5.5	JavaScript	16
5.5.1	File Name	16
5.5.2	File Encoding	16
5.5.3	Special Characters	16
5.5.4	Source File Structure	16
5.5.5	Formatting	16
5.6	Python	18
5.6.1	Python Style Rules	18
6	Global Style Rules	21

1 Introduction


This is a document defining the coding standards for the Ninshiki system, it defines the rules which govern how the development team members are to code. This includes comments structure, method structure and class structure as well as the various naming conventions. This also contains the GitHub structure used by the team as well as the file headers that are used in each of the software files.

2 Detailed System design

The following class diagram, which can be found on the next page, shows all the classes, attributes, operations and relationships between all the objects in the system. It includes all the components of the App subsystems as well as the Dashboard subsystem.

The diagram can also be found on the following link:

<https://drive.google.com/open?id=1ds-pWCZJv6vkCVnpeTR1IQA1pgVUn8e0>



3 Code Review Processes

3.1 Github

All major releases are subjected to peer review before being merged into the master branch as described in the process below:

1. Major feature or fix is implemented in it's respective branch
2. A pull-request is requested to compare the potential changes
3. The developer then assigns two separate members of the team to the request
4. These members then review and either approve/decline the request by evaluating the code and functionality and ultimately providing the appropriate reasoning
5. Depending on the above result the request is either merged into master or declined until the appropriate fixes have been made

3.2 Informal Reviews

All interrelated modules and subsystems should be periodically and actively checked to ensure the satisfaction of these coding standards throughout the development process.

1. Developers are required to review their own code & functionality
2. Developers are required to inform respective authors of violations or errors present in their code-base
3. All potential violations or errors should be stipulated in a Github issue detailing the exact violations or errors to allow for optimal evaluation and potential fixes

4 Github Repository Structure

The Software Sharks GitHub repository can be found at the following location: <https://github.com/OrishaOrrie/SoftwareSharks>

This section describes the structure of this repository, specifically the current master branch.

```
| - ApplicationSource
  | - Backend
    | - Node Server
      | - functions
    | - Image Scraper
    | - Keras Training Model
      | - tests
    | - Firebase Admin
  | - Mobile/
    | - latest APK
    | - myApp
      | - .sourcemaps
      | - resources
        | - Android
      | - src
        | - app
        | - assets/imgs
        | - pages
          | - about
          | - contact
          | - home
          | - imagerec
          | - results
          | - tabs
          | - utilities
        | - provider/model-loader
  | - ss-imagerecc-webapp
    | - dist/
    | - documentation/
    | - e2e/
    | - functions/
    | - node_modules/
    | - src/ (O)
      | - app
        | - contact-us
          | - contact-us.component.css
          | - contact-us.component.html
```

- | - contact-us.component.spec.ts
 - | - contact-us.component.ts
- | - home/
- | - imageupload/
- | - utilities/
- | - app.component.css (P)
- | - app.component.html
- | - app.component.spec.ts
- | - app.component.ts
- | - assets/
- | - environments/
- | - index.html
- | - styles.css
- | - test.ts
- | - package.json
- | - package-lock.json
- | - firebase.json
- | - protractor.conf.js
- | - angular.json
- | - .gitignore
- | - Documentation/
- | - docs/
 - | - css
 - | - img
 - | - js
 - | - mail
 - | - vendor

The root folder contains two folders, Documentation and Application Source, and a Readme file.

The Documentation folder contains references for the project, from the User Manual to the Requirements Specification. The Readme file provides a concise description of the project, the project management structure, and the Software Sharks team.

The Application Source folder contains the entirety of the software source code, including unit tests and installation scripts.

Each subsystem has its own folder in the Application Source folder, which also includes the dependency and installation batch files.

5 Software Sharks General Coding Conventions

5.1 File Headers

This section describes the Ninshiki program header template. This header is used as a standardized approach to describing the metadata/functional details of a class.

This header can be found in each of the main classes for each subsystem's application source. The following template is used for the header:

- File Name - Name of class/file.
- Version Number
- Author Name
- Project Name - Ninshiki
- Organization - Software Sharks
- Update History - A table containing the version number, date, author, and update description.
- Functional Description - A brief description of the use cases that the class completes.
- Related Classes - Classes that assist this class in completing its use cases.

5.2 HTML/CSS

5.2.1 General Style Rules

Protocol

- Never omit the protocol when embedding a resource, image or script.
- Always make use of the HTTPS protocol for embedding resources, images or scripts when available.

```
<!-- Recommended -->  
<script src="https://example.com/example/someJava.min.js"></script>
```

5.2.2 General Formatting Rules

Indentation

- Indent with two spaces.
- Do not make use of tabs or various spacing other than the above for indentation.

```
<!-- Recommended -->  
<ul>  
  <li>Item 1  
  <li>Random Item 2  
</ul>
```

Capitalisation

- All code has to be in lower-case with the exception of strings.

```
<!-- Recommended -->  

```

Trailing White Space

- Ensure that there are no trailing white spaces in any line.

5.2.3 General Meta Rules

Encoding

- Make use of UTF-8 encoding that does not include a byte order mark.
- Specify the encoding in HTML templates and documents via

```
<meta charset="utf-8">
```

- Do not specify the encoding of style sheets as these assume UTF-8.

Comments

- Where ever possible explain code as needed.
- Use comments to explain code: What does it cover, what purpose does it serve, why is respective solution used or preferred?

Action Items

- Mark todos and action items with **TODO**.
- Highlight todos by using the keyword **TODO** only, not other common formats like @@.
- Append a contact (username or mailing list) in parentheses as with the format **TODO**(contact).
- Append action items after a colon as in **TODO:** action item.

```
<!-- TODO: remove optional tags -->
<ul>
  <li>Tag 1</li>
  <li>Tag 2 (Optional)</li>
</ul>
```

5.3 HTML

5.3.1 HTML Style Rules

Document Type

- Use HTML5.
- HTML5 (HTML syntax) is preferred for all HTML documents: `<!DOCTYPE html>`.
- Do not close void elements, i.e. write `
`, not `
`.

HTML Validity

- Use valid HTML where possible according to the W3C³.
- Use valid HTML code unless that is not possible due to otherwise unattainable performance goals regarding file size.

Semantics

- Use elements (sometimes incorrectly called “tags”) for what they have been created for. For example, use heading elements for headings, `<p>` elements for paragraphs, `<a>` elements for anchors, etc.

Multimedia Fall-back

- For multimedia (such as images, videos and animated objects via `<canvas>`) make sure to provide meaningful alternative text via `alt="Descriptive alt text"` to enable global accessibility.

```
<!-- Recommended -->  

```

Separation of Concerns

- Separate structure (HTML), presentation (CSS) and behaviour (Scripts) into their respective files and file-types.

Entity References

- Do not make use of entity references except for special HTML characters (`<` and `&`).

³<https://validator.w3.org/nu/>

type **Attributes**

- Do not use type attributes for style sheets (unless not using CSS) and scripts (unless not using JavaScript).

```
<!-- Recommended -->  
<link rel="stylesheet" href="https://www.google.com/css/maia.css">  
<script src="https://www.google.com/js/gweb/analytics/autotrack.js"></script>
```

5.3.2 HTML Formatting Rules

General Formatting

- Use a new line for every block, list or table element.
- Indent every such child element.

HTML Line-Wrapping

- It is optional to break long lines in order to improve readability.
- If lines are broken then the continuation line should be indented at least 4 additional spaces from the original line.

HTML Quotation Marks

- When quoting attribute values, make use of double quotation marks instead of single quotation marks.

```
<!-- Recommended -->  
<a class="maia button-secondary">Sign in</a>
```

5.4 CSS

5.4.1 CSS Style Rules

CSS Validity

- Use valid CSS where possible according to the W3C⁴.

ID and Class Naming

- Use meaningful or generic ID and class names that clearly reflect the purpose of the element instead of presentational or cryptic names.

```
/* Recommended: specific */
#gallery {}
#login {}
.video {}

/* Recommended: generic */
.aux {}
.alt {}
```

ID and Class Name Style

- Use ID and class names that are as short as possible but as long as necessary.

Type Selectors

- Avoid qualifying ID and class names with type selectors.

Shorthand Properties

- Use shorthand properties where possible for code efficiency and understandability.

Leading Os

- Omit leading "0"s in values or lengths between -1 and 1.

```
/* Recommended */
font-size: .8em;
```

⁴<https://jigsaw.w3.org/css-validator/>

Hexadecimal Notation

- Use 3 character hexadecimal notation where possible.

```
/* Recommended */  
color: #ebc; /* Instead of #eebbcc */
```

ID and Class Name Delimiters

- Separate words in ID and class names by a hyphen only.

```
/* Recommended */  
#video-id {}  
.ads-sample {}
```

5.4.2 CSS Formatting Rules

Declaration Order

- Alphabetize declarations in order to achieve consistent code in a way that is easy to remember and maintain.
- Ignore vendor-specific prefixes.

Block Content Indentation

- Indent all block content so to reflect hierarchy and improve understanding.

Declaration Stops

- End every declaration with a semicolon for consistency and extensibility reasons.

Property Name Stops

- Use a space after a property name's colon but not before.

Declaration Block Separation

- Always use a single space between the last selector and the opening brace that begins the declaration block.

```
/* Recommended */  
#video {  
  margin-top: 1em;  
}
```

Selector and Declaration Separation

- Separate selectors and declarations by new lines.

```
/* Recommended */
h1,
h2,
h3 {
    font-weight: normal;
    line-height: 1.2;
}
```

Rule Separation

- Separate rules by a blank line.

CSS Quotation Marks

- Use single (`' '`) rather than double (`" "`) quotation marks for attribute selectors and property values.
- Do not use quotation marks in URI values (`url()`).

```
/* Recommended */
@import url(https://www.google.com/css/maia.css);

html {
    font-family: 'open sans', arial, sans-serif;
}
```

5.4.3 CSS Meta Rules

Section Comments

- If possible, group style sheet sections together by using comments. Separate sections with new lines.

```
/* Recommended */
/* Header */

#adw-header {}

/* Footer */

#adw-footer {}
```


5.5 JavaScript

5.5.1 File Name

- File names must be all lower-case and may include underscores (_) or dashes (-), but no additional punctuation.
- Follow the convention that your project uses.
- File name extensions must be '.js'.

5.5.2 File Encoding

- All source files must be encoded in UTF-8.

5.5.3 Special Characters

Whitespace Characters

- Aside from the line terminator sequence, the ASCII horizontal space character (0x20) is the only whitespace character that appears anywhere in a source file.
- All other whitespace characters in string literals are escaped.
- Tab characters are not used for indentation.

Special escape sequences

- Use special escape sequences: " \', \", \\, \b, \f, \n, \r, \t, \v ".
- Do not use numeric or octal escapes.

5.5.4 Source File Structure

A source file consists of, in order:

1. Licence or copyright information if available.
2. *// @fileoverview* JSDoc.
3. File implementation.

Exactly one blank line separates each section that is present.

5.5.5 Formatting

Braces

Braces are Used for all Control Structures

- Braces are required for all control structures.
- The first statement of a non-empty block must begin on its own line.

Non-empty blocks: K&R style

Braces follow the Kernighan and Ritchie style ("Egyptian brackets") for non-empty blocks and block-like constructs:

- No line break before the opening brace.
- Line break after the opening brace.
- Line break before the closing brace.
- Line break after the closing brace if that brace terminates a statement or the body of a function or class statement, or a class method.

```
class InnerClass {
    constructor() {}

    /** @param {number} foo */
    method(foo) {
        if (condition(foo)) {
            try {
                // Note: this might fail.
                something();
            } catch (err) {
                recover();
            }
        }
    }
}
```

Empty blocks: may be concise

- An empty block or block-like construct may be closed immediately after it is opened, with no characters, space, or line break in between.

Block indentation: +2 spaces**Array literals: optionally "block-like"**

5.6 Python

5.6.1 Python Style Rules

Semi-colons

- Do not terminate your lines with semi-colons and do not use semi-colons to put two commands on the same line.

Line length

- Maximum line length is 80 characters.
- Exceptions:
 - Long import statements.
 - URLs in comments.
- Do not use backslash line continuation.
- Make use of Python's implicit line joining inside parentheses, brackets and braces. If necessary, you can add an extra pair of parentheses around an expression.
- When a literal string won't fit on a single line, use parentheses for implicit line joining.
- Within comments, put long URLs on their own line if necessary.

Yes: `# See details at`
`# https://www.example.com/us/developer/documentation/api/content/v2.0/cst`

Parenthesis

- Use parentheses sparingly. Do not use them in return statements or conditional statements unless using parentheses for implied line continuation. It is however fine to use parentheses around tuples.

Yes:

```
if foo:
    bar()
while x:
    x = bar()
if x and y:
    bar()
if not x:
    bar()
return foo
for (x, y) in dict.items(): ...
```

```
No:  if (x):
      bar()
      if not(x):
          bar()
      return (foo)
```

Indentation

- Indent your code blocks with 4 spaces.
- Never use tabs or mix tabs and spaces. In cases of implied line continuation, you should align wrapped elements either vertically, as per the examples in the line length section; or using a hanging indent of 4 spaces, in which case there should be no argument on the first line.

```
Yes:  # Aligned with opening delimiter
      foo = long_function_name(var_one, var_two,
                               var_three, var_four)

      # Aligned with opening delimiter in a dictionary
      foo = {
          long_dictionary_key: value1 +
                               value2,
          ...
      }

      # 4-space hanging indent; nothing on first line
      foo = long_function_name(
          var_one, var_two, var_three,
          var_four)

      # 4-space hanging indent in a dictionary
      foo = {
          long_dictionary_key:
              long_dictionary_value,
          ...
      }
```

Blank Lines

- Two blank lines between top-level definitions, one blank line between method definitions.
- Two blank lines between top-level definitions, be they function or class definitions.

- One blank line between method definitions and between the class line and the first method. Use single blank lines as you judge appropriate within functions or methods.

Whitespace

- Follow standard typographic rules for the use of spaces around punctuation.
- No whitespace inside parentheses, brackets or braces.
- No whitespace before a comma, semicolon, or colon. Do use whitespace after a comma, semicolon, or colon except at the end of the line.

Yes:

```
if x == 4:
    print x, y
    x, y = y, x
```

- No whitespace before the open paren/bracket that starts an argument list, indexing or slicing.
- Surround binary operators with a single space on either side for assignment (=), comparisons (==, <, >, !=, <>, <=, >=, in, not in, is, is not), and Boolean (and, or, not). Use your better judgement for the insertion of spaces around arithmetic operators but always be consistent about white-space on either side of a binary operator.
- Don't use spaces around the '=' sign when used to indicate a keyword argument or a default parameter value.

Yes:

```
def complex(real, image =0.0): return magic(r=real, i=image)
```

- Don't use spaces to vertically align tokens on consecutive lines, since it becomes a maintenance burden (applies to :, =, etc.):

Yes:

```
foo = 1000 # comment
long_name = 2 # comment that should not be aligned

dictionary = {
    'foo': 1,
    'long_name': 2,
}
```

6 Global Style Rules

The following list contains links to Google Style rules for each language used which the code will also loosely adhere to:

- HTML and CSS: <https://google.github.io/styleguide/htmlcssguide.html>
- JavaScript: <https://google.github.io/styleguide/javascriptguide.xml>
- Python: <https://github.com/google/styleguide/blob/gh-pages/pyguide.md>