PC 2 - Probability distributions

Exercise 1

(Uniform distribution). Let X be a random variable with uniform distribution on [0,1]. We define $Y = \min(X, 1-X)$ and $Z = \max(X, 1-X)$. Determine the distributions of Y and Z. Compute $\mathbb{E}[YZ]$.

Solution 1 La variable aléatoire Y prend ses valeurs dans [1/2, 1] et pour tout $t \in [1/2, 1]$,

$$F_Y(t) = \mathbb{P}(U \le t, 1 - U \le t) = \mathbb{P}(U \le t, U \ge 1 - t) = t - (1 - t) = 2t - 1$$

donc Y suit la loi uniforme sur [1/2,1]. On remarque que X=1-Y et on en déduit que X suit la loi uniforme sur [0,1/2]. Pour calculer $\mathbb{E}[XY]$, on remarque que XY=U(1-U) et donc

$$\mathbb{E}[XY] = \mathbb{E}[U(1-U)] = \int_0^1 (t-t^2) \, dt = [t^2/2 - t^3/3]_0^1 = 1/2 - 1/3 = 1/6.$$

Exercise 2

One says that $X \in (0, +\infty)$ follows the log-normal distribution if $\log(X) \sim \mathcal{N}(0, 1)$. What is the density of X?

Exercise 3

Consider a random variable X having exponential distribution with parameter 1. Let a>0 be a positive real number.

- 1. Compute the cumulative distribution function of $Y = \min(X, a)$. Plot the function.
- 2. What can you say about the existence of a density for the distribution of Y?
- 3. Compute $\mathbb{E}[Y]$. Hint: Use $Y = X \mathbb{1}_{X < a} + a \mathbb{1}_{X > a}$.

Exercise 4

Let V be a random variable with uniform distribution on $[0, \pi/2]$. Define the random variable $W = \sin(V)$.

- 1. Determine the distributions of W.
- 2. How does the distribution of W change when V has uniform distribution on $[0,\pi]$?

Exercise 5

(Cauchy distribution). Let X be a random variable with Cauchy distribution whose density is given by $f(x) = (\pi (1 + x^2))^{-1}$. Determine the distribution of 1/X using a change of variables.

Solution 2 Soit $f: \mathbb{R} \longrightarrow \mathbb{R}$ continue bornée. On a

$$\mathbb{E}[f(\frac{1}{X})] = \int_{\mathbb{R}} f(\frac{1}{x}) \frac{1}{\pi(1+x^2)} dx.$$

On a envie de faire le changement u = 1/x mais pas bijectif sur $\mathbb{R}!$ on scinde en deux

$$\mathbb{E}[f(\frac{1}{X})] = \int_0^{+\infty} f(\frac{1}{x}) \frac{1}{\pi(1+x^2)} dx + \int_{-\infty}^0 f(\frac{1}{x}) \frac{1}{\pi(1+x^2)} dx.$$

On pose la variable u = 1/x donc $du = -u^2 dx$ ainsi

$$\int_0^{+\infty} f(\frac{1}{x}) \frac{1}{\pi(1+x^2)} dx = \int_0^{+\infty} f(u) \frac{1}{u^2} \frac{1}{\pi(1+u^{-2})} du$$
$$= \int_0^{+\infty} f(u) \frac{1}{\pi(1+u^2)} du.$$

De plus en faisant u = 1/x dans l'integrale sur \mathbb{R}^- on a de même

$$\int_{-\infty}^{0} f(\frac{1}{x}) \frac{1}{\pi(1+x^2)} dx = \int_{-\infty}^{0} f(u) \frac{1}{\pi(1+u^2)} du.$$

Donc $\frac{1}{X}$ a même loi que X.

Exercise 6

* Let p > 0 and an integer n such that n > p. Consider random variables Y_n such that nY_n has a geometric distribution $\text{Geo}\left(\frac{p}{n}\right)$ with parameter $\frac{p}{n}$. Show that the characteristic function of Y_n tends to the characteristic function of an exponentially distributed random variable with parameter p.

Exercise 7

Let $\alpha > 1$ be fixed. Consider the random variable X with density given by

$$f(x) = c_{\alpha} x^{-\alpha} \mathbb{1}_{x > 1}$$

- 1. Determine the constant c_{α} .
- 2. For which values of p we have X belongs to L^p ?

Exercise 8

Let X and Y be two independent random variables such that X (resp. Y) has geometric distribution with parameter p (resp. q).

- 1. Compute $\mathbb{P}(X > n)$ for any $n \in \mathbb{N}$.
- 2. What is the distribution of the random variable $Z = \min(X, Y)$?

Exercise 9

Assume that $X \sim \mathcal{N}(\mu, \sigma^2)$.

- 1. Show that $Y = (X \mu)/\sigma$ has standard normal distribution $\mathcal{N}(0,1)$.
- 2. Compute $\mathbb{E}[|Y|]$ and $\mathbb{E}[Y^{2019}]$.