	Indicator  _Chandigarh	1	l	2	2	3	3	4	1	5	5	(	5
1		pregnan	amber of t women 1 for ANC		f Pregnant egistered t trimester	Number (	of Women under JSY	registratio	6 mester on to Total cistrations	JSY regis Total ANC			f pregnant sived 3 ANC c ups
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	17,359	17,212	6,250	5,662	909	656	36.0	32.9	5.2	3.8	17,611	15,598
1	Chandigarh	17,359	17,212	6,250	5,662	909	656	36.0	32.9	5.2	3.8	17,611	15,598

		7	7	8	3	9	9	1	0	1	1	1:	2
	Indicator		ster given to t women bers)	received 3 a	6 t Woman ANC check otal ANC cations	received Booster to	% It women It TT2 or Total ANC		f Pregnant en 100 IFA lets	100 IFA to	% romen given Total ANC ration	Number l level<11 (te	having Hb
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	9,403	9,527	101.5	90.6	54.2	55.4	4,481	6,052	25.8	35.2	9,004	9,933
1	Chandigarh	9,403	9,527	101.5	90.6	54.2	55.4	4,481	6,052	25.8	35.2	9,004	9,933

		1	3	1	4	1	5	1	6	1	7	1	8
1	Indicator	Number ha anae (Hb treated at i	emia o<7)	Pregnan having seve (Hi treated at ir	naving hb	New cases institut hypertensi	% New cases detected at institution for hypertension to Total ANC Registrations deliveries (Doctor/Nurse/ANM)		ittended by rained				
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	123	109	1.4	1.1	2.1	2.4	692	960	16	13	676	947
1	Chandigarh	123	109	1.4	1.1	2.1	2.4	692	960	16	13	676	947

	= 0	1	9	2	0	2	1	2	2	2	3	2	4
1	Indicator	SBA atten deliveries Reporte	ded home s to Total ed Home	Mothers incentive deliv		incentive deliveries	paid JSY for home s to Total ed Home	Deliveries at Public I	Conducted nstitutions	Number of d Discharged hours of d public f	d under 48 lelivery in	Women dis less than 4 delivery Reported D public in	scharged in 8 hours of to Total deliveries at
	Indicator SBA attended deliveries to T Reported He Deliveries	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	
	_Chandigarh	2.3	1.4	0		0.0	0.0	11,288	10,183	6,313	5,699	55.9	56.0
1	Chandigarh	2.3	1.4	0		0.0	0.0	11,288	10,183	6,313	5,699	55.9	56.0

	_Chandigarh	2	5	2	6	2	7	2	8	2	9	3	0
1		Institutiona (Public In Ins	ısts.+Pvt.	Institutiona to tota registr	l Deliveries l ANC		eported eries	Institutiona to Total Deliv	l deliveries Reported	Safe deliver Reported	ries to Total		iveries to eported
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	11,288	10,183	65.0	59.2	11,980	11,143	94.2	91.4	94.4	91.5	5.8	8.6
1	Chandigarh	11,288	10,183	65.0	59.2	11,980	11,143	94.2	91.4	94.4	91.5	5.8	8.6

	Indicator  Chandigarh  Chandigarh	3	1	3	2	3	3	3	4	3	5	3	6
]		Number of deliveries co public f	onducted at	deliveries c	f C-section onducted at facilities	to rep institu (Public	+ Pvt.)	C-sections of public fa	onducted at cilities to onducted at	Private fa	onducted at cilities to onducted at	Deliveries co Public Inst Total Inst Deliv	onducted at titutions to titutional
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	2,999	2,349	·		26.6	23.1	26.6	23.1			100.0	100.0
1	Chandigarh	2,999	2,349			26.6	23.1	26.6	23.1			100.0	100.0

	Indicator Chandigarh	3	7	3	8	3	9	4	0	4	1	4	2
1	Incentive for Delivery at Public institution to Total Public Deliveric 2012-13 2011-12  _Chandigarh 2.8 2		paid JSY or Delivery stitution to	for Deliver	there JSY aid to ASHA ry at Public	Deliveries c Private Ins	titutional	Women rec partum o within 48 deliv	check-up hours of		men got a m check up s hours and	partum o within 48 delivery	ceiving post check-up s hours of
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	2.8	2.2	0.0	0.0	0.0	0.0	10,075	9,521	6,871	5,808	84.1	85.4
1	Chandigarh	2.8	2.2	0.0	0.0	0.0	0.0	10,075	9,521	6,871	5,808	84.1	85.4

		4	Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries  2012-13 2011-12 57.4 52.1 57.4 52.1	4	4	4	5	4	.6	4	7	4	8
]	Indicator	Women ge Partum between 48 14 days	etting Post Checkup hours and to Total	Total Nu reported l	umber of live births		orted Live to Total		umber of Still Births	% live birth to Bir	o Reported		f Newborns l at birth
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	57.4	52.1	11,833	10,991	98.8	98.6	406	360	96.7	96.8	11,394	10,743
1	Chandigarh	57.4	52.1	11,833	10,991	98.8	98.6	406	360	96.7	96.8	11,394	10,743

Indicator  _Chandigarh	4	9	5	0	5	1	5	2	5	3	5	4	
1	Indicator	% Newborns birth to l	weighed at	Number of having weig 2.5		weight less to Newborn	ns having	Number of Breast Fed	1 within 1	Newborns within 1 ho to Total 1	breast fed our of birth	Number of visited with Home D	
_Chandigarh	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	
	_Chandigarh	96.3	97.7	2,646	2,531	23.2	23.6	8,078	7,313	68.3	66.5	398	512
1	Chandigarh	96.3	97.7	2,646	2,531	23.2	23.6	8,078	7,313	68.3	66.5	398	512

	Indicator  _Chandigarh  Chandigarh	5	5	5	6	5	7	5	8	5	9	6	0
	Indicator	24hrs of ho	isited within me delivery orted home	birth ( Fe Bitr	atio at male Live ths/ :hs *1000)	Complica attended t		Pregnanci with antihype Magsulph Total Wo Obst	licated ies treated n IV	Pregnanci with antihype Magsulph Total N	licated les treated 1 IV rtensive/ injection to ew cases ed with	Pregnanci with Blood to Total W Obst	licated
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	57.5	53.3	870	852	34.0	22.2	2.9	6.1	30.8	33.3	9.6	13.1
1	Chandigarh	57.5	53.3	870	852	34.0	22.2	2.9	6.1	30.8	33.3	Comp Pregnanci with Blood to Total W Obst Complication 2012-13	13.1

	Indicator _Chandigarh	6	1	6	2	6	3	6	4	6	5	6	6
1	Indicator		Care / PNC implications to Total	Abor (Spont	imber of tions aneous/ Reported	Total Nu MTPs ( Pub	ımber of ılic) reported		ATPs Abortions	Pregnancy	12 weeks of y to Total at Public	MTPs mo weeks of Pr Total MTI Institu	re than 12 egnancy to Ps at Public
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	0.4	0.8	753	997	510	549	67.7	55.1	66.1	73.4	33.9	26.6
1	Chandigarh	0.4	0.8	753	997	510	549	67.7	55.1	66.1	73.4	33.9	26.6

		6	7	6	8	6	9	7	0	7	1	7	2
1	Indicator	Public Insti	nducted at	Private Inst	nducted at	(Pu Conducted	al MTPs blic) 1 to Total gistration	Tests con	Wet Mount ducted to f new RTI/ e cases for reatment	Vasect	ucted	Tubec Cond	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	100.0	100.0	0.0	0.0	2.9	3.2	0.0	0.0	39	55	818	729
1	Chandigarh	100.0	100.0	0.0	0.0	2.9	3.2	0.0	0.0	39	55	818	729

	Indicator _Chandigarh	7.	3	7	4	7	5	7	6	7	7	7	8
:	Indicator	Total Ste Cond	rilisation ucted	% Male S (Vasect to Total st	omies)	7 Tubectomic sterili	es to Total	(Tubecto Vasect	erlisation omies and omies) ed at PHC	(Tubecto Vasect	erlisation mies and omies) d at CHC	(Tubecto Vasect	erlisation omies and omies) at SDH/DH
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	857	784	4.6	7.0	95.4	93.0			71	37	786	747
1	Chandigarh	857	784	4.6	7.0	95.4	93.0			71	37	786	747

	Indicator  _Chandigarh	7	9	8	0	8	1	8	2	8	3	8	4
1		Total Ste (Tubecto Vasect conducted public In	mies and omies) l at Other	(Tubecto Vasect	at Private	Vasect conducted	terilisation omies and omies) at PHC to erlisation	Vasect conducted	terilisation omies and omies) at CHC to erlisation	% Total St (Tubecto Vasect conducted to	omies and omies) at SDH/DH	% Total St (Tubecto Vasect conducted public Insti	mies and omies) I at Other tutions to
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh					0.0	0.0	8.3	4.7	91.7	95.3	0.0	0.0
1	Chandigarh					0.0	0.0	8.3	4.7	91.7	95.3	0.0	0.0

	Indicator _Chandigarh	8	5	8	6	8	7	8	8	8	9	9	0
1	Indicator	% Total St (Tubecto Vasecto conducted institution Sterlis	mies and omies) at Private s to Total	Lapar sterlisation Female Ste	oscopic is to Total	Mini Lap S to Total Sterili	terlisations Female	9 Post P Sterlisation Female Ste	artum s to Total	sterlisation Institutions	oscopic s at Public s to Total oscopic	Mini Lap s at Public II to Total Sterilis	terlisations nstitutions Mini Lap
	-	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	0.0	0.0	36.9	45.3	5.4	7.5	57.7	47.2	100.0	100.0	100.0	100.0
1	Chandigarh	0.0	0.0	36.9	45.3	5.4	7.5	57.7	47.2	100.0	100.0	100.0	100.0

	Indicator _Chandigarh	9	1	9	2	9	3	9	4	9	5	9	6
]	Indicator	Post Partum Sterilisation  2012-13 2011-12  digarh 100.0 100.		Sterlisatio	wing		rtions done acilities)		rtions done		O Insertions ic+private)	PP IUCD done (publ	Insertions ic facilities)
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	100.0	100.0	0	0	1,831	1,581			1,831	1,581		
1	Chandigarh	100.0	100.0	0	0	1,831	1,581			1,831	1,581		

	Indicator _Chandigarh	9'	7	9	8	9	9	10	00	10	01	10	02
1	Indicator	% PP IUCI (pul to Tota Insertions	olic) l IUCD	(pul to Total In	O Insertions blic) sstitutional s (public)	public pl institutio family p methods (	ertions in us private	Oral Pills (	distributed		n pieces buted		man Pills buted
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	0.0	0.0	0.0	0.0	68.1	66.8	5,112	5,082	551,366	476,572	0	13
1	Chandigarh	0.0	0.0	0.0	0.0	68.1	66.8	5,112	5,082	551,366	476,572	0	13

	Indicator _Chandigarh	10	)3	10	)4	10	)5	10	06	10	)7	10	)8
:	Indicator	given (	of Infants OPV 0 Dose)	Number o	of Infants BCG	Newborns g at birth to live l	given OPV0 Reported	Newborns	% given BCG ed live birth	Number (		Number (	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	11,568	10,610	12,106	11,486	97.8	96.5	102.3	104.5	8,669	8,266	7,986	7,565
1	Chandigarh	11,568	10,610	12,106	11,486	97.8	96.5	102.3	104.5	8,669	8,266	7,986	7,565

		10	)9	1	10	1	11	11	12	11	13	11	14
Indicator _Chandigarh		Number o	of Infants DPT3	- 1000000	of Infants tavalent 1		of Infants tavalent 2	Number e given Pen		Number o		Infants 0 to old who Measles v reported l	11 months received
	Indicator _Chandigarh	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	8,197	7,650							8,694	8,264	73.5	75.2
1	Chandigarh	8,197	7,650							8,694	8,264	73.5	75.2

	Indicator _Chandigarh	11	15	11	16	11	17	11	18	11	19	12	20
1	Indicator		of fully d children nonths)		6 t between Measles	Vitamin -	A dose 1	Children g dose1 to R bir	iven Vit A eported live	Children gi A Dose 9 t given Vit	ven Vitamin o Children	Adverse Following I (Oth	munisation
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	8,546	8,052	28.2	28.1	8,363	8,367	70.7	76.1	49.9	49.0	0	5
1	Chandigarh	8,546	8,052	28.2	28.1	8,363	8,367	70.7	76.1	49.9	49.0	0	5

	Indicator	12	21	12	22	12	23	12	24	12	25	12	26
1	Indicator	immunisati Held to Im Sessions	on Sessions munisation	presei Immunisati	on Sessions HAs were nt to	Diptheria i 0-5 Years Total R Childhood I	n Children of Age to eported Diseases 0-5	Pertusis in 0-5 Years Total R Childhood I	of Age to eported Diseases 0-5	Children 0 Age to Tota Childhood 1	onatorum in -5 Years of al Reported	Age to Tota Childhood I	Others in -5 Years of al Reported
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	95.9	95.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1	Chandigarh	95.9	95.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1

		27	12	28	12	29	13	30	13	31	13	32	
	Y6 R I		hildren 0-5 ge to Total Childhood	Childhood 1	Children	dehydr Children 0 Age to Tota Childhood	oea and ation in -5 Years of al Reported Diseases 0-5 ars	Malaria in ( Years of A	% Children 0-5 ge to Total Childhood 0-5 Years	Inpatients	Female	% Children In Total Ir	*
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	0.0	0.0	0.2	0.7	99.2	98.4	0.6	0.8	53.9	53.9	29.6	28.8
1	Chandigarh	0.0	0.0	0.2	0.7	99.2	98.4	0.6	0.8	53.9	53.9	29.6	28.8

	Indicator _Chandigarh	13	33	13	34	13	35	13	36	13	37	13	38
]	Indicator	Female I Deaths t Inpatien	npatient to Total	9 Inpatient I Tota		IPD (N	umber)	OPD (N	(umber)	% IPD	to OPD	Number Opera	of Major ations
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	36.1	36.7	4.9	5.2	89,555	81,066	2,394,988	2,230,126	3.7	3.6	28,124	28,296
1	Chandigarh	36.1	36.7	4.9	5.2	89,555	81,066	2,394,988	2,230,126	3.7	3.6	28,124	28,296

	Indicator  _Chandigarh	13	39	14	10	1	41	14	12	14	13	14	14
1	Indicator	Number Opera	of Minor ations		% erations to peration	Hyster	ber of ectomy series		•	Ayush OPI	O (Number)		% PD to Total PD
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	88,745	68,625	24.1	29.2			0.0	0.0	107,275	113,201	4.5	5.1
1	Chandigarh	88,745	68,625	24.1	29.2			0.0	0.0	107,275	113,201	4.5	5.1

		145		146		147		148		149		150	
Indicator		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	55,960	47,524	2.3	2.1	6,441	4,333	2.9	3.3	2.4	3.6	0.8	1.0
1	Chandigarh	55,960	47,524	2.3	2.1	6,441	4,333	2.9	3.3	2.4	3.6	0.8	1.0

		151		152		153		154		155		156	
Indicator		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	1.4	1.8	0.8	1.4	0.2	0.3	885	895	23.3	30.5	6.4	5.4
1	Chandigarh	1.4	1.8	0.8	1.4	0.2	0.3	885	895	23.3	30.5	6.4	5.4

		157		158		159		160		161		162	
	Indicator	9% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Chandigarh	5.3	5.9	3.4	3.5	0.1	0.0	0.1	0.0	0.0	0.0	61.3	54.8
1	Chandigarh	5.3	5.9	3.4	3.5	0.1	0.0	0.1	0.0	0.0	0.0	61.3	54.8