

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|------------|-----------|---|--|---|---|--|---|--|--|--|---|--|--|---|
| | | Total number of pregnant women Registered for ANC | Number of Pregnant women registered within first trimester | % 1st Trimester registration to Total ANC Registrations | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers) | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrations | % Pregnant women received TT2+ TT Booster to Total ANC Registrations | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrations | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institution | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 24,523 | 17,028 | 69.4 | 14,172 | 14,655 | 5,865 | 57.7 | 83.6 | 18,381 | 74.9 | 11,165 | 203 | 19.5 |
| 1 | BARAUT | 5,491 | 3,744 | 68.2 | 2,862 | 2,992 | 1,165 | 52.1 | 75.7 | 3,579 | 65.2 | 2,428 | 21 | 8.2 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 3,690 | 2,488 | 67.4 | 2,605 | 1,831 | 1,292 | 70.6 | 84.6 | 2,900 | 78.6 | 1,681 | 4 | 6.3 |
| 4 | Binauli | 4,406 | 3,673 | 83.4 | 2,817 | 3,039 | 469 | 63.9 | 79.6 | 3,782 | 85.8 | 3,051 | 51 | 20.9 |
| 5 | Chaprauli | 3,151 | 1,482 | 47.0 | 1,595 | 2,270 | 194 | 50.6 | 78.2 | 1,657 | 52.6 | 1,608 | 30 | 18.3 |
| 6 | Khekra | 3,381 | 2,705 | 80.0 | 1,508 | 1,913 | 999 | 44.6 | 86.1 | 2,987 | 88.3 | 889 | 85 | 33.9 |
| 7 | PILANA | 3,311 | 2,380 | 71.9 | 2,258 | 2,085 | 1,211 | 68.2 | 99.5 | 2,916 | 88.1 | 1,072 | 0 | 0.0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 1,093 | 556 | 50.9 | 527 | 525 | 535 | 48.2 | 97.0 | 560 | 51.2 | 436 | 12 | 46.2 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|------------|-----------|---|---------------------------|--|--|--|---|--|--|--|---|---|---|--|
| | | % New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducted at Public Institutions | Number of Women Discharged under 48 hours of delivery in public facilities | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | Deliveries Conducted at Private Institutions | Number of Women Discharged under 48 hours of delivery in private institutions | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions | Institutional deliveries (Public Insts.+Pvt . Insts.) | % Institutional Deliveries to total ANC registration |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 1.5 | 2,109 | 0 | 2,109 | 0.0 | 9,804 | 685 | 6.9 | 3,498 | 455 | 13.0 | 13,302 | 54.2 |
| 1 | BARAUT | 2.5 | 328 | 0 | 328 | 0.0 | 2,788 | 43 | 1.5 | 1,639 | 359 | 21.9 | 4,427 | 80.6 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0.4 | 293 | 0 | 293 | 0.0 | 1,278 | 41 | 3.2 | 704 | 96 | 13.6 | 1,982 | 53.7 |
| 4 | Binauli | 0.5 | 462 | 0 | 462 | 0.0 | 1,216 | 394 | 32.4 | | | | 1,216 | 27.6 |
| 5 | Chaprauli | 0.2 | 378 | 0 | 378 | 0.0 | 912 | 10 | 1.1 | 853 | 0 | 0.0 | 1,765 | 56.0 |
| 6 | Khekra | 3.2 | 420 | 0 | 420 | 0.0 | 574 | 30 | 5.2 | 54 | 0 | 0.0 | 628 | 18.6 |
| 7 | PILANA | 1.7 | 173 | 0 | 173 | 0.0 | 1,564 | 83 | 5.3 | 248 | 0 | 0.0 | 1,812 | 54.7 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 3.1 | 55 | 0 | 55 | 0.0 | 1,472 | 84 | 5.7 | | | | 1,472 | 134.7 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|------------|---------------------------|---------------------------|---|--|--|---|--|---|--|--|---|--|--|--|
| | | Total reported deliveries | % Institutional deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducted at public facilities | Number of C-section deliveries conducted at private facilities | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | % C-sections conducted at public facilities to Deliveries conducted at public facilities | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 15,411 | 86.3 | 86.3 | 13.7 | 144 | 0 | 1.0 | 1.5 | 0.0 | 73.7 | 26.3 | 6,479 | 4,833 |
| 1 | BARAUT | 4,755 | 93.1 | 93.1 | 6.9 | 5 | 0 | 0.1 | 0.2 | 0.0 | 63.0 | 37.0 | 1,620 | 1,551 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 2,275 | 87.1 | 87.1 | 12.9 | 3 | 0 | 0.2 | 0.2 | 0.0 | 64.5 | 35.5 | 1,417 | 1,277 |
| 4 | Binauli | 1,678 | 72.5 | 72.5 | 27.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 402 | 417 |
| 5 | Chaprauli | 2,143 | 82.4 | 82.4 | 17.6 | 0 | 0 | 0.0 | 0.0 | 0.0 | 51.7 | 48.3 | 180 | 254 |
| 6 | Khekra | 1,048 | 59.9 | 59.9 | 40.1 | 0 | 0 | 0.0 | 0.0 | 0.0 | 91.4 | 8.6 | 882 | 693 |
| 7 | PILANA | 1,985 | 91.3 | 91.3 | 8.7 | 0 | 0 | 0.0 | 0.0 | 0.0 | 86.3 | 13.7 | 486 | 387 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 1,527 | 96.4 | 96.4 | 3.6 | 136 | | 9.2 | 9.2 | | 100.0 | 0.0 | 1,492 | 254 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|------------|-----------|--|---|---|---|--|--|---|--|---|--|--|--|--|
| | | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 307.2 | 31.4 | 15,321 | 99.4 | 163 | 98.9 | 15,074 | 98.4 | 1,494 | 9.9 | 14,888 | 97.1 | 867 |
| 1 | BARAUT | 493.9 | 32.6 | 4,726 | 99.4 | 39 | 99.2 | 4,645 | 98.3 | 289 | 6.2 | 4,618 | 97.7 | 920 |
| 2 | Badauth | | | | | | | | | | | | | 0 |
| 3 | Baghpat | 483.6 | 56.1 | 2,242 | 98.5 | 40 | 98.2 | 2,192 | 97.8 | 110 | 5.0 | 2,194 | 97.9 | 710 |
| 4 | Binauli | 87.0 | 24.9 | 1,677 | 99.9 | 23 | 98.6 | 1,659 | 98.9 | 130 | 7.8 | 1,653 | 98.6 | 934 |
| 5 | Chaprauli | 47.6 | 11.9 | 2,148 | 100.2 | 8 | 99.6 | 2,129 | 99.1 | 173 | 8.1 | 2,120 | 98.7 | 802 |
| 6 | Khekra | 210.0 | 66.1 | 1,040 | 99.2 | 10 | 99.0 | 1,005 | 96.6 | 58 | 5.8 | 1,030 | 99.0 | 884 |
| 7 | PILANA | 280.9 | 19.5 | 1,984 | 99.9 | 4 | 99.8 | 1,943 | 97.9 | 330 | 17.0 | 1,946 | 98.1 | 895 |
| 8 | Pinalli | | | | | | | | | | | | | 0 |
| 9 | dhq | 2712.7 | 16.6 | 1,504 | 98.5 | 39 | 97.5 | 1,501 | 99.8 | 404 | 26.9 | 1,327 | 88.2 | 938 |

| Indicators | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|------------|-----------|--|---|--|---|---|--|--|---|--------------------------------------|---|--|--|---|
| | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrations | Number of PW given one Albendazole tablet after 1st trimester | % Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations | Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrations | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrations | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrations |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 1.0 | 100.0 | 5,681 | 23.2 | 3,288 | 13.4 | 0 | 0.0 | 0 | 0.0 | 9,807 | 3 | 40.0 |
| 1 | BARAUT | 0.0 | | 572 | 10.4 | 383 | 7.0 | 0 | 0.0 | 0 | 0.0 | 1,397 | 0 | 25.4 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | | 922 | 25.0 | 642 | 17.4 | 0 | 0.0 | 0 | 0.0 | 1,775 | 0 | 48.1 |
| 4 | Binauli | 0.0 | | 1,102 | 25.0 | 2,038 | 46.3 | 0 | 0.0 | 0 | 0.0 | 453 | 0 | 10.3 |
| 5 | Chaprauli | 0.0 | | 1,495 | 47.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 953 | 2 | 30.2 |
| 6 | Khekra | 0.0 | | 33 | 1.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1,242 | 0 | 36.7 |
| 7 | PILANA | 0.0 | | 1,369 | 41.3 | 46 | 1.4 | 0 | 0.0 | 0 | 0.0 | 833 | 0 | 25.2 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 10.4 | 100.0 | 188 | 17.2 | 179 | 16.4 | 0 | 0.0 | 0 | 0.0 | 3,154 | 1 | 288.6 |

| Indicators | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|------------|-----------|--|--|---------------------------|--|---|--|---------------------------|---|---|---|--|--|---------------------------------|
| | | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontaneous) Reported | Total Number of MTPs (Public) conducted | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs Conducted at Public Institutions to Total MTPs | % MTPs Conducted at Private Institutions to Total MTPs | % Total MTPs (Public) Conducted to Total ANC Registrati on | Number of Vasectomies Conducted |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 0.0 | | 26 | 0 | 347 | 53 | 13.3 | 100.0 | 0.0 | 100.0 | 0.0 | 0.2 | 186 |
| 1 | BARAUT | 0.0 | | 3 | 0 | 63 | 0 | 0.0 | | | | | 0.0 | 0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | | 6 | 0 | 107 | 53 | 33.1 | 100.0 | 0.0 | 100.0 | 0.0 | 1.4 | 146 |
| 4 | Binauli | 0.0 | | 5 | 0 | 71 | 0 | 0.0 | | | | | 0.0 | 0 |
| 5 | Chaprauli | 0.0 | | 4 | 0 | 90 | 0 | 0.0 | | | | | 0.0 | 0 |
| 6 | Khekra | 0.0 | | 1 | 0 | 0 | 0 | | | | | | 0.0 | 0 |
| 7 | PILANA | 0.0 | | 7 | 0 | 0 | 0 | | | | | | 0.0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0.1 | | 0 | 0 | 16 | 0 | 0.0 | | | | | 0.0 | 40 |

| Indicators | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|------------|-----------|---------------------------------|-------------------------------|---|---|--|--|--|---|---|--|--|---|--|
| | | Number of Tubectomies Conducted | Total Sterilisation Conducted | % Male Sterilisation (Vasectomies) to Total sterilisation | % Female Sterilisation (Tubectomies) to Total sterilisation | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH | Total Sterilisation (Tubectomies and Vasectomies) conducted at DH | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation | % Laparoscopic sterilisations to Total Female Sterilisations |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 687 | 873 | 21.3 | 78.7 | | | | | 51 | 822 | 5.8 | 94.2 | 90.5 |
| 1 | BARAUT | 183 | 183 | 0.0 | 100.0 | | | | | 4 | 179 | 2.2 | 97.8 | 97.8 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 448 | 594 | 24.6 | 75.4 | | | | | 34 | 560 | 5.7 | 94.3 | 92.4 |
| 4 | Binauli | 0 | 0 | | | | | | | | 0 | | | |
| 5 | Chaprauli | 0 | 0 | | | | | | | 0 | 0 | | | |
| 6 | Khekra | 0 | 0 | | | | | | | 0 | 0 | | | |
| 7 | PILANA | 13 | 13 | 0.0 | 100.0 | | | | | 13 | 0 | 100.0 | 0.0 | 0.0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 43 | 83 | 48.2 | 51.8 | | | | | | 83 | 0.0 | 100.0 | 67.4 |

| Indicators | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|------------|-----------|--|---|---|---|---|--|--|--|---|---|--|--|--|
| | | % Mini Lap Sterilisati ons to Total Female Sterilisati ons | % Post Partum Sterilisati ons to Total Female Sterilisati ons | % Post Abortion Sterilisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterilisati on | Total cases of deaths following Female Sterilisati on | Total cases of failure following Male Sterilisati on | Total cases of failure following Female Sterilisati on | Total cases of complicat ion following Male Sterilisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 4.8 | 4.6 | 0.0 | 100.0 | 0.0 | 43.8 | | 0 | 0 | 0 | 0 | 0 | 1 |
| 1 | BARAUT | 2.2 | 0.0 | 0.0 | 100.0 | 0.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 6.5 | 1.1 | 0.0 | 100.0 | 0.0 | 0.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Binauli | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Chaprauli | | | | | | | | 0 | 0 | 0 | 0 | 0 | 1 |
| 6 | Khekra | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | PILANA | 0.0 | 100.0 | 0.0 | | | 0.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0.0 | 32.6 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|------------|-----------|--|--|--|---|--|---|-------------------------------------|-------------------------------|------------------------------|---------------------------------|-----------------------------|---------------------------|---|
| | | Total cases of complication following Female Sterilisation | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permanent) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combined Oral Pills distributed | Emergency pills distributed | Condom pieces distributed | Centchroman (weekly pills) distributed |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 0 | 3,891 | 1,119 | 49.9 | 19.8 | 85.1 | 3,057 | 1,953 | 0 | 15,659 | 2,449 | 241,605 | 0 |
| 1 | BARAUT | 0 | 1,671 | 383 | 73.9 | 44.3 | 91.8 | 817 | 1,237 | 0 | 5,368 | 701 | 54,225 | 0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0 | 655 | 383 | 20.8 | 10.6 | 63.6 | 897 | 141 | 0 | 2,668 | 765 | 52,280 | 0 |
| 4 | Binauli | 0 | 466 | | 0.4 | 0.2 | 100.0 | 464 | 2 | 0 | 1,058 | 91 | 29,110 | 0 |
| 5 | Chaprauli | 0 | 202 | 0 | 5.9 | 1.3 | 100.0 | 190 | 12 | 0 | 1,330 | 197 | 28,182 | 0 |
| 6 | Khekra | 0 | 283 | 0 | 34.3 | 16.9 | 100.0 | 186 | 97 | 0 | 1,476 | 374 | 40,338 | 0 |
| 7 | PILANA | 0 | 347 | 353 | 77.8 | 17.3 | 98.2 | 429 | 271 | 0 | 2,454 | 14 | 16,893 | 0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0 | 267 | | 72.3 | 13.1 | 76.3 | 74 | 193 | 0 | 1,305 | 307 | 20,577 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|------------|-----------|---|---|---|---|------------------------------------|--|--------------------------------|--|---|--|---|---------------------------------------|---------------------------------------|
| | | Number of beneficia- ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia- ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia- ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia- ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 0 | 0 | 0 | 0 | 10,261 | 14,368 | 20,959 | 7,857 | 93.8 | 136.8 | 51.3 | 0 | 0 |
| 1 | BARAUT | 0 | 0 | 0 | 0 | 1,295 | 3,556 | 5,095 | 2,063 | 75.2 | 107.8 | 43.7 | 0 | 0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0 | 0 | 0 | 0 | 1,771 | 1,464 | 2,390 | 1,000 | 65.3 | 106.6 | 44.6 | 0 | 0 |
| 4 | Binauli | 0 | 0 | 0 | 0 | 1,479 | 2,186 | 3,004 | 1,141 | 130.4 | 179.1 | 68.0 | 0 | 0 |
| 5 | Chaprauli | 0 | 0 | 0 | 0 | 713 | 2,033 | 3,559 | 804 | 94.6 | 165.7 | 37.4 | 0 | 0 |
| 6 | Khekra | 0 | 0 | 0 | 0 | 2,010 | 844 | 2,259 | 473 | 81.2 | 217.2 | 45.5 | 0 | 0 |
| 7 | PILANA | 0 | 0 | 0 | 0 | 1,789 | 2,751 | 2,876 | 1,214 | 138.7 | 145.0 | 61.2 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0 | 0 | 0 | 0 | 1,204 | 1,534 | 1,776 | 1,162 | 102.0 | 118.1 | 77.3 | 0 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|------------|-----------|------------------------------|--|--|--|---------------------------------|----------------------------|---|---|--------------------------------------|---|---|--|---|
| | | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisation (Abcess) | Adverse Events Following Imunisation (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 0 | 19,904 | 18,494 | 18,798 | 21,719 | 0 | 141.7 | 21,697 | -3.6 | 140.5 | 253.3 | 0 | 0 |
| 1 | BARAUT | 0 | 4,483 | 4,260 | 4,205 | 4,726 | 0 | 100.0 | 4,725 | 7.2 | 100.0 | 73.3 | 0 | 0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0 | 3,116 | 2,817 | 2,828 | 3,121 | 0 | 139.2 | 3,121 | -30.6 | 139.3 | 290.5 | 0 | 0 |
| 4 | Binauli | 0 | 3,364 | 3,060 | 3,075 | 3,389 | 0 | 202.1 | 3,389 | -12.8 | 202.3 | 390.9 | 0 | 0 |
| 5 | Chaprauli | 0 | 2,551 | 2,275 | 2,417 | 3,127 | 0 | 145.6 | 3,127 | 12.1 | 145.6 | 111.4 | 0 | 0 |
| 6 | Khekra | 0 | 2,399 | 2,381 | 2,638 | 3,189 | 0 | 306.6 | 3,189 | -41.2 | 308.7 | 88.4 | 0 | 0 |
| 7 | PILANA | 0 | 3,131 | 2,971 | 2,807 | 3,210 | 0 | 161.8 | 3,199 | -11.6 | 150.8 | 702.2 | 0 | 0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0 | 860 | 730 | 828 | 957 | 0 | 63.6 | 947 | 46.1 | 63.7 | 145.9 | 0 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|-----------|--|---|---|--|-------------------------------------|-------------------------------------|---|--|---|--|--|--------------------------------------|--------------------------------------|
| | | Adverse Events Following Immunisation (Others) | % immunisation Sessions Held to Immunisation Sessions Planned | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | Pneumonia in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheria in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonatorum in Children 0-5 Years of Age | Tuberculosis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 0 | 99.8 | 83.7 | 688 | 41 | 0 | 0 | 2 | 0 | 3 | 3 | 8 | 688 |
| 1 | BARAUT | 0 | 99.0 | 85.2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0 | 100.8 | 88.1 | 59 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 59 |
| 4 | Binauli | 0 | 100.0 | 85.5 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| 5 | Chaprauli | 0 | 99.5 | 92.0 | 101 | 12 | 0 | 0 | 2 | 0 | 1 | 1 | 1 | 101 |
| 6 | Khekra | 0 | 100.0 | 77.9 | 174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 174 |
| 7 | PILANA | 0 | 99.8 | 96.0 | 274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 274 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 0 | 100.0 | 21.6 | 66 | 28 | 0 | 0 | 0 | 0 | 2 | 2 | 5 | 66 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-----------|--|---|---|--|--|--|--|--|---|---|---|---------------------------------|--------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3rd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 5,989 | 221 | 0 | 0 | 0 | 0 | 18,228 | 0 | 68.5 | 30.6 | | 0.0 | 34,405 |
| 1 | BARAUT | 25 | 0 | 0 | 0 | 0 | 0 | 3,847 | 0 | 66.3 | 23.6 | | 0.0 | 7,074 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 1,124 | 21 | 0 | 0 | 0 | 0 | 2,848 | 0 | 64.2 | 26.6 | | 0.0 | 6,834 |
| 4 | Binauli | 45 | 0 | 0 | 0 | 0 | 0 | 2,980 | 0 | 62.2 | 42.1 | | 0.0 | 2,967 |
| 5 | Chaprauli | 284 | 16 | 0 | 0 | 0 | 0 | 2,652 | 0 | 89.1 | 47.1 | | 0.0 | 1,938 |
| 6 | Khekra | 464 | 53 | 0 | 0 | 0 | 0 | 2,518 | 0 | 59.6 | 23.5 | | 0.0 | 5,392 |
| 7 | PILANA | 46 | 0 | 0 | 0 | 0 | 0 | 2,530 | 0 | 67.6 | 32.7 | | 0.0 | 4,379 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 4,001 | 131 | 0 | 0 | 0 | 0 | 853 | 0 | 85.5 | 37.4 | | 0.0 | 5,821 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-----------|------------------|--------------------|------------------------|--------------|----------------------------|----------------------------|---------------------------------------|----------------------------------|--|--------------------------|---------------------|---------------------------|---|
| | | OPD (Allopathic) | Ayush OPD (Number) | OPD (Ayush+Allopathic) | % IPD to OPD | Number of Major Operations | Number of Minor Operations | % Major Operations to Total Operation | Number of Hysterectomy Surgeries | % Hysterectomy Surgeries to Total Major Operations | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducted |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 950,857 | 114,331 | 1,065,188 | 3.2 | 288 | 1,403 | 17.0 | 62 | 21.5 | 10.7 | 12,501 | 1.2 | 3.0 |
| 1 | BARAUT | 185,036 | 9,183 | 194,219 | 3.6 | 1 | 179 | 0.6 | 0 | 0.0 | 4.7 | 0 | 0.0 | 0.7 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 187,059 | 13,001 | 200,060 | 3.4 | 18 | 431 | 4.0 | 0 | 0.0 | 6.5 | 3,750 | 1.9 | 1.8 |
| 4 | Binauli | 114,008 | 4,686 | 118,694 | 2.5 | 0 | 0 | | 0 | | 3.9 | 0 | 0.0 | 1.9 |
| 5 | Chaprauli | 95,671 | 7,799 | 103,470 | 1.9 | 0 | 0 | | 0 | | 7.5 | 14 | 0.0 | 2.0 |
| 6 | Khekra | 51,547 | 25,301 | 76,848 | 7.0 | 0 | 0 | | 0 | | 32.9 | 163 | 0.2 | 2.6 |
| 7 | PILANA | 99,402 | 32,778 | 132,180 | 3.3 | 0 | 0 | | 0 | | 24.8 | 566 | 0.4 | 1.1 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 218,134 | 21,583 | 239,717 | 2.4 | 269 | 793 | 25.3 | 62 | 23.0 | 9.0 | 8,008 | 3.3 | 6.0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|----------|---|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 1.1 | 11.4 | 0.3 | 0.6 | 0.8 | 0.0 | 61 | 4.9 | 6.6 | 6.6 | 0.0 | 3.3 | 0.0 |
| 1 | BARAUT | 2.2 | 5.4 | 0.0 | 1.1 | 0.8 | 0.0 | 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Badauth | | | | | | | | | | | | | |
| 3 | Baghpat | 0.0 | 9.8 | 0.0 | 0.0 | 1.1 | 0.0 | 7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Binauli | | 1.1 | 0.0 | 0.0 | 0.8 | 0.0 | 8 | 0.0 | 0.0 | 12.5 | 0.0 | 25.0 | 0.0 |
| 5 | Chapraul | 0.0 | 0.0 | | 0.0 | 0.5 | 0.0 | 25 | 0.0 | 4.0 | 8.0 | 0.0 | 0.0 | 0.0 |
| 6 | Khekra | 0.0 | 0.0 | | 0.0 | 0.3 | 0.0 | 0 | | | | | | |
| 7 | PILANA | | 0.0 | | | 2.1 | 0.0 | 13 | 23.1 | 23.1 | 7.7 | 0.0 | 0.0 | 0.0 |
| 8 | Pinalli | | | | | | | | | | | | | |
| 9 | dhq | 1.1 | 190.9 | 0.3 | 0.7 | 0.4 | 0.0 | 0 | | | | | | |

Performance of Key HMIS Indicators for Uttar Pradesh-> Bagpat (Across Sub Districts)
 Financial Year: 2017-18
 Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 196 | 197 | 198 |
|------------|-----------|--|--|---|
| | | Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH | Institutional Deliveries at District Hospitals | Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Bagpat | 91 | | |
| 1 | BARAUT | | | |
| 2 | Badauth | | | |
| 3 | Baghpat | | | |
| 4 | Binauli | | | |
| 5 | Chaprauli | | | |
| 6 | Khekra | | | |
| 7 | PILANA | | | |
| 8 | Pinalli | | | |
| 9 | dhq | 91 | | |