

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	38,592	32,589	84.4	37,540	37,672	4,277	97.2	108.6	37,482	97.1	25,983	1,028
1	Heggadadevankote	3,578	3,256	91.0	2,342	3,365	188	65.5	99.3	2,961	82.8	2,286	79
2	Hunsur	3,815	3,569	93.6	3,353	3,338	1,178	87.9	118.4	3,913	102.6	2,578	8
3	Krishnarajanagara	3,034	2,620	86.4	2,920	2,932	853	96.2	124.8	3,212	105.9	1,628	58
4	Mysore	16,684	12,482	74.8	17,866	16,958	1,168	107.1	108.6	15,836	94.9	10,997	730
5	Nanjangudu	4,875	4,566	93.7	4,693	4,551	338	96.3	100.3	4,819	98.9	2,776	107
6	Periyapatna	3,016	2,717	90.1	2,804	2,655	524	93.0	105.4	2,699	89.5	1,587	32
7	Tirumakudal Narsipur	3,590	3,379	94.1	3,562	3,873	28	99.2	108.7	4,042	112.6	4,131	14

Indicators		13	14	15	16	17	18	19	20	21	22	23	24
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7	% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	62.3	5.1	3	3	0	100.0	24,360	91	0.3	17,565	0	0.0
1	Heggadadevankote	49.1	3.1	1	1	0	100.0	1,707	22	1.3	1,862	0	0.0
2	Hunsur	11.1	1.0	1	1	0	100.0	1,220	7	0.6	113	0	0.0
3	Krishnarajanagara	40.3	5.4	0	0	0		1,767	6	0.3	130	0	0.0
4	Mysore	76.1	8.4	0	0	0		15,919	40	0.3	15,284		0.0
5	Nanjangudu	68.6	3.2	0	0	0		1,640	0	0.0	171	0	0.0
6	Periyapatna	55.2	3.8	1	1	0	100.0	836	14	1.7	5	0	0.0
7	Tirumakudal Narsipur	14.0	0.3	0	0	0		1,271	2	0.2			

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		25	26	27	28	29	30	31	32	33	34	35	36
		Institutional deliveries (Public Insts.+Pvt. Insts.)	% Institutional Deliveries to total ANC registration	Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	41,925	108.6	41,928	100.0	100.0	0.0	4,885	10,026	35.5	20.1	57.1	58.1
1	Heggadadevankote	3,569	99.7	3,570	100.0	100.0	0.0	98	545	18.0	5.7	29.3	47.8
2	Hunsur	1,333	34.9	1,334	99.9	100.0	0.1	2	26	2.1	0.2	23.0	91.5
3	Krishnarajanagara	1,897	62.5	1,897	100.0	100.0	0.0	373	103	25.1	21.1	79.2	93.1
4	Mysore	31,203	187.0	31,203	100.0	100.0	0.0	4,205	9,235	43.1	26.4	60.4	51.0
5	Nanjangudu	1,811	37.1	1,811	100.0	100.0	0.0	36	117	8.4	2.2	68.4	90.6
6	Periyapatna	841	27.9	842	99.9	100.0	0.1	20	0	2.4	2.4	0.0	99.4
7	Tirumakudal Narsipur	1,271	35.4	1,271	100.0	100.0	0.0	151		11.9	11.9		100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		37	38	39	40	41	42	43	44	45	46	47	48
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	41.9	23	60,906	766.7	145.3	41,597	99.2	460	98.9	41,926	100.8	3,562
1	Heggadadevankote	52.2	1	4,798	100.0	134.4	3,554	99.6	34	99.1	3,558	100.1	772
2	Hunsur	8.5	1	4,090	100.0	306.6	1,330	99.7	7	99.5	1,326	99.7	169
3	Krishnarajanagara	6.9	2	3,718		196.0	1,887	99.5	10	99.5	1,890	100.2	192
4	Mysore	49.0	17	38,612		123.7	30,884	99.0	390	98.8	31,209	101.1	2,013
5	Nanjangudu	9.4	0	3,284		181.3	1,811	100.0	9	99.5	1,813	100.1	227
6	Periyapatna	0.6	2	2,610	200.0	310.0	870	103.3	0	100.0	868	99.8	89
7	Tirumakudal Narsipur	0.0	0	3,794		298.5	1,261	99.2	10	99.2	1,262	100.1	100

Indicators		49	50	51	52	53	54	55	56	57	58	59	60
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)	% cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	8.4	41,111	98.8	946	7.0	28.3	26,716	69.2	22,902	59.3	10,788	28.0
1	Heggadadevankote	21.7	3,471	97.7	971	1.1	53.8	1,615	45.1	1,147	32.1	1,640	45.8
2	Hunsur	12.7	1,300	97.7	922	0.0		2,016	52.8	1,878	49.2	110	2.9
3	Krishnarajanagara	10.2	1,854	98.3	1,012	2.0	142.1	1,744	57.5	1,618	53.3	419	13.8
4	Mysore	6.5	30,559	98.9	938	8.8	27.5	12,305	73.8	10,285	61.6	7,976	47.8
5	Nanjangudu	12.5	1,804	99.6	918	7.4	0.0	4,337	89.0	4,174	85.6	297	6.1
6	Periyapatna	10.3	857	98.5	1,057	0.0		1,628	54.0	926	30.7	286	9.5
7	Tirumakudal Narsipur	7.9	1,266	100.4	955	0.0		3,071	85.5	2,874	80.1	60	1.7

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		61	62	63	64	65	66	67	68	69	70	71	72
		Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	417	1.1	16,096	112	41.7	0.2	0.0	29	19	1,252	629	49.8
1	Heggadadevankote	31	0.9	804	0	22.5	0.0		1	0	180	63	30.8
2	Hunsur	7	0.2	1,721	1	45.1	0.0		0	0	75	3	3.8
3	Krishnarajanagara	3	0.1	638	22	21.0	0.0	0.0	0	0	149	121	44.8
4	Mysore	368	2.2	7,063	59	42.3	0.4	0.0	25	19	629	290	58.4
5	Nanjangudu	7	0.1	3,045	3	62.5	0.1		1	0	100	62	38.3
6	Periyapatna	1	0.0	1,461	23	48.4	0.1		2	0	63	29	31.5
7	Tirumakudal Narsipur	0	0.0	1,364	4	38.0	0.0		0	0	56	61	52.1

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		73	74	75	76	77	78	79	80	81	82	83	84
		% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterilisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conduce d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conduce d at CHC
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	85.5	14.5	50.7	49.3	1.6	24	14,326	14,350	0.1	99.8		
1	Heggadadevankote	82.5	17.5	78.8	21.3	1.8	2	1,746	1,748	0.1	99.9		
2	Hunsur	66.7	33.3	100.0	0.0	0.1	2	979	981	0.2	99.8		
3	Krishnarajanagara	91.7	8.3	100.0	0.0	4.0	0	819	819	0.0	100.0		
4	Mysore	85.5	14.5	32.8	67.2	1.7	20	8,394	8,414	0.2	99.8		
5	Nanjangudu	82.3	17.7	100.0	0.0	1.3	0	845	845	0.0	100.0		
6	Periyapatna	96.6	3.4	100.0	0.0	1.0	0	456	456	0.0	100.0		
7	Tirumakudal Narsipur	75.4	24.6	100.0	0.0	1.7	0	1,087	1,087	0.0	100.0		

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85	86	87	88	89	90	91	92	93	94	95	96
		Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterilisati on	% Laparosc opic sterilisati ons to Total Female Sterilisati ons	% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore			6,304	8,046	43.9	56.1	44.4	28.9	21.4	5.3	75.9	55.9
1	Heggadadevankote			550	1,198	31.5	68.5	69.2	17.1	12.9	0.7	88.0	34.4
2	Hunsur			4	977	0.4	99.6	78.8	19.9	0.2	1.1	100.0	99.0
3	Krishnarajanagara			145	674	17.7	82.3	65.2	16.2	18.4	0.1	93.4	29.3
4	Mysore			5,588	2,826	66.4	33.6	28.5	31.0	31.6	8.9	43.5	41.3
5	Nanjangudu			17	828	2.0	98.0	57.3	39.3	3.3	0.1	100.0	99.4
6	Periyapatna			0	456	0.0	100.0	93.4	4.8	1.8	0.0	100.0	100.0
7	Tirumakudal Narsipur				1,087	0.0	100.0	49.1	50.8	0.1	0.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		97	98	99	100	101	102	103	104	105	106	107	108
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation	% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation	Total cases of deaths following Sterilisation (Male + Female)	Total cases of deaths following Male Sterilisation	Total cases of deaths following Female Sterilisation	Total cases of failure following Male Sterilisation	Total cases of failure following Female Sterilisation	Total cases of complication following Male Sterilisation	Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	28.8	1.8	0	0	0	0	4	0	0	3,839	3,626	22.3
1	Heggadadevankote	12.8	0.0	0	0	0	0	0	0	0	345	232	21.2
2	Hunsur	0.0	100.0	0	0	0	0	0	0	0	380	10	2.6
3	Krishnarajanagara	90.1	0.0	0	0	0	0	0	0	0	573	98	49.6
4	Mysore	26.3	0.3	0	0	0	0	1	0	0	1,528	3,286	21.4
5	Nanjangudu	46.4	100.0	0	0	0	0	2	0	0	476		25.6
6	Periyapatna	100.0		0	0	0	0	0	0	0	229	0	9.6
7	Tirumakudal Narsipur	100.0		0	0	0	0	1	0	0	308		6.8

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109	110	111	112	113	114	115	116	117	118	119	120
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permane nt)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man (weekly pills) distribute d	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	3.5	34.2	5,253	2,164	48	94,958	2,367	664,574	1,344	352	97	6
1	Heggadadevankote	4.3	24.8	494	80	3	14,207	283	100,834	128	0	0	0
2	Hunsur	0.8	28.4	380	10	0	9,032	8	70,326	241	0	0	0
3	Krishnarajanagara	16.1	45.0	374	284	13	8,369	3	60,503	403	0	0	0
4	Mysore	2.1	36.4	3,163	1,625	26	27,924	2,035	191,418	416	352	97	6
5	Nanjangudu	7.4	36.0	351	122	3	16,891	21	86,074	1	0	0	0
6	Periyapatna	2.6	33.4	206	22	1	7,352	13	53,463	155	0	0	0
7	Tirumakudal Narsipur	1.7	22.1	285	21	2	11,183	4	101,956	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		121	122	123	124	125	126	127	128	129	130	131	132
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2	Number of Infants given DPT3	Number of Infants given Pentavalent 1
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	0	28,537	42,707	40,620	40,398	102.7	97.7	97.1	2	1	12	42,110
1	Heggadadevankote	0	2,591	3,333	3,286	3,299	93.8	92.5	92.8	2	1	6	3,924
2	Hunsur	0	2,366	1,384	1,677	1,268	104.1	126.1	95.3	0	0	0	4,336
3	Krishnarajanagara	0	1,431	2,028	2,396	1,805	107.5	127.0	95.7	0	0	3	3,331
4	Mysore	0	13,084	31,908	27,184	29,980	103.3	88.0	97.1	0	0	3	18,108
5	Nanjangudu	0	5,438	1,808	2,892	1,813	99.8	159.7	100.1	0	0	0	4,838
6	Periyapatna	0	765	983	1,623	970	113.0	186.6	111.5	0	0	0	3,586
7	Tirumakudal Narsipur	0	2,862	1,263	1,562	1,263	100.2	123.9	100.2	0	0	0	3,987

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133	134	135	136	137	138	139	140	141	142	143	144
		Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)	Adverse Events Following Imunisati on (Others)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	41,093	41,337	980	40,579	99.9	40,751	97.6	96.7	103.0	0	0	0
1	Heggadadevankote	3,851	3,659	240	3,518	105.7	4,086	92.7	98.6	110.4	0	0	0
2	Hunsur	4,517	4,564	166	4,287	334.8	4,423	90.1	330.8	105.7	0	0	0
3	Krishnarajanagara	3,409	3,358	30	3,209	171.6	2,974	98.7	168.8	138.2	0	0	0
4	Mysore	17,219	17,634	476	17,546	58.4	17,519	98.2	56.7	78.8	0	0	0
5	Nanjangudu	4,736	4,748	8	4,713	260.7	4,571	99.7	255.7	45.4	0	0	0
6	Periyapatna	3,511	3,424	60	3,290	385.1	3,181	96.3	367.8	167.8	0	0	0
7	Tirumakudal Narsipur	3,850	3,950	0	4,016	318.5	3,997	100.0	299.1	191.0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		145	146	147	148	149	150	151	152	153	154	155	156
		% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	92.0	89.9	1,241	1,097	332	0	0	0	45	45	19	1,241
1	Heggadadevankote	93.6	92.8	201	185	98	0	0	0	21	21	1	201
2	Hunsur	99.6	96.5	4	0	0	0	0	0	0	0	2	4
3	Krishnarajanagara	98.1	100.0	283	165	50	0	0	0	2	2	2	283
4	Mysore	88.9	71.6	548	391	173	0	0	0	16	16	12	548
5	Nanjangudu	97.0	99.7	164	325	8	0	0	0	2	2	0	164
6	Periyapatna	96.1	92.7	7	3	0	0	0	0	2	2	2	7
7	Tirumakudal Narsipur	80.5	94.5	34	28	3	0	0	0	2	2	0	34

Indicators		157	158	159	160	161	162	163	164	165	166	167	168
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	5,707	1,308	40,579	362	207	207	708	38,365	55.3	20.8	37.5	0.5
1	Heggadadevankote	902	197	3,518	0	0	0	183	2,764	59.5	29.5	28.0	0.2
2	Hunsur	777	78	4,287	0	0	0	65	4,144	56.9	14.9	30.8	0.3
3	Krishnarajanagara	459	246	3,209	0	0	0	55	3,035	41.1	15.0	28.0	0.3
4	Mysore	2,086	661	17,546	361	207	207	217	17,078	55.2	21.6	38.5	0.6
5	Nanjangudu	679	88	4,713	0	0	0	53	4,675	60.5	10.9	54.5	0.1
6	Periyapatna	515	28	3,290	1	0	0	122	2,936	56.1	6.3	20.8	0.3
7	Tirumakudal Narsipur	289	10	4,016	0	0	0	13	3,733	57.2	17.3	26.4	0.4

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169	170	171	172	173	174	175	176	177	178	179	180
		IPD (Number)	OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	427,461	6,717,182	114,902	6,832,084	6.3	74,158	28,804	72.0	3,266	4.4	1.6	107,232
1	Heggadadevankote	28,940	522,203	5,005	527,208	5.5	828	937	46.9	96	11.6	0.9	8,534
2	Hunsur	11,326	442,542	5,286	447,828	2.5	96	383	20.0	2	2.1	1.2	5,807
3	Krishnarajanagara	17,208	421,984	40,370	462,354	3.7	635	489	56.5	46	7.2	8.7	29,366
4	Mysore	328,865	3,624,883	1,437	3,626,320	9.1	72,080	23,519	75.4	2,988	4.1	0.0	23,452
5	Nanjangudu	19,770	627,472	39,854	667,326	3.0	167	2,535	6.2	12	7.2	6.0	13,032
6	Periyapatna	7,299	404,886	1	404,887	1.8	68	258	20.9	14	20.6	0.0	4,998
7	Tirumakudal Narsipur	14,053	673,212	22,949	696,161	2.0	284	683	29.4	108	38.0	3.3	22,043

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		181	182	183	184	185	186	187	188	189	190	191	192
		% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted	% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrations	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodium Vivax test positive to Total Blood Smears Examined	% Plasmodium Falciparum test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumonia to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	1.6	2.7	0.8	127.4	0.9	0.8	0.1	0.0	846	16.4	7.8	10.2
1	Heggadadevankote	1.6	2.9	1.4	56.1	1.8	1.5	0.0	0.0	16	18.8	6.3	0.0
2	Hunsur	1.3	2.4	0.7	41.2	1.4	0.9	0.0	0.0	4	0.0	0.0	0.0
3	Krishnarajanagara	6.4	6.6	0.5	74.6	0.5	0.5	0.3	0.0	15	20.0	13.3	0.0
4	Mysore	0.6	2.6	0.8	196.3	0.9	0.9	0.0	0.0	778	16.8	7.8	10.3
5	Nanjangudu	2.0	3.0	0.5	70.1	0.8	0.6	0.3	0.0	20	0.0	5.0	10.0
6	Periyapatna	1.2	2.0	0.7	55.4	0.6	0.6	0.0	0.0	7	14.3	0.0	14.3
7	Tirumakudal Narsipur	3.2	1.8	0.5	152.9	0.4	0.5	0.0	0.0	6	16.7	16.7	50.0

Performance of Key HMIS Indicators for Karnataka-> Mysore (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193	194	195	196	197	198
		% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths	Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Mysore	0.2	0.6	0.0	22,008		
1	Heggadadevankote	0.0	0.0	0.0	1,862		
2	Hunsur	0.0	0.0	0.0	624		
3	Krishnarajanagara	0.0	0.0	0.0	130		
4	Mysore	0.1	0.6	0.0	18,106		
5	Nanjangudu	5.0	0.0	0.0	1,281		
6	Periyapatna	0.0	0.0	0.0	5		
7	Tirumakudal Narsipur	0.0	0.0	0.0			