| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|----|-----------------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 46,493 | 28,085 | 60.4 | 18,127 | 18,438 | 22,867 | 38.9 | 88.8 | 16,403 | 35.2 | 15,203 | 195 | 19.8 |
| 1 | Banma Itarhi | 2,267 | 1,101 | 48.6 | 889 | 1,118 | 1,200 | 39.2 | 102.2 | 311 | 13.7 | 8 | 0 | |
| 2 | Kahara | 4,728 | 1,859 | 39.3 | 1,379 | 1,941 | 2,222 | 29.2 | 88.0 | 738 | 15.6 | 834 | 7 | 3.8 |
| 3 | Mahishi | 5,057 | 4,171 | 82.5 | 1,540 | 2,061 | 2,624 | 30.5 | 92.6 | 1,452 | 28.7 | 409 | 2 | 7.7 |
| 4 | Nauhatta | 3,699 | 1,970 | 53.3 | 611 | 1,334 | 2,005 | 16.5 | 90.3 | 3,067 | 82.9 | 13 | 0 | |
| 5 | Pachgachhiya | 3,983 | 2,509 | 63.0 | 1,728 | 1,831 | 1,719 | 43.4 | 89.1 | 1,893 | 47.5 | 234 | 0 | |
| 6 | Patarghat | 2,915 | 1,487 | 51.0 | 1,478 | 1,110 | 1,702 | 50.7 | 96.5 | 1,368 | 46.9 | 1,393 | 0 | 0.0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 1,224 | 512 | 41.8 | 264 | 469 | 243 | 21.6 | 58.2 | 544 | 44.4 | 4,931 | 174 | 66.2 |
| 9 | Salkhua | 3,501 | 1,856 | 53.0 | 1,607 | 1,281 | 1,784 | 45.9 | 87.5 | 2,782 | 79.5 | 65 | 0 | 0.0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 5,508 | 3,848 | 69.9 | 3,201 | 2,264 | 2,839 | 58.1 | 92.6 | 879 | 16.0 | 1,630 | 10 | 12.8 |
| 12 | Simri Bakhtiyarpur | 6,601 | 3,593 | 54.4 | 2,939 | 2,465 | 3,870 | 44.5 | 96.0 | 787 | 11.9 | 5,686 | 2 | 0.5 |
| 13 | Sonbarsa | 7,010 | 5,179 | 73.9 | 2,491 | 2,564 | 2,659 | 35.5 | 74.5 | 2,582 | 36.8 | 0 | 0 | |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|----|-----------------------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 0.9 | 6,566 | 740 | 5,826 | 11.2 | 30,493 | 9,226 | 30.2 | | | | 30,493 | 65.5 |
| 1 | Banma Itarhi | 0.0 | 304 | 102 | 202 | 33.6 | 0 | 0 | | | | | 0 | 0.0 |
| 2 | Kahara | 0.0 | 45 | 0 | 45 | 0.0 | 2,221 | 1,866 | 84.0 | | | | 2,221 | 47.0 |
| 3 | Mahishi | 0.1 | 1,991 | 0 | 1,991 | 0.0 | 2,584 | 47 | 1.8 | | | | 2,584 | 51.1 |
| 4 | Nauhatta | 0.1 | 623 | 180 | 443 | 28.9 | 1,484 | 588 | 39.6 | | | | 1,484 | 40.1 |
| 5 | Pachgachhiya | 0.2 | 46 | 0 | 46 | 0.0 | 1,859 | 1,860 | 100.1 | | | | 1,859 | 46.7 |
| 6 | Patarghat | 2.5 | 452 | 103 | 349 | 22.8 | 2,363 | 2,240 | 94.8 | | | | 2,363 | 81.1 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 17.2 | | | | | 5,586 | 436 | 7.8 | | | | 5,586 | 456.4 |
| 9 | Salkhua | 0.0 | 1,038 | 90 | 948 | 8.7 | 1,337 | 1,331 | 99.6 | | | | 1,337 | 38.2 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0.5 | 82 | 0 | 82 | 0.0 | 4,152 | 168 | 4.0 | | | | 4,152 | 75.4 |
| 12 | Simri Bakhtiyarpur | 1.0 | 868 | 256 | 612 | 29.5 | 5,774 | 313 | 5.4 | | | | 5,774 | 87.5 |
| 13 | Sonbarsa | 0.0 | 1,117 | 9 | 1,108 | 0.8 | 3,133 | 377 | 12.0 | | | | 3,133 | 44.7 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|----|-----------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 37,059 | 82.3 | 84.3 | 17.7 | 264 | | 0.8 | 0.9 | | 100.0 | 0.0 | 17,150 | 19,042 |
| 1 | Banma Itarhi | 304 | 0.0 | 33.6 | 100.0 | 0 | | | | | | | 4 | 0 |
| 2 | Kahara | 2,266 | 98.0 | 98.0 | 2.0 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 45 | 96 |
| 3 | Mahishi | 4,575 | 56.5 | 56.5 | 43.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 3,379 | 2,207 |
| 4 | Nauhatta | 2,107 | 70.4 | 79.0 | 29.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 221 | 874 |
| 5 | Pachgachhiya | 1,905 | 97.6 | 97.6 | 2.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 159 | 1,481 |
| 6 | Patarghat | 2,815 | 83.9 | 87.6 | 16.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,468 | 1,125 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 5,586 | 100.0 | 100.0 | 0.0 | 264 | | 4.7 | 4.7 | | 100.0 | 0.0 | 5,516 | 264 |
| 9 | Salkhua | 2,375 | 56.3 | 60.1 | 43.7 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 941 | 2,085 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 4,234 | 98.1 | 98.1 | 1.9 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 333 | 2,292 |
| 12 | Simri Bakhtiyarpur | 6,642 | 86.9 | 90.8 | 13.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,199 | 4,561 |
| 13 | Sonbarsa | 4,250 | 73.7 | 73.9 | 26.3 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 3,885 | 4,057 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|----|-----------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 261.2 | 51.4 | 36,808 | 99.3 | 543 | 98.5 | 36,432 | 99.0 | 5,628 | 15.4 | 36,070 | 97.9 | 946 |
| 1 | Banma Itarhi | 1.3 | 0.0 | 300 | 98.7 | 0 | 100.0 | 262 | 87.3 | 6 | 2.3 | 228 | 76.0 | 948 |
| 2 | Kahara | 100.0 | 4.2 | 2,253 | 99.4 | 20 | 99.1 | 2,251 | 99.9 | 339 | 15.1 | 2,155 | 95.7 | 893 |
| 3 | Mahishi | 169.7 | 48.2 | 4,542 | 99.3 | 43 | 99.1 | 4,541 | 100.0 | 789 | 17.4 | 4,531 | 99.8 | 982 |
| 4 | Nauhatta | 35.5 | 41.5 | 2,088 | 99.1 | 35 | 98.4 | 2,054 | 98.4 | 222 | 10.8 | 2,054 | 98.4 | 926 |
| 5 | Pachgachhiya | 345.7 | 77.7 | 2,037 | 106.9 | 35 | 98.3 | 2,007 | 98.5 | 385 | 19.2 | 1,812 | 89.0 | 913 |
| 6 | Patarghat | 324.8 | 40.0 | 2,809 | 99.8 | 30 | 98.9 | 2,807 | 99.9 | 411 | 14.6 | 2,781 | 99.0 | 948 |
| 7 | Saharsa | | | | | | | | | | | | | 0 |
| 8 | Saharsa Urban | | 4.7 | 5,420 | 97.0 | 195 | 96.5 | 5,420 | 100.0 | 262 | 4.8 | 5,416 | 99.9 | 911 |
| 9 | Salkhua | 90.7 | 87.8 | 2,373 | 99.9 | 17 | 99.3 | 2,245 | 94.6 | 271 | 12.1 | 2,233 | 94.1 | 923 |
| 10 | Satar Kataiya | | | | | | | | | | | | | 0 |
| 11 | Saur Bazar | 406.1 | 54.1 | 4,213 | 99.5 | 33 | 99.2 | 4,191 | 99.5 | 1,192 | 28.4 | 4,152 | 98.6 | 1,002 |
| 12 | Simri Bakhtiyarpur | 138.1 | 68.7 | 6,559 | 98.8 | 96 | 98.6 | 6,444 | 98.2 | 1,068 | 16.6 | 6,498 | 99.1 | 951 |
| 13 | Sonbarsa | 347.8 | 95.5 | 4,214 | 99.2 | 39 | 99.1 | 4,210 | 99.9 | 683 | 16.2 | 4,210 | 99.9 | 955 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|-----------------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | , | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 3.2 | 13.5 | 2,626 | 5.6 | 4,182 | 9.0 | 18 | 0.0 | 0 | 0.0 | 855 | 0 | 1.8 |
| 1 | Banma Itarhi | 0.0 | | 23 | 1.0 | 2 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 2 | Kahara | 0.3 | 0.0 | 92 | 1.9 | 285 | 6.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 3 | Mahishi | 1.8 | 0.0 | 302 | 6.0 | 829 | 16.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 4 | Nauhatta | 0.0 | | 253 | 6.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 5 | Pachgachhiya | 0.1 | 0.0 | 338 | 8.5 | 408 | 10.2 | 0 | 0.0 | 0 | 0.0 | 170 | 0 | 4.3 |
| 6 | Patarghat | 7.0 | 0.0 | 335 | 11.5 | 958 | 32.9 | 0 | 0.0 | 0 | 0.0 | 205 | 0 | 7.0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 7.4 | 39.2 | 315 | 25.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 9 | Salkhua | 2.1 | 0.0 | 0 | 0.0 | 76 | 2.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 3.8 | 0.0 | 592 | 10.7 | 990 | 18.0 | 18 | 0.3 | 0 | 0.0 | 480 | 0 | 8.7 |
| 12 | Simri Bakhtiyarpur | 4.4 | 0.0 | 5 | 0.1 | 257 | 3.9 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 13 | Sonbarsa | 0.0 | | 371 | 5.3 | 377 | 5.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|-----------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 0.0 | | 7 | 1 | 26 | 9 | 59.4 | 100.0 | 0.0 | 23.7 | 76.3 | 0.0 | 10 |
| 1 | Banma Itarhi | | | 0 | | 0 | 0 | | | | | | 0.0 | 0 |
| 2 | Kahara | | | 0 | | 1 | 0 | 0.0 | | | | | 0.0 | 1 |
| 3 | Mahishi | | | 2 | | 0 | 0 | | | | | | 0.0 | 0 |
| 4 | Nauhatta | | | 0 | | 0 | 0 | | | | | | 0.0 | 0 |
| 5 | Pachgachhiya | 0.0 | | 0 | | 1 | 0 | 0.0 | | | | | 0.0 | 0 |
| 6 | Patarghat | 0.0 | | 0 | | 9 | 0 | 0.0 | | | | | 0.0 | 0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | | | 1 | 1 | 9 | 9 | 80.9 | 100.0 | 0.0 | 23.7 | 76.3 | 0.7 | 4 |
| 9 | Salkhua | | | 0 | | 0 | 0 | | | | | | 0.0 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0.0 | | 2 | | 1 | 0 | 0.0 | | | | | 0.0 | 1 |
| 12 | Simri Bakhtiyarpur | | | 2 | | 5 | 0 | 0.0 | | | | | 0.0 | 0 |
| 13 | Sonbarsa | | | 0 | | 0 | 0 | | | | | | 0.0 | 4 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|-----------------------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 5,969 | 5,979 | 0.1 | 99.8 | | | | | 823 | 5,156 | 13.8 | 86.2 | 0.0 |
| 1 | Banma Itarhi | 29 | 29 | 0.0 | 100.0 | | | | | | 29 | 0.0 | 100.0 | 0.0 |
| 2 | Kahara | 449 | 450 | 0.2 | 99.8 | | | | | | 450 | 0.0 | 100.0 | 0.0 |
| 3 | Mahishi | 534 | 534 | 0.0 | 100.0 | | | | | | 534 | 0.0 | 100.0 | 0.0 |
| 4 | Nauhatta | 192 | 192 | 0.0 | 100.0 | | | | | | 192 | 0.0 | 100.0 | 0.0 |
| 5 | Pachgachhiya | 282 | 282 | 0.0 | 100.0 | | | | | | 282 | 0.0 | 100.0 | 0.0 |
| 6 | Patarghat | 487 | 487 | 0.0 | 100.0 | | | | | | 487 | 0.0 | 100.0 | 0.0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 1,212 | 1,216 | 0.3 | 99.7 | | | | | 823 | 393 | 67.7 | 32.3 | 0.0 |
| 9 | Salkhua | 349 | 349 | 0.0 | 100.0 | | | | | | 349 | 0.0 | 100.0 | 0.0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 858 | 859 | 0.1 | 99.9 | | | | | | 859 | 0.0 | 100.0 | 0.0 |
| 12 | Simri Bakhtiyarpur | 1,213 | 1,213 | 0.0 | 100.0 | | | | | | 1,213 | 0.0 | 100.0 | 0.0 |
| 13 | Sonbarsa | 364 | 368 | 1.1 | 98.9 | | | | | | 368 | 0.0 | 100.0 | 0.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|----|-----------------------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 91.4 | 8.2 | 0.2 | | 84.9 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Banma Itarhi | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Kahara | 98.7 | 1.3 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Mahishi | 99.3 | 0.7 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Nauhatta | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Pachgachhiya | 99.3 | 0.7 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Patarghat | 80.9 | 19.1 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 88.0 | 10.6 | 1.3 | | 22.9 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Salkhua | 89.4 | 10.6 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | _ | | | |
| 11 | Saur Bazar | 85.4 | 14.6 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | Simri Bakhtiyarpur | 92.0 | 8.0 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | Sonbarsa | 99.5 | 0.5 | 0.0 | | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|----|-----------------------|--|--|--|---|---|---|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 2 | 4,455 | 19 | 48.3 | 7.0 | 42.8 | 2,316 | 2,154 | 4 | 12,760 | 2,812 | 88,661 | 468 |
| 1 | Banma Itarhi | 0 | 170 | | 3.5 | | 85.4 | 164 | 6 | 0 | 250 | 52 | 1,318 | 0 |
| 2 | Kahara | 0 | 631 | | 42.3 | 12.0 | 58.4 | 364 | 267 | 0 | 591 | 285 | 1,300 | 393 |
| 3 | Mahishi | 0 | 204 | | 33.3 | 2.6 | 27.6 | 136 | 68 | 0 | 2,515 | 42 | 14,902 | 0 |
| 4 | Nauhatta | 0 | 252 | | 62.3 | 10.6 | 56.8 | 95 | 157 | 0 | 72 | 32 | 18,775 | 34 |
| 5 | Pachgachhiya | 0 | 221 | | 60.6 | 7.2 | 43.9 | 87 | 134 | 0 | 1,083 | 720 | 2,065 | 16 |
| 6 | Patarghat | 2 | 622 | | 71.5 | 18.8 | 56.1 | 177 | 445 | 0 | 702 | 678 | 4,938 | 10 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 0 | 151 | 19 | 55.6 | 1.5 | 12.3 | 86 | 84 | 0 | 982 | 0 | 625 | 0 |
| 9 | Salkhua | 0 | 210 | | 8.1 | 1.3 | 37.6 | 189 | 17 | 4 | 1,353 | 130 | 11,610 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0 | 634 | | 58.7 | 9.0 | 42.5 | 262 | 372 | 0 | 987 | 547 | 7,444 | 0 |
| 12 | Simri Bakhtiyarpur | 0 | 640 | | 27.5 | 3.0 | 34.5 | 464 | 176 | 0 | 1,510 | 309 | 6,364 | 13 |
| 13 | Sonbarsa | 0 | 720 | | 59.4 | 13.7 | 66.2 | 292 | 428 | 0 | 2,715 | 17 | 19,320 | 2 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|----|-----------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 4 | 0 | 0 | 0 | 3,936 | 33,823 | 43,372 | 30,339 | 91.9 | 117.8 | 82.4 | 4 | 3 |
| 1 | Banma Itarhi | 0 | 0 | 0 | 0 | 178 | 292 | 664 | 0 | 97.3 | 221.3 | 0.0 | 0 | 0 |
| 2 | Kahara | 0 | 0 | 0 | 0 | 611 | 2,296 | 2,682 | 2,223 | 101.9 | 119.0 | 98.7 | 3 | 3 |
| 3 | Mahishi | 0 | 0 | 0 | 0 | 1,168 | 3,064 | 5,118 | 2,526 | 67.5 | 112.7 | 55.6 | 1 | 0 |
| 4 | Nauhatta | 0 | 0 | 0 | 0 | 20 | 1,719 | 2,835 | 1,501 | 82.3 | 135.8 | 71.9 | 0 | 0 |
| 5 | Pachgachhiya | 0 | 0 | 0 | 0 | 606 | 2,027 | 2,311 | 1,995 | 99.5 | 113.5 | 97.9 | 0 | 0 |
| 6 | Patarghat | 0 | 0 | 0 | 0 | 0 | 2,623 | 2,997 | 2,434 | 93.4 | 106.7 | 86.7 | 0 | 0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 0 | 0 | 0 | 0 | 151 | 6,589 | 6,589 | 5,699 | 121.6 | 121.6 | 105.1 | 0 | 0 |
| 9 | Salkhua | 0 | 0 | 0 | 0 | 63 | 1,427 | 2,866 | 1,317 | 60.1 | 120.8 | 55.5 | 0 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 4 | 0 | 0 | 0 | 1,080 | 4,149 | 4,602 | 4,053 | 98.5 | 109.2 | 96.2 | 0 | 0 |
| 12 | Simri Bakhtiyarpur | 0 | 0 | 0 | 0 | 59 | 6,153 | 7,518 | 5,716 | 93.8 | 114.6 | 87.1 | 0 | 0 |
| 13 | Sonbarsa | 0 | 0 | 0 | 0 | 0 | 3,484 | 5,190 | 2,875 | 82.7 | 123.2 | 68.2 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|----|-----------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|--|---|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dost1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 9 | 39,399 | 36,095 | 35,005 | 43,378 | 0 | 117.8 | 43,060 | 0.0 | 52.4 | 1.9 | 52 | 0 |
| 1 | Banma Itarhi | 0 | 2,190 | 2,027 | 2,051 | 2,278 | 0 | 759.3 | 2,270 | -243.1 | 556.3 | 0.0 | 0 | 0 |
| 2 | Kahara | 9 | 3,729 | 3,665 | 3,668 | 4,648 | 0 | 206.3 | 4,643 | -73.3 | 108.4 | 0.0 | 0 | 0 |
| 3 | Mahishi | 0 | 4,793 | 4,196 | 3,996 | 5,015 | 0 | 110.4 | 5,035 | 2.0 | 67.0 | 0.0 | 2 | 0 |
| 4 | Nauhatta | 0 | 3,269 | 2,819 | 2,830 | 3,603 | 0 | 172.6 | 3,527 | -27.1 | 153.2 | 1.6 | 0 | 0 |
| 5 | Pachgachhiya | 0 | 3,033 | 2,795 | 2,758 | 3,393 | 0 | 166.6 | 3,390 | -46.8 | 33.3 | 1.8 | 0 | 0 |
| 6 | Patarghat | 0 | 2,390 | 2,171 | 2,135 | 2,611 | 0 | 93.0 | 2,611 | 12.9 | 88.7 | 1.0 | 44 | 0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 0 | 1,289 | 1,030 | 996 | 1,002 | 0 | 18.5 | 1,002 | 84.8 | 14.6 | 36.2 | 0 | 0 |
| 9 | Salkhua | 0 | 2,995 | 2,699 | 2,365 | 3,322 | 0 | 140.0 | 3,312 | -15.9 | 5.4 | 0.0 | 0 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0 | 4,356 | 4,014 | 3,931 | 4,985 | 0 | 118.3 | 4,978 | -8.3 | 49.0 | 0.0 | 1 | 0 |
| 12 | Simri Bakhtiyarpur | 0 | 6,485 | 6,102 | 5,784 | 6,905 | 0 | 105.3 | 6,883 | 8.2 | 16.3 | 0.0 | 5 | 0 |
| 13 | Sonbarsa | 0 | 4,870 | 4,577 | 4,491 | 5,616 | 0 | 133.3 | 5,409 | -8.2 | 40.8 | 0.0 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|-----------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 0 | 95.9 | 82.9 | 305 | 132 | 241 | 0 | 23 | 0 | 2 | 2 | 3 | 305 |
| 1 | Banma Itarhi | 0 | 99.8 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Kahara | 0 | 89.6 | 58.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Mahishi | 0 | 95.1 | 73.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Nauhatta | 0 | 95.1 | 84.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Pachgachhiya | 0 | 97.4 | 96.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Patarghat | 0 | 85.4 | 92.5 | 21 | 0 | 75 | 0 | 0 | 0 | 0 | 0 | 2 | 21 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 0 | | 0.0 | 1 | 14 | 12 | 0 | 0 | 0 | 2 | 2 | 0 | 1 |
| 9 | Salkhua | 0 | 97.9 | 79.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0 | 100.0 | 99.1 | 38 | 38 | 139 | 0 | 0 | 0 | 0 | 0 | 1 | 38 |
| 12 | Simri Bakhtiyarpur | 0 | 98.3 | 88.3 | 245 | 80 | 15 | 0 | 23 | 0 | 0 | 0 | 0 | 245 |
| 13 | Sonbarsa | 0 | 98.4 | 73.9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|----|-----------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | Indicators | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 6,085 | 1,424 | 0 | 0 | 0 | 0 | 36,014 | 0 | 73.9 | 43.0 | 45.2 | 0.3 | 90,471 |
| 1 | Banma Itarhi | 18 | 0 | 0 | 0 | 0 | 0 | 1,801 | 0 | 49.0 | 41.3 | | 0.0 | 651 |
| 2 | Kahara | 0 | 0 | 0 | 0 | 0 | 0 | 3,865 | 0 | 88.0 | 40.7 | | 0.0 | 5,462 |
| 3 | Mahishi | 3,110 | 1,089 | 0 | 0 | 0 | 0 | 4,350 | 0 | 90.0 | 16.8 | 11.1 | 0.2 | 3,936 |
| 4 | Nauhatta | 395 | 25 | 0 | 0 | 0 | 0 | 2,961 | 0 | 79.7 | 46.3 | | 0.0 | 4,713 |
| 5 | Pachgachhiya | 481 | 0 | 0 | 0 | 0 | 0 | 2,801 | 0 | 71.2 | 58.3 | | 0.0 | 350 |
| 6 | Patarghat | 442 | 0 | 0 | 0 | 0 | 0 | 2,145 | 0 | 84.5 | 43.8 | | 0.0 | 5,982 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 71 | 71 | 0 | 0 | 0 | 0 | 739 | 0 | 54.3 | 47.2 | 46.6 | 0.7 | 33,939 |
| 9 | Salkhua | 456 | 72 | 0 | 0 | 0 | 0 | 2,795 | 0 | 80.1 | 22.8 | | 0.0 | 3,040 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 298 | 156 | 0 | 0 | 0 | 0 | 4,201 | 0 | 79.6 | 42.0 | | 0.0 | 10,934 |
| 12 | Simri Bakhtiyarpur | 809 | 11 | 0 | 0 | 0 | 0 | 5,693 | 0 | 83.9 | 42.3 | | 0.0 | 14,881 |
| 13 | Sonbarsa | 5 | 0 | 0 | 0 | 0 | 0 | 4,663 | 0 | 96.0 | 47.0 | | 0.0 | 6,583 |

| | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|----|-----------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | Indicators | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 556,941 | 219,879 | 776,820 | 11.6 | 4,739 | 24,084 | 16.4 | 55 | 1.1 | 28.3 | 11,647 | 1.5 | 3.1 |
| 1 | Banma Itarhi | 19,356 | 9,561 | 28,917 | 2.3 | 41 | 623 | 6.2 | 0 | 0.0 | 33.1 | 16 | 0.1 | 0.0 |
| 2 | Kahara | 42,835 | 37,373 | 80,208 | 6.8 | 430 | 774 | 35.7 | 50 | 11.6 | 46.6 | 715 | 0.9 | 14.9 |
| 3 | Mahishi | 32,951 | 26,679 | 59,630 | 6.6 | 530 | 1,312 | 28.8 | 0 | 0.0 | 44.7 | 6,213 | 10.4 | 1.3 |
| 4 | Nauhatta | 32,988 | 7,973 | 40,961 | 11.5 | 152 | 926 | 14.1 | 5 | 3.3 | 19.5 | 0 | 0.0 | 12.5 |
| 5 | Pachgachhiya | 24,006 | 20,759 | 44,765 | 0.8 | 283 | 1,979 | 12.5 | 0 | 0.0 | 46.4 | 0 | 0.0 | 0.0 |
| 6 | Patarghat | 41,434 | 0 | 41,434 | 14.4 | 440 | 573 | 43.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 3.5 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 123,172 | 1,377 | 124,549 | 27.2 | 704 | 13,888 | 4.8 | 0 | 0.0 | 1.1 | 3,560 | 2.9 | 3.9 |
| 9 | Salkhua | 36,346 | 11,359 | 47,705 | 6.4 | 309 | 569 | 35.2 | 0 | 0.0 | 23.8 | 0 | 0.0 | 0.2 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 75,075 | 21,574 | 96,649 | 11.3 | 733 | 1,831 | 28.6 | 0 | 0.0 | 22.3 | 190 | 0.2 | 2.3 |
| 12 | Simri Bakhtiyarpur | 48,786 | 47,558 | 96,344 | 15.4 | 1,116 | 1,473 | 43.1 | 0 | 0.0 | 49.4 | 704 | 0.7 | 2.6 |
| 13 | Sonbarsa | 79,992 | 35,666 | 115,658 | 5.7 | 1 | 136 | 0.7 | 0 | 0.0 | 30.8 | 249 | 0.2 | 0.0 |

| | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|----|-----------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | Indicators | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 0.3 | 7.0 | 0.5 | 0.4 | 0.2 | 0.2 | 201 | 4.0 | 22.4 | 0.0 | 0.5 | 0.5 | 0.0 |
| 1 | Banma Itarhi | | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | | | | |
| 2 | Kahara | 19.0 | 0.9 | 0.0 | 9.6 | | | 10 | 0.0 | 0.0 | 0.0 | 10.0 | 0.0 | 0.0 |
| 3 | Mahishi | 0.0 | 0.5 | 0.0 | 0.0 | 1.3 | 0.6 | 43 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Nauhatta | 0.0 | 0.0 | | 0.0 | | | 0 | | | | | | |
| 5 | Pachgachhiya | 0.0 | 6.2 | 0.0 | 0.0 | 0.0 | 3.0 | 0 | | | | | | |
| 6 | Patarghat | 0.0 | 0.6 | 0.0 | 0.0 | | | 3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Saharsa | | | | | | | | | | | | | |
| 8 | Saharsa Urban | 0.2 | 183.9 | 0.7 | 0.3 | 0.0 | 0.0 | 127 | 1.6 | 34.6 | 0.0 | 0.0 | 0.8 | 0.0 |
| 9 | Salkhua | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 8 | 37.5 | 12.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Satar Kataiya | | | | | | | | | | | | | |
| 11 | Saur Bazar | 0.0 | 5.0 | 0.0 | 0.0 | | | 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Simri Bakhtiyarpur | 0.0 | 0.4 | 0.0 | 0.0 | | | 9 | 22.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | Sonbarsa | 0.0 | 4.4 | 0.0 | 0.0 | | | 0 | | | | | | |

| | | 196 | 197 | 198 |
|----|-----------------------|--|--|---|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Saharsa | 2,221 | | |
| 1 | Banma Itarhi | | | |
| 2 | Kahara | 2,221 | | |
| 3 | Mahishi | | | |
| 4 | Nauhatta | | | |
| 5 | Pachgachhiya | | | |
| 6 | Patarghat | | | |
| 7 | Saharsa | | | |
| 8 | Saharsa Urban | | | |
| 9 | Salkhua | | | |
| 10 | Satar Kataiya | | | |
| 11 | Saur Bazar | | | |
| 12 | Simri Bakhtiyarpur | | | |
| 13 | Sonbarsa | | | |