

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	25,837	25,982	21,851	21,542	22,630	18,642	84.5	82.9	87.6	71.7	24,047	24,992
1	Gangavati	8,052	8,288	6,480	6,761	6,320	6,118	80.5	81.6	78.5	73.8	6,947	7,698
2	Koppal	6,724	6,558	5,876	5,559	5,868	4,653	87.4	84.8	87.3	71.0	6,710	5,942
3	Kushtagi	5,802	5,698	4,943	4,603	5,491	3,982	85.2	80.8	94.6	69.9	6,462	6,679
4	Yelburga	5,259	5,438	4,552	4,619	4,951	3,889	86.6	84.9	94.1	71.5	3,928	4,673

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	24,240	24,455	93.0	96.1	93.8	94.1	18,090	22,904	70.0	88.1	33,853	25,952
1	Gangavati	7,513	7,617	86.3	92.9	93.3	91.9	3,604	7,511	44.8	90.6	11,129	8,889
2	Koppal	6,464	6,008	99.8	90.6	96.1	91.6	10,793	4,749	160.5	72.4	8,306	5,633
3	Kushtagi	5,728	5,593	111.4	117.2	98.7	98.2	1,756	6,332	30.3	111.1	8,461	6,172
4	Yelburga	4,535	5,237	74.7	85.9	86.2	96.3	1,937	4,312	36.8	79.3	5,957	5,258

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1,100	1,021	3.2	3.9	4.1	2.6	1,341	1,310	336	409	1,005	901
1	Gangavati	325	470	2.9	5.3	3.0	2.5	355	338	153	176	202	162
2	Koppal	485	260	5.8	4.6	6.8	1.4	183	318	52	89	131	229
3	Kushtagi	176	174	2.1	2.8	4.9	4.6	476	338	55	80	421	258
4	Yelburga	114	117	1.9	2.2	1.5	2.2	327	316	76	64	251	252

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	25.0	31.2	31	68	2.3	5.2	16,290	15,281	1,175	1,160	7.2	7.5
1	Gangavati	43.1	52.1	18	0	5.1	0.0	4,519	4,645	221	149	4.9	3.2
2	Koppal	28.4	28.0	1	7	0.5	2.2	4,231	3,280	585	529	13.8	16.1
3	Kushtagi	11.6	23.7	10	61	2.1	18.0	4,736	4,128	152	314	3.2	7.6
4	Yelburga	23.2	20.3	2	0	0.6	0.0	2,804	3,228	217	168	7.7	5.2

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	17,513	16,499	67.7	63.5	18,854	17,809	92.9	92.6	94.7	94.9	7.1	7.4
1	Gangavati	5,410	5,381	67.2	64.9	5,765	5,719	93.8	94.1	96.5	97.2	6.2	5.9
2	Koppal	4,534	3,749	67.4	57.2	4,717	4,067	96.1	92.2	97.2	94.4	3.9	7.8
3	Kushtagi	4,765	4,141	82.1	72.7	5,241	4,479	90.9	92.5	92.0	94.2	9.1	7.5
4	Yelburga	2,804	3,228	53.3	59.4	3,131	3,544	89.6	91.1	92.0	92.9	10.4	8.9

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1,904	1,207	307	220	12.6	8.6	11.7	7.9	25.1	18.1	93.0	92.6
1	Gangavati	347	289	212	131	10.3	7.8	7.7	6.2	23.8	17.8	83.5	86.3
2	Koppal	642	45	80	89	15.9	3.6	15.2	1.4	26.4	19.0	93.3	87.5
3	Kushtagi	824	548	15	0	17.6	13.2	17.4	13.3	51.7	0.0	99.4	99.7
4	Yelburga	91	325			3.2	10.1	3.2	10.1			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	61.4	22.8	0.0	0.2	7.0	7.4	17,160	15,234	22,214	19,944	91.0	85.5
1	Gangavati	76.3	26.1	0.0	0.0	16.5	13.7	4,630	4,472	6,595	6,050	80.3	78.2
2	Koppal	48.1	14.8	0.0	0.0	6.7	12.5	4,325	3,146	5,745	4,488	91.7	77.4
3	Kushtagi	71.9	25.9	0.0	0.0	0.6	0.3	5,119	4,185	5,760	5,075	97.7	93.4
4	Yelburga	39.8	22.1	0.0	1.0	0.0	0.0	3,086	3,431	4,114	4,331	98.6	96.8

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	117.8	112.0	18,707	17,498	99.2	98.3	425	413	97.8	97.7	18,448	16,681
1	Gangavati	114.4	105.8	5,717	5,591	99.2	97.8	60	116	99.0	98.0	5,477	4,973
2	Koppal	121.8	110.4	4,701	4,024	99.7	98.9	116	81	97.6	98.0	4,691	3,877
3	Kushtagi	109.9	113.3	5,108	4,365	97.5	97.5	185	142	96.5	96.8	5,101	4,346
4	Yelburga	131.4	122.2	3,181	3,518	101.6	99.3	64	74	98.0	97.9	3,179	3,485



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	98.6	95.3	3,240	2,352	17.5	14.0	17,940	15,871	95.8	90.7	1,195	867
1	Gangavati	95.8	88.9	711	671	13.0	13.5	5,399	4,747	94.4	84.9	277	236
2	Koppal	99.8	96.3	1,099	564	23.4	14.5	4,554	3,801	96.9	94.5	182	201
3	Kushtagi	99.9	99.6	1,064	623	20.9	14.3	5,011	4,333	98.1	99.3	460	272
4	Yelburga	99.9	99.1	366	494	11.5	14.2	2,976	2,990	93.6	85.0	276	158

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	89.1	66.1	936	939	10.8	7.9	12.4	17.8	22.3	34.7	47.2	86.8
1	Gangavati	78.0	69.8	957	920	4.0	5.5	32.7	16.8	29.2	24.3	86.4	79.9
2	Koppal	99.5	63.2	935	896	16.7	2.8	7.0	43.3	11.7	47.9	18.1	128.8
3	Kushtagi	96.6	80.5	881	954	16.9	12.6	10.2	16.8	29.1	33.8	63.6	133.7
4	Yelburga	84.4	50.0	994	1,006	4.7	12.2	23.3	13.2	38.8	44.4	49.6	18.6

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.5	0.9	431	494	118	103	27.4	20.9	64.4	59.2	35.6	40.8
1	Gangavati	0.9	0.6	116	129	29	53	25.0	41.1	65.5	49.1	34.5	50.9
2	Koppal	3.6	1.7	154	164	36	21	23.4	12.8	50.0	57.1	50.0	42.9
3	Kushtagi	1.1	0.9	75	75	53	28	70.7	37.3	73.6	78.6	26.4	21.4
4	Yelburga	0.2	0.8	86	126	0	1	0.0	0.8		100.0		0.0

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	98.3	99.0	1.7	1.0	0.5	0.4	0.0	0.1	35	10	7,598	7,249
1	Gangavati	93.5	100.0	6.5	0.0	0.4	0.6	0.0	0.4	5	2	2,280	2,255
2	Koppal	100.0	100.0	0.0	0.0	0.5	0.3	0.0	0.0	30	7	1,878	1,766
3	Kushtagi	100.0	100.0	0.0	0.0	0.9	0.5	0.0	0.0	0	1	2,006	1,882
4	Yelburga		50.0		50.0	0.0	0.0	0.2	0.0	0	0	1,434	1,346

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	7,633	7,259	0.4	0.1	99.5	99.9	2,510	2,505	2,433	2,549	2,690	2,180
1	Gangavati	2,285	2,257	0.2	0.1	99.8	99.9	214	329	1,004	1,073	1,067	855
2	Koppal	1,908	1,773	1.6	0.4	98.4	99.6	1,166	1,082	402	415	340	251
3	Kushtagi	2,006	1,883	0.0	0.1	100.0	99.9	731	796	312	321	963	766
4	Yelburga	1,434	1,346	0.0	0.0	100.0	100.0	399	298	715	740	320	308

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal			0	0	32.9	34.5	31.9	35.1	35.2	30.0	0.0	0.0
1	Gangavati			0	0	9.4	14.6	43.9	47.5	46.7	37.9	0.0	0.0
2	Koppal			0	0	61.1	61.0	21.1	23.4	17.8	14.2	0.0	0.0
3	Kushtagi			0	0	36.4	42.3	15.6	17.0	48.0	40.7	0.0	0.0
4	Yelburga					27.8	22.1	49.9	55.0	22.3	22.9	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.3	75.5	74.1	19.1	20.6	5.4	5.2	100.0	100.0	100.0	98.3
1	Gangavati	0.0	0.0	77.3	75.7	15.4	18.3	7.3	6.0	100.0	100.0	100.0	100.0
2	Koppal	0.0	1.4	71.7	66.8	28.1	31.9	0.2	1.3	100.0	100.0	100.0	95.6
3	Kushtagi	0.0	0.0	77.5	81.9	11.8	11.3	10.8	6.9	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	74.6	70.4	23.2	22.9	2.2	6.7	100.0	100.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	100.0	100.0	0	0	2,149	2,534	7	4	2,156	2,538	916	62
1	Gangavati	100.0	100.0	0	0	428	485	0	0	428	485	3	19
2	Koppal	100.0	100.0	0	0	922	925	0	0	922	925	105	15
3	Kushtagi	100.0	100.0	0	0	339	447	7	4	346	451	98	19
4	Yelburga	100.0	100.0	0	0	460	677			460	677	710	9



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	42.6	2.4	5.6	0.4	22.0	25.9	13,697	27,852	289,575	238,496	0	575
1	Gangavati	0.7	3.9	0.1	0.4	15.8	17.7	3,517	7,139	82,498	59,826	0	0
2	Koppal	11.4	1.6	2.5	0.5	32.6	34.3	4,147	12,155	86,980	73,380	0	365
3	Kushtagi	28.9	4.3	2.1	0.5	14.7	19.3	3,162	3,106	69,078	67,778	0	26
4	Yelburga	154.3	1.3	25.3	0.3	24.3	33.5	2,871	5,452	51,019	37,512	0	184

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	22,741	21,240	27,289	25,534	121.6	121.4	145.9	145.9	183	6,491	199	7,624
1	Gangavati	6,935	7,256	7,744	7,869	121.3	129.8	135.5	140.7	72	2,968	81	3,184
2	Koppal	6,679	5,352	7,750	6,591	142.1	133.0	164.9	163.8	105	1,006	114	1,662
3	Kushtagi	5,641	4,924	7,151	6,282	110.4	112.8	140.0	143.9	4	1,843	4	1,773
4	Yelburga	3,486	3,708	4,644	4,792	109.6	105.4	146.0	136.2	2	674	0	1,005

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	257	9,064	23,412	20,833	22,680	19,253	22,632	17,602	21,987	20,704	117.5	118.3
1	Gangavati	91	3,665	7,166	6,690	7,089	6,200	7,093	5,872	6,920	6,227	121.0	111.4
2	Koppal	163	2,196	6,276	5,557	6,092	5,176	6,175	4,494	6,266	5,872	133.3	145.9
3	Kushtagi	3	1,898	5,381	4,796	5,011	4,381	4,970	4,083	4,646	4,477	91.0	102.6
4	Yelburga	0	1,305	4,589	3,790	4,488	3,496	4,394	3,153	4,155	4,128	130.6	117.3

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	21,451	19,909	19.4	18.9	19,827	20,576	106.0	117.6	75.3	85.1	558	654
1	Gangavati	6,739	5,995	10.6	20.9	6,226	6,071	108.9	108.6	84.6	83.4	182	228
2	Koppal	6,006	5,669	19.1	10.9	5,110	5,548	108.7	137.9	84.0	133.5	339	369
3	Kushtagi	4,567	4,251	35.0	28.7	4,375	4,826	85.6	110.6	60.7	26.9	4	4
4	Yelburga	4,139	3,994	10.5	13.9	4,116	4,131	129.4	117.4	66.2	90.9	33	53

Performance of Key HMIS Indicators for Karnataka-> Koppal ( Across Sub Districts)  
Financial Year: 2014-15  
Provisional Figures for the Period April to December

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	97.4	99.2	69.0	67.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	98.5	97.7	67.6	63.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	94.2	101.3	70.3	66.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	98.9	99.7	68.6	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	98.3	98.2	69.5	71.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	0.0	0.0	3.3	3.2	96.0	94.4	0.7	2.4	68.4	65.0	9.8	10.0
1	Gangavati	0.0	0.0	0.6	1.9	99.4	96.8	0.0	1.3	73.5	69.5	8.3	8.7
2	Koppal	0.0	0.0	6.1	0.8	93.9	93.8	0.0	5.4	64.2	62.5	10.0	8.4
3	Kushtagi	0.0	0.0	1.5	7.0	96.5	92.6	2.0	0.4	74.0	67.8	9.3	9.0
4	Yelburga	0.0	0.0	7.2	2.4	92.5	97.0	0.3	0.6	62.9	60.2	11.7	13.4

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	40.4	37.5	0.5	0.5	72,011	65,958	883,028	881,833	8.2	7.5	1,920	1,229
1	Gangavati	32.6	42.2	0.5	0.6	19,106	17,837	236,389	247,721	8.1	7.2	69	93
2	Koppal	42.8	36.3	1.0	1.0	21,266	16,197	250,305	227,230	8.5	7.1	759	142
3	Kushtagi	40.8	30.6	0.3	0.3	14,618	14,200	165,083	155,309	8.9	9.1	974	669
4	Yelburga	53.3	40.0	0.1	0.1	17,021	17,724	231,251	251,573	7.4	7.0	118	325

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	8,531	6,735	18.4	15.4	172	38	8.9	3.0	93,463	94,232	10.5	10.6
1	Gangavati	1,566	1,446	4.2	6.0	32	1	46.4	1.1	30,108	26,275	12.7	10.6
2	Koppal	4,292	2,838	15.0	4.8	44	0	5.8	0.0	24,966	25,714	10.0	11.3
3	Kushtagi	1,857	1,975	34.4	25.3	96	23	9.9	3.4	25,079	24,065	15.2	15.5
4	Yelburga	816	476	12.6	40.6	0	14	0.0	4.3	13,310	18,178	5.8	7.2



Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	788	1,279	0.1	0.1	6,917	7,440	8.1	7.5	2.8	4.0	0.9	1.4
1	Gangavati	53	171	0.0	0.1	1,810	1,842	11.9	9.1	4.0	5.8	1.3	1.4
2	Koppal	441	16	0.2	0.0	1,388	1,427	9.8	9.3	2.4	4.1	0.8	2.1
3	Kushtagi	2	0	0.0	0.0	2,375	2,823	3.4	4.9	2.8	3.0	0.7	0.8
4	Yelburga	292	1,092	0.1	0.4	1,344	1,348	4.5	4.6	1.7	2.3	0.6	0.9

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	1.4	2.0	1.2	0.3	0.0	0.0	115	128	1.9	3.2	21.5	23.2
1	Gangavati	1.9	2.4	0.1	0.2	0.0	0.0	46	64	2.6	3.1	17.9	31.3
2	Koppal	1.3	2.6	1.8	0.5	0.0	0.0	20	15	0.0	7.7	30.0	23.1
3	Kushtagi	1.2	1.3	1.9	0.2	0.0	0.0	29	30	3.6	0.0	28.6	17.2
4	Yelburga	0.8	1.2	0.2	0.3	0.0	0.0	20	19	0.0	5.3	10.0	5.3

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Koppal	29.9	26.4	4.7	6.4	0.9	0.0	0.9	0.0	0.0	0.0	40.2	40.8
1	Gangavati	25.6	20.3	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	53.8	43.8
2	Koppal	45.0	23.1	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	25.0	38.5
3	Kushtagi	21.4	34.5	7.1	13.8	0.0	0.0	3.6	0.0	0.0	0.0	35.7	34.5
4	Yelburga	35.0	36.8	15.0	10.5	5.0	0.0	0.0	0.0	0.0	0.0	35.0	42.1