			1	2	2	**	3	4	4	!	5		5
	Indicators	Total nu pregnant Registere	t women	Number of women re within first		Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC ch	eceived 3
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	27,329	29,506	13,428	14,344	26,817	29,088	49.1	48.6	98.1	98.6	21,673	23,082
1	Ater	3,380	3,606	1,844	1,759	3,380	3,606	54.6	48.8	100.0	100.0	3,246	3,361
2	Bhind (Phoop)	7,442	8,389	2,540	3,110	6,934	8,086	34.1	37.1	93.2	96.4	5,368	5,370
3	Gohad	5,253	5,641	3,164	3,275	5,246	5,633	60.2	58.1	99.9	99.9	3,597	3,583
4	Lahar	4,156	4,351	1,945	2,485	4,159	4,280	46.8	57.1	100.1	98.4	4,073	4,545
5	Mehgaon	5,107	5,209	2,894	2,404	5,107	5,209	56.7	46.2	100.0	100.0	3,840	4,434
6	Mihona(Ron)	1,991	2,310	1,041	1,311	1,991	2,274	52.3	56.8	100.0	98.4	1,549	1,789

		7	7	8	3	9)	1	0	1	1	1	2
1	Indicators	TT2 or Boo to Pregna		Pregnant received 3 ups to To Registr	: Woman ANC check otal ANC	Pregnant received Booster to Regist	t women I TT2 or Total ANC	Number of women giv tab		Pregnant given 100 l ANC Regi	women FA to Total	Number h leve (tested	l<11
	2016-17 2015		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	25,159	27,469	79.3	78.2	92.0	93.0	27,207	29,396	99.5	99.6	17,231	20,367
1	Ater	3,248	3,507	96.0	93.2	96.1	97.3	3,380	3,606	100.0	100.0	2,976	2,875
2	Bhind (Phoop)	6,800	8,033	72.1	64.0	91.4	95.8	7,403	8,241	99.5	98.2	6,836	5,385
3	Gohad	4,589	4,639	68.5	63.5	87.4	82.2	5,254	5,639	100.0	100.0	3,072	4,870
4	Lahar	3,875	3,902	98.0	104.5	93.2	89.7	4,095	4,372	98.5	100.5	2,354	2,071
5	Mehgaon	4,840	5,338	75.2	85.1	94.8	102.5	5,107	5,209	100.0	100.0	499	1,849
6	Mihona(Ron)	1,807	2,050	77.8	77.4	90.8	88.7	1,968	2,329	98.8	100.8	1,494	3,317

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators			Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv	of Home eries	SBA tı	of home attended by rained urse/ANM)	Number deliveries a Non SBA (trained	ttended by trained
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	1,578	3,633	9.2	17.8	1.1	2.4	1,705	2,613	8	46	1,697	2,567
1	Ater	201	98	6.8	3.4	0.4	0.7	314	465	0	0	314	465
2	Bhind (Phoop)	616	834	9.0	15.5	0.9	1.0	209	265	0	0	209	265
3	Gohad	611	2,460	19.9	50.5	0.5	2.5	341	564	0	0	341	564
4	Lahar	137	114	5.8	5.5	0.8	0.1	549	530	8	0	541	530
5	Mehgaon	2	36	0.4	1.9	2.4	8.5	210	475	0	0	210	475
6	Mihona(Ron)	11	91	0.7	2.7	1.9	0.1	82	314	0	46	82	268

		1	9	2	0	2	.1	2	2	2	3	2	4
	Indicators	SBA attendeliveries Reporte Deliv	ded home s to Total	Mothers incentive deliv		Mothers incentive deliveries Reporte Deliv	paid JSY for home s to Total	Deliveries at Public I				Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.4	1.7	11	9	0.6	0.3	19,198	20,154	50	246	0.2	1.2
1	_Bhind Ater		0.0	0	0	0.0	0.0	692	658	1	3	0.1	0.5
2	Bhind (Phoop)	0.0	0.0	0	1	0.0	0.4	7,793	7,621	0	0	0.0	0.0
3	Gohad	0.0	0.0	0	0	0.0	0.0	3,024	3,186	29	171	1.0	5.4
4	Lahar	1.5	0.0	10	0	1.8	0.0	3,457	4,046	2	16	0.1	0.4
5	Mehgaon	0.0	0.0	1	0	0.5	0.0	2,862	3,089	4	24	0.1	0.8
6	Mihona(Ron)	0.0	14.6	0	8	0.0	2.5	1,370	1,554	14	32	1.0	2.1

		2	5	2	6	2	7	2	8	2	9	3	0
1	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	s to total	Total re deliv	eported reries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	20,481	22,440	74.9	76.0	22,186	25,053	92.3	89.6	92.4	89.8	7.7	10.4
1	Ater	692	658	20.5	18.2	1,006	1,123	68.8	58.6	68.8	58.6	31.2	41.4
2	Bhind (Phoop)	8,858	9,634	119.0	114.8	9,067	9,899	97.7	97.3	97.7	97.3	2.3	2.7
3	Gohad	3,242	3,459	61.7	61.3	3,583	4,023	90.5	86.0	90.5	86.0	9.5	14.0
4	Lahar	3,457	4,046	83.2	93.0	4,006	4,576	86.3	88.4	86.5	88.4	13.7	11.6
5	Mehgaon	2,862	3,089	56.0	59.3	3,072	3,564	93.2	86.7	93.2	86.7	6.8	13.3
6	Mihona(Ron)	1,370	1,554	68.8	67.3	1,452	1,868	94.4	83.2	94.4	85.7	5.6	16.8

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public		Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries	acilities to	C-sections at Private f Deliveries	acilities to	Deliveries at Public II to Total In	nstitutions
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	199	103	504	884	3.4	4.3	1.0	0.5	39.3	38.7	93.7	89.8
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	196	101	504	884	7.9	10.2	2.5	1.3	47.3	43.9	88.0	79.1
3	Gohad	3	2	0	0	0.1	0.1	0.1	0.1	0.0	0.0	93.3	92.1
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon		0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Total Deliv	paid JSY or Delivery nstitution I Public	of cases v Incentive ASHA for E Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In: Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post heck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	83.7	90.3	42.2	49.3	6.3	10.2	21,179	23,062	10,709	18,944	95.5	92.1
1	Ater	34.1	58.1	39.6	59.6	0.0	0.0	683	658	314	465	67.9	58.6
2	Bhind (Phoop)	83.5	89.6	23.1	25.2	12.0	20.9	8,876	9,511	1,782	8,899	97.9	96.1
3	Gohad	89.3	99.1	69.5	49.3	6.7	7.9	3,459	3,701	608	658	96.5	92.0
4	Lahar	80.1	95.9	53.9	73.4	0.0	0.0	3,940	4,151	3,953	4,567	98.4	90.7
5	Mehgaon	86.8	77.8	24.2	49.6	0.0	0.0	2,862	3,171	2,702	2,461	93.2	89.0
6	Mihona(Ron)	100.0	99.5	100.0	99.4	0.0	0.0	1,359	1,870	1,350	1,894	93.6	100.1

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	between 48 14 days	tting Post Checkup 3 hours and	Total Nu reported l		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		9 live birth to Bir		Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	48.3	75.6	21,978	24,770	99.1	98.9	258	289	98.8	98.8	21,982	24,761
1	Ater	31.2	41.4	992	1,054	98.6	93.9	12	69	98.8	93.9	992	1,054
2	Bhind (Phoop)	19.7	89.9	8,960	9,835	98.8	99.4	128	70	98.6	99.3	8,957	9,857
3	Gohad	17.0	16.4	3,557	3,962	99.3	98.5	27	58	99.2	98.6	3,545	3,942
4	Lahar	98.7	99.8	3,991	4,530	99.6	99.0	45	50	98.9	98.9	4,015	4,543
5	Mehgaon	88.0	69.1	3,034	3,524	98.8	98.9	38	40	98.8	98.9	3,034	3,530
6	Mihona(Ron)	93.0	101.4	1,444	1,865	99.4	99.8	8	2	99.4	99.9	1,439	1,835

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns birth to l		Number of having we than 2		Newborr weight les kg to Ne		Number of Breast Fed	within 1	Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.0	100.0	2,838	2,636	12.9	10.6	21,652	24,288	98.5	98.0	1,561	2,114
1	Ater	100.0	100.0	60	74	6.0	7.0	992	1,054	100.0	100.0	314	465
2	Bhind (Phoop)	100.0	100.2	1,570	1,453	17.5	14.7	8,651	9,438	96.6	96.0	166	243
3	Gohad	99.7	99.5	279	335	7.9	8.5	3,556	3,938	100.0	99.4	329	394
4	Lahar	100.6	100.3	463	435	11.5	9.6	3,977	4,532	99.6	100.0	465	526
5	Mehgaon	100.0	100.2	314	318	10.3	9.0	3,034	3,491	100.0	99.1	210	265
6	Mihona(Ron)	99.7	98.4	152	21	10.6	1.1	1,442	1,835	99.9	98.4	77	221

		5	5	5	6	5	7	5	8	5	9	6	0
Inc	dicators	newborn within 24h delivery reporte deliv	rs of home to total	Sex Ra birth (Fe Bitr Male Birti	male Live	cases of women wit Complica attended to	tions and	Compl Pregnancie with antihype Magsulph Total Wo Obst Compli atter	icated es treated n IV rtensive/ njection to men with etric cations	Compl Pregnanci with antihype	es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnancie with Transfusio Wome Obst Compli	es treated Blood n to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	91.5	80.9	910	891	7.4	7.3	7.8	4.3	39.3	10.0	33.2	24.5
1	Ater	100.0	100.0	915	833	0.0	0.8		0.0	0.0	0.0		0.0
2 1	Bhind (Phoop)	79.4	91.7	913	868	11.9	13.0	1.4	1.0	22.1	14.5	47.8	31.4
3	Gohad	96.5	69.9	881	927	1.5	0.3	52.1	0.0	92.6	0.0	6.3	72.7
4	Lahar	84.7	99.2	966	953	4.6	4.5	30.2	21.0	137.1	633.3	0.0	0.0
5	Mehgaon	100.0	55.8	872	911	6.0	4.6	18.6	14.2	25.8	4.5	0.0	0.0
6	Mihona(Ron)	93.9	70.4	895	798	6.9	3.2	0.0	0.0	0.0	0.0	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Care / PNC compli- attended	Natal C maternal cations	Total Nu Abort (Sponta Induced)	ions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
	2016-1		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	1.6	3.0	122	410	108	184	88.5	44.9	100.0	98.9	0.0	1.1
1	Ater	0.0	0.0	76	93	0	0	0.0	0.0				
2	Bhind (Phoop)	3.2	6.4	37	272	52	118	140.5	43.4	100.0	100.0	0.0	0.0
3	Gohad	0.0	0.0	1	30	56	66	5600.0	220.0	100.0	97.0	0.0	3.0
4	Lahar	1.7	2.8	1	3	0	0	0.0	0.0				
5	Mehgaon	0.0	0.0	1	4	0	0	0.0	0.0				
6	Mihona(Ron)	0.0	0.0	6	8	0	0	0.0	0.0				

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	% MTPs Con Public Insti Total	ducted at	9 MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to new RTI/ cases for eatment	Numb Vasect Condu (Public	omies ucted	Numb Tubect Condu (Public	comies icted
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	57.8	49.7	42.2	50.3	0.4	0.6	0.0	0.0	81	109	3,321	3,666
1	Ater					0.0	0.0		0.0	5	8	482	508
2	Bhind (Phoop)	53.1	46.5	46.9	53.5	0.7	1.4	0.0	0.0	36	69	495	980
3	Gohad	62.9	56.9	37.1	43.1	1.1	1.2	0.0	0.0	9	10	484	610
4	Lahar					0.0	0.0	0.0	0.0	13	6	990	504
5	Mehgaon					0.0	0.0	0.0	0.0	15	8	550	697
6	Mihona(Ron)					0.0	0.0	2.1		3	8	320	367

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Condu		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubecto Vasect conducted	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	3,402	3,775	2.3	2.8	97.6	97.1	793	1,016	1,693	2,040	916	719
1	Ater	487	516	1.0	1.6	99.0	98.4	0	11	487	505		
2	Bhind (Phoop)	531	1,049	6.8	6.6	93.2	93.4	310	509			221	540
3	Gohad	493	620	1.8	1.6	98.2	98.4	0	0	493	620		
4	Lahar	1,003	510	1.3	1.2	98.7	98.8	226	152	82	179	695	179
5	Mehgaon	565	705	2.7	1.1	97.3	98.9	227	240	338	465		
6	Mihona(Ron)	323	375	0.9	2.1	99.1	97.9	30	104	293	271		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	` Vasect	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasecto conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecti conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind			0	0	23.3	26.9	49.8	54.0	26.9	19.0	0.0	0.0
1	Ater					0.0	2.1	100.0	97.9	0.0	0.0	0.0	0.0
2	Bhind (Phoop)			0		58.4	48.5	0.0	0.0	41.6	51.5	0.0	0.0
3	Gohad			0	0	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4	Lahar					22.5	29.8	8.2	35.1	69.3	35.1	0.0	0.0
5	Mehgaon					40.2	34.0	59.8	66.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)					9.3	27.7	90.7	72.3	0.0	0.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
ı	Indicators	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total	% erlisations I Female sations	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public Ir	stitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.0	0.0	92.3	97.4	0.4	1.6	7.3	1.0	100.0	100.0	100.0	100.0
1	Ater	0.0	0.0	98.1	96.3	1.9	3.3	0.0	0.4	100.0	100.0	100.0	100.0
2	Bhind (Phoop)	0.0	0.0	96.2	95.1	0.8	1.1	3.0	3.8	100.0	100.0	100.0	100.0
3	Gohad	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar	0.0	0.0	85.7	100.0	0.0	0.0	14.3	0.0	100.0	100.0		
5	Mehgaon	0.0	0.0	99.8	95.7	0.0	4.2	0.2	0.1	100.0	100.0		100.0
6	Mihona(Ron)	0.0	0.0	73.4	100.0	0.0	0.0	26.6	0.0	100.0	100.0		

		9	1	9	2	9	3	9	14	9	5	9	6
	Indicators	Post P sterlisation Institution Post P Sterili	artum as at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done	Total IUCD done(publi		PP IUCD I done (publi	nsertions c facilities)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.0	100.0	0	0	10,569	10,320	0	0	10,569	10,320	2,496	3,250
1	Ater		100.0	0	0	1,545	1,535			1,545	1,535	130	72
2	Bhind (Phoop)	100.0	100.0	0	0	3,071	2,260	0		3,071	2,260	1,030	2,372
3	Gohad			0	0	1,177	1,595	0	0	1,177	1,595	237	313
4	Lahar	100.0		0	0	1,714	1,729			1,714	1,729	412	188
5	Mehgaon	100.0	100.0	0	0	2,492	2,644			2,492	2,644	495	247
6	Mihona(Ron)	100.0		0	0	570	557			570	557	192	58

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD inse public plu institutic family p methods (perma	ertions in us private ons to all olanning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distrit	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	23.6	31.4	13.0	16.1	75.6	73.2	43,879	57,027	64,863	68,379	0	0
1	Ater	8.4	4.7	18.8	10.9	76.0	74.8	7,395	13,233	7,641	13,431	0	0
2	Bhind (Phoop)	33.5	105.0	13.2	31.1	85.3	68.3	16,048	13,402	28,895	12,493	0	0
3	Gohad	20.1	19.6	7.8	9.8	70.5	72.0	3,827	2,956	4,716	3,476	0	0
4	Lahar	24.0	10.9	11.9	4.6	63.1	77.2	3,343	3,698	7,043	7,467	0	0
5	Mehgaon	19.9	9.3	17.3	8.0	81.5	78.9	4,319	21,368	4,743	27,689	0	0
6	Mihona(Ron)	33.7	10.4	14.0	3.7	63.8	59.8	8,947	2,370	11,825	3,823	0	0

		10	03	10	04	10	05	10	06	10)7	10	08
ı	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	given OPV0 Reported	Newborns to Repo	given BCG rted live	Number o		Number o	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	22,219	24,229	22,331	25,112	101.1	97.8	101.6	101.4	74	112	74	393
1	Ater	993	1,054	993	1,054	100.1	100.0	100.1	100.0	0	0	0	0
2	Bhind (Phoop)	9,197	9,959	9,235	10,166	102.6	101.3	103.1	103.4	74	85	66	208
3	Gohad	3,583	3,755	3,578	4,018	100.7	94.8	100.6	101.4	0	8	0	157
4	Lahar	3,982	4,346	3,983	4,436	99.8	95.9	99.8	97.9	0	3	0	11
5	Mehgaon	3,090	3,542	3,090	3,566	101.8	100.5	101.8	101.2	0	2	8	0
6	Mihona(Ron)	1,374	1,573	1,452	1,872	95.2	84.3	100.6	100.4	0	14	0	17

		10	09	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number o		Number o		Infants months received vaccine to	old who Measles
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	92	627	24,538	25,892	22,648	24,281	21,772	22,760	23,624	26,458	107.4	106.8
1	Ater	0	0	2,843	3,051	2,794	2,911	2,603	2,702	3,161	3,344	318.6	317.3
2	Bhind (Phoop)	87	322	7,533	7,185	6,548	6,583	6,339	6,005	5,991	7,089	66.9	72.1
3	Gohad	4	253	4,605	4,526	4,207	4,256	4,053	3,952	4,290	4,703	120.6	118.7
4	Lahar	1	29	3,384	3,869	3,212	3,604	3,022	3,386	3,705	4,045	92.8	89.3
5	Mehgaon	0	2	4,421	5,253	4,135	5,037	4,119	4,851	4,586	5,255	151.2	149.1
6	Mihona(Ron)	0	21	1,752	2,008	1,752	1,890	1,636	1,864	1,891	2,022	131.0	108.4

		11	15	11	16	1	17	11	18	11	19	12	20
	Indicators	Number immunize (9-11 n		9 Drop Out BCG & /		Vitamin -	A dose 1	Children g dose1 to live l	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to viven Vit A	Adverse Following I (Oth	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	24,162	26,096	-5.8	-5.4	24,434	27,750	111.2	112.0	152.3	87.1	139	11
1	Ater	3,161	3,344	-218.3	-217.3	3,162	3,344	318.8	317.3	391.4	133.5	0	0
2	Bhind (Phoop)	6,576	6,732	35.1	30.3	6,685	6,846	74.6	69.6	175.6	122.8	0	0
3	Gohad	4,290	4,674	-19.9	-17.0	4,292	4,686	120.7	118.3	0.0	9.5	24	11
4	Lahar	3,650	4,098	7.0	8.8	3,811	5,579	95.5	123.2	112.6	98.1	42	0
5	Mehgaon	4,586	5,255	-48.4	-47.4	4,586	5,255	151.2	149.1	159.9	77.1	73	0
6	Mihona(Ron)	1,899	1,993	-30.2	-8.0	1,898	2,040	131.4	109.4	77.8	65.0	0	0

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisation Held to Imr		Immunisatio where ASI presei Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood 0-5 Y	n Children of Age to eported I Diseases	Total Re Childhood	of Age to	Tetanus Ne in Children of Age t Reported (Diseases)	eonatorum n 0-5 Years no Total Childhood	Tetanus (Children 0- Age to Tota Childhood	-5 Years of
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.3	99.7	79.7	82.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Ater	100.0	100.0	94.5	92.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	99.3	98.1	78.6	83.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Gohad	99.9	100.7	71.5	72.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Lahar	102.7	99.2	74.4	66.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	100.4	100.2	79.8	91.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	100.1	99.9	78.3	87.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported (Diseases (nildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood	ea and ation in 5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children Inp Total In	patient to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.0	0.0	0.1	0.0	97.9	98.9	2.0	1.1	65.8	61.2	20.4	13.4
1	Ater	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0	9.2	1.1
2	Bhind (Phoop)	0.0	0.0	0.0	0.0	96.5	98.0	3.5	2.0	66.6	66.6	16.3	13.8
3	Gohad	0.0	0.0	0.0	0.0	97.8	94.8	2.2	5.2	64.4	42.4	7.9	7.3
4	Lahar	0.0	0.0	0.0	0.0	97.8	100.0	2.2	0.0	49.7	44.8	48.0	20.3
5	Mehgaon	0.0	0.0	0.0	0.0	98.7	97.6	1.3	2.4	85.9	94.5	1.9	1.0
6	Mihona(Ron)	0.0	0.0	2.9	0.0	92.8	99.8	4.4	0.2	55.9	84.4	25.4	5.2

		13	33	13	34	13	35	13	36	13	37	13	38
1	Indicators	Female I Deaths t Inpatien	npatient	9 Inpatient I Tota	Deaths to	IPD (Nu	ımber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	38.3	39.6	0.7	0.6	72,360	75,586	906,234	792,618	8.0	9.5	835	692
1	Ater			0.0	0.0	1,346	2,136	70,722	60,572	1.9	3.5	0	0
2	Bhind (Phoop)	38.3	40.1	1.0	1.0	46,681	39,478	364,632	337,617	12.8	11.7	414	691
3	Gohad			0.0	0.0	5,110	9,600	143,456	112,052	3.6	8.6	1	1
4	Lahar			0.0	0.0	11,291	18,989	192,533	167,326	5.9	11.3	255	0
5	Mehgaon		33.3	0.0	0.9	3,301	3,188	94,679	78,812	3.5	4.0	165	0
6	Mihona(Ron)			0.0	0.0	4,631	2,195	40,212	36,239	11.5	6.1	0	0

		13	39	14	40	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Hyster	per of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	6,088	7,644	12.1	8.3	85	87	10.1	12.5	11,383	18,437	1.2	2.3
1	Ater	2,529	3,706	0.0	0.0	0	0			0	3	0.0	0.0
2	Bhind (Phoop)	3,193	1,958	11.5	26.1	85	83	20.5	12.0	8,423	17,413	2.3	5.2
3	Gohad	15	647	6.3	0.2	0	0	0.0	0.0	470	1,004	0.3	0.9
4	Lahar	172	482	59.7	0.0	0	4	0.0		9	17	0.0	0.0
5	Mehgaon	132	718	55.6	0.0	0	0	0.0		0	0	0.0	0.0
6	Mihona(Ron)	47	133	0.0	0.0	0	0			2,481	0	6.2	0.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	1,938	1,328	0.2	0.2	228	452	4.4	3.8	2.3	1.9	0.2	0.7
1	Ater	0	0	0.0	0.0	0	0	11.0	15.3			0.3	0.5
2	Bhind (Phoop)	1,938	1,328	0.5	0.4	228	303	5.2	3.3	3.6	3.4	0.3	0.2
3	Gohad	0	0	0.0	0.0	0	0	4.2	2.2	0.0	0.0	0.0	0.0
4	Lahar	0	0	0.0	0.0	0	0	1.6	2.1	0.0	0.0	0.0	0.0
5	Mehgaon	0	0	0.0	0.0	0	149	3.1	4.5			0.0	0.0
6	Mihona(Ron)	0	0	0.0	0.0	0	0	3.9	5.8	0.0		0.0	6.2

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.3	0.8	1.2	1.3	0.0	0.0	314	365	5.8	1.7	15.5	5.4
1	Ater	0.3	0.5	0.5	0.5	0.0	0.0	38	51	0.0	0.0	2.9	0.0
2	Bhind (Phoop)	0.6	0.4	0.7	0.9	0.0	0.0	139	160	12.9	3.8	33.8	11.9
3	Gohad	0.0	0.0	2.5	2.2	0.0	0.0	38	46	0.0	0.0	0.0	0.0
4	Lahar	0.0	0.0	0.6	0.7	0.0	0.0	36	56	0.0	0.0	0.0	0.0
5	Mehgaon	0.0	0.0	2.1	2.2	0.0	0.0	47	29	0.0	0.0	0.0	0.0
6	Mihona(Ron)	0.0	6.2	1.4	0.8	0.0	0.0	16	23	0.0	0.0	0.0	0.0

Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
			_Bhind	11.0	9.9	1.6	0.6	1.3	0.8	11.0	11.3	0.0	0.0
1	Ater	8.8	30.4	8.8	0.0	2.9	0.0	29.4	15.2	0.0	0.0	47.1	54.3
2	Bhind (Phoop)	7.9	5.0	0.0	0.0	2.2	1.3	14.4	15.0	0.0	0.0	28.8	63.1
3	Gohad	13.5	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	86.5	97.8
4	Lahar	30.6	22.6	2.8	3.8	0.0	1.9	5.6	15.1	0.0	0.0	61.1	56.6
5	Mehgaon	4.3	3.7	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.6	96.3
6	Mihona(Ron)	12.5	0.0	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	75.0	100.0