

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	25,269	24,686	18,474	18,350	21,049	19,877	73.1	74.3	83.3	80.5	26,972	19,500
1	Aurad	4,244	4,461	3,301	3,456	3,596	3,696	77.8	77.5	84.7	82.9	3,639	3,281
2	Basavakalyan	5,336	5,454	4,041	4,132	4,330	4,166	75.7	75.8	81.1	76.4	4,351	3,969
3	Bhalki	4,013	4,219	3,052	3,195	3,320	3,345	76.1	75.7	82.7	79.3	4,372	3,863
4	Bidar	6,964	5,084	4,438	3,535	5,829	4,684	63.7	69.5	83.7	92.1	10,414	4,313
5	Humnabad	4,712	5,468	3,642	4,032	3,974	3,986	77.3	73.7	84.3	72.9	4,196	4,074

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	26,536	30,108	106.7	78.9	105.0	121.9	26,515	11,260	104.9	45.6	32,326	38,949
1	Aurad	4,430	4,323	85.7	73.5	104.4	96.9	4,731	962	111.5	21.6	5,041	4,374
2	Basavakalyan	6,999	6,747	81.5	72.8	131.2	123.7	5,872	2,688	110.0	49.3	5,377	8,567
3	Bhalki	4,308	4,352	108.9	91.6	107.4	103.2	3,904	2,077	97.3	49.2	3,965	4,359
4	Bidar	5,764	9,127	149.5	84.8	82.8	179.5	7,444	3,956	106.9	77.8	11,291	14,120
5	Humnabad	5,035	5,559	89.0	74.5	106.9	101.7	4,564	1,577	96.9	28.8	6,652	7,529

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	1,594	1,344	4.9	3.5	4.6	5.9	113	169	52	78	61	91
1	Aurad	221	98	4.4	2.2	0.5	0.1	28	39	10	13	18	26
2	Basavakalyan	30	25	0.6	0.3	5.7	15.4	32	38	18	17	14	21
3	Bhalki	280	139	7.1	3.2	7.7	2.7	8	18	4	8	4	10
4	Bidar	982	889	8.7	6.3	6.6	8.4	26	49	13	31	13	18
5	Humnabad	81	193	1.2	2.6	1.4	1.2	19	25	7	9	12	16

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	46.0	46.1	12	1	10.6	0.6	19,525	18,984	4,603	4,919	23.5	25.9
1	Aurad	35.7	33.3	0	0	0.0	0.0	2,463	2,538	268	244	10.9	9.6
2	Basavakalyan	56.3	44.7	2	0	6.3	0.0	3,147	3,320	396	194	12.6	5.8
3	Bhalki	50.0	44.4	1	0	12.5	0.0	2,191	2,256	31	96	1.4	4.3
4	Bidar	50.0	63.3	0	0	0.0	0.0	7,324	6,553	3,470	3,780	47.4	57.7
5	Humnabad	36.8	36.0	9	1	47.4	4.0	4,400	4,317	438	605	10.0	14.0

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2016-17

Provisional Figures for the Period April to December

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	25,263	24,128	99.9	97.7	25,376	24,297	99.6	99.3	99.8	99.6	0.4	0.7
1	Aurad	2,463	2,538	58.0	56.9	2,491	2,577	98.9	98.5	99.3	99.0	1.1	1.5
2	Basavakalyan	3,932	4,218	73.7	77.3	3,964	4,256	99.2	99.1	99.6	99.5	0.8	0.9
3	Bhalki	3,895	3,736	97.1	88.6	3,903	3,754	99.8	99.5	99.9	99.7	0.2	0.5
4	Bidar	10,351	9,150	148.6	180.0	10,377	9,199	99.7	99.5	99.9	99.8	0.3	0.5
5	Humnabad	4,622	4,486	98.1	82.0	4,641	4,511	99.6	99.4	99.7	99.6	0.4	0.6

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	1,992	1,657	1,985	1,596	15.7	13.4	10.2	8.7	34.6	31.0	77.3	78.7
1	Aurad	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Basavakalyan	14	45	58	82	1.8	3.0	0.4	1.4	7.4	9.1	80.0	78.7
3	Bhalki	31	54	455	373	12.5	11.4	1.4	2.4	26.7	25.2	56.3	60.4
4	Bidar	1,934	1,549	1,416	1,136	32.4	29.3	26.4	23.6	46.8	43.7	70.8	71.6
5	Humnabad	13	9	56	5	1.5	0.3	0.3	0.2	25.2	3.0	95.2	96.2

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	52.2	54.6	0.4	0.2	22.7	21.3	19,220	18,462	19,519	18,035	75.7	76.0
1	Aurad	45.1	68.2	0.2	1.1	0.0	0.0	2,354	2,470	2,981	2,968	94.5	95.8
2	Basavakalyan	42.3	35.6	2.0	0.0	20.0	21.3	3,646	4,019	2,785	3,013	92.0	94.4
3	Bhalki	56.2	65.3	0.5	0.0	43.7	39.6	2,531	2,361	2,614	2,391	64.8	62.9
4	Bidar	52.6	48.6	0.0	0.2	29.2	28.4	7,237	5,800	8,581	6,724	69.7	63.1
5	Humnabad	60.8	64.7	0.0	0.0	4.8	3.8	3,452	3,812	2,558	2,939	74.4	84.5

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	76.9	74.2	25,286	24,116	99.6	99.3	141	262	99.4	98.9	25,018	23,904
1	Aurad	119.7	115.2	2,469	2,557	99.1	99.2	20	30	99.2	98.8	2,470	2,552
2	Basavakalyan	70.3	70.8	3,959	4,219	99.9	99.1	25	55	99.4	98.7	3,947	4,215
3	Bhalki	67.0	63.7	3,900	3,738	99.9	99.6	15	22	99.6	99.4	3,757	3,613
4	Bidar	82.7	73.1	10,362	9,146	99.9	99.4	23	90	99.8	99.0	10,229	9,064
5	Humnabad	55.1	65.2	4,596	4,456	99.0	98.8	58	65	98.8	98.6	4,615	4,460



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	98.9	99.1	1,877	1,507	7.5	6.3	24,339	23,809	96.2	98.7	110	144
1	Aurad	100.0	99.8	181	209	7.3	8.2	2,414	2,524	97.8	98.7	28	37
2	Basavakalyan	99.7	99.9	256	290	6.5	6.9	3,881	4,206	98.0	99.7	31	34
3	Bhalki	96.3	96.7	260	249	6.9	6.9	3,829	3,631	98.2	97.1	8	16
4	Bidar	98.7	99.1	915	528	8.9	5.8	9,687	9,066	93.5	99.1	25	37
5	Humnabad	100.4	100.1	265	231	5.7	5.2	4,528	4,382	98.5	98.3	18	20

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	97.3	85.2	940	920	12.1	10.0	74.2	75.8	197.0	127.0	31.1	40.1
1	Aurad	100.0	94.9	1,054	995	2.3	1.3	103.5	109.1	295.0	900.0	77.2	100.0
2	Basavakalyan	96.9	89.5	900	951	23.8	17.0	18.3	21.4	55.9	18.3	0.0	4.2
3	Bhalki	100.0	88.9	963	1,011	0.1	0.1	266.7	650.0	2.6	11.3	2500.0	2050.0
4	Bidar	96.2	75.5	919	825	19.4	17.4	102.0	101.9	447.3	381.7	41.6	54.7
5	Humnabad	94.7	80.0	950	982	1.7	1.9	1.3	17.6	1.5	22.7	5.1	0.0

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	2.7	1.5	748	730	166	134	22.2	18.4	56.6	61.9	43.4	38.1
1	Aurad	0.6	0.3	118	102	44	27	37.3	26.5	54.5	70.4	45.5	29.6
2	Basavakalyan	1.3	6.3	13	67	0	11	0.0	16.4		90.9		9.1
3	Bhalki	0.0	0.1	22	12	0	2	0.0	16.7		50.0		50.0
4	Bidar	5.8	0.4	508	477	118	94	23.2	19.7	55.9	56.4	44.1	43.6
5	Humnabad	0.5	0.9	87	72	4	0	4.6	0.0	100.0		0.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	27.7	23.5	72.3	76.5	0.7	0.5	0.8	0.0	44	18	5,088	5,435
1	Aurad	100.0	100.0	0.0	0.0	1.0	0.6	1.6	0.0	19	8	445	446
2	Basavakalyan	0.0	32.4	100.0	67.6	0.0	0.2	0.0	0.0	5	0	647	907
3	Bhalki	0.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	5	0	577	659
4	Bidar	23.9	20.6	76.1	79.4	1.7	1.8	1.2	0.0	15	10	2,796	2,675
5	Humnabad	6.9	0.0	93.1	100.0	0.1	0.0	0.0	0.0	0	0	623	748

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	5,132	5,453	0.8	0.3	99.1	99.7	69	68	797	820	1,652	1,737
1	Aurad	464	454	4.1	1.8	95.9	98.2	10	0	237	272	217	182
2	Basavakalyan	652	907	0.8	0.0	99.2	100.0	13	0	69	38	533	667
3	Bhalki	582	659	0.9	0.0	99.1	100.0	0	0	77	56	344	454
4	Bidar	2,811	2,685	0.5	0.4	99.5	99.6	40	24			412	269
5	Humnabad	623	748	0.0	0.0	100.0	100.0	6	44	414	454	146	165

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar			10	10	1.3	1.2	15.5	15.0	32.2	31.9	0.0	0.0
1	Aurad					2.2	0.0	51.1	59.9	46.8	40.1	0.0	0.0
2	Basavakalyan			0	0	2.0	0.0	10.6	4.2	81.7	73.5	0.0	0.0
3	Bhalki			0	0	0.0	0.0	13.2	8.5	59.1	68.9	0.0	0.0
4	Bidar			10	10	1.4	0.9	0.0	0.0	14.7	10.0	0.0	0.0
5	Humnabad			0	0	1.0	5.9	66.5	60.7	23.4	22.1	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	50.9	51.9	17.3	18.0	76.1	79.4	6.5	2.5	6.1	30.5	54.3	53.3
1	Aurad	0.0	0.0	0.0	6.7	96.2	93.3	3.8	0.0		100.0	100.0	100.0
2	Basavakalyan	5.7	22.3	4.2	0.0	94.3	95.3	1.5	4.7	100.0		94.1	80.9
3	Bhalki	27.7	22.6	3.6	0.0	94.3	94.8	2.1	5.2	95.2		71.0	80.6
4	Bidar	83.9	89.1	29.8	35.5	59.8	62.8	10.5	1.7	0.8	28.3	9.2	1.4
5	Humnabad	9.1	11.4	0.0	0.1	99.5	97.7	0.5	2.1		0.0	90.8	89.9

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	97.3	12.9	0	1	1,676	1,153	130	228	1,806	1,381	1,648	37
1	Aurad	100.0		0	0	335	166			335	166	287	0
2	Basavakalyan	90.0	14.0	0	0	361	123	52	124	413	247	268	0
3	Bhalki	83.3	17.6	0	0	498	458	8	1	506	459	391	22
4	Bidar	98.0	0.0	0	0	286	244	64	103	350	347	567	13
5	Humnabad	100.0	37.5	0	1	196	162	6	0	202	162	135	2



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	98.3	3.2	8.4	0.1	26.0	20.2	28,580	20,754	257,471	198,123	0	0
1	Aurad	85.7	0.0	11.7	0.0	41.9	26.8	6,763	4,211	36,785	22,761	0	0
2	Basavakalyan	74.2	0.0	8.5	0.0	38.8	21.4	5,291	4,163	130,424	82,432	0	0
3	Bhalki	78.5	4.8	17.8	1.0	46.5	41.1	4,294	3,554	22,982	25,782	0	0
4	Bidar	198.3	5.3	7.7	0.2	11.1	11.4	6,769	4,543	29,015	31,881	0	0
5	Humnabad	68.9	1.2	3.1	0.0	24.5	17.8	5,463	4,283	38,265	35,267	0	0

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	23,065	21,102	26,882	27,017	91.2	87.5	106.3	112.0	82	126	26	95
1	Aurad	3,237	2,500	3,565	3,905	131.1	97.8	144.4	152.7	12	4	12	3
2	Basavakalyan	3,886	4,350	4,013	4,850	98.2	103.1	101.4	115.0	4	0	8	0
3	Bhalki	3,529	3,363	4,038	3,778	90.5	90.0	103.5	101.1	44	47	3	49
4	Bidar	8,039	6,892	10,404	9,509	77.6	75.4	100.4	104.0	17	30	0	27
5	Humnabad	4,374	3,997	4,862	4,975	95.2	89.7	105.8	111.6	5	45	3	16

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	21	89	28,669	27,728	26,407	26,547	25,740	26,627	23,763	25,217	93.9	104.5
1	Aurad	7	4	4,948	4,535	4,783	4,399	4,767	4,416	4,199	4,232	170.1	165.5
2	Basavakalyan	6	0	5,992	6,558	5,616	6,524	5,545	6,613	5,249	6,349	132.6	150.5
3	Bhalki	0	46	4,517	4,319	4,206	4,057	3,974	4,094	3,573	3,786	91.6	101.3
4	Bidar	0	30	7,680	6,763	6,975	6,357	6,907	6,361	6,346	6,017	61.2	65.8
5	Humnabad	8	9	5,532	5,553	4,827	5,210	4,547	5,143	4,396	4,833	95.6	108.5

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	24,103	25,424	11.6	6.7	23,597	24,333	93.3	100.9	57.7	8.1	45	20
1	Aurad	4,068	4,088	-17.8	-8.4	4,096	4,093	165.9	160.1	8.8	1.0	2	0
2	Basavakalyan	4,174	6,237	-30.8	-30.9	5,242	6,306	132.4	149.5	71.9	19.5	0	0
3	Bhalki	3,442	3,453	11.5	-0.2	3,783	3,553	97.0	95.1	130.2	12.8	30	1
4	Bidar	8,052	6,735	39.0	36.7	6,189	5,540	59.7	60.6	72.0	4.3	13	15
5	Humnabad	4,367	4,911	9.6	2.9	4,287	4,841	93.3	108.6	2.4	0.3	0	4

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	93.2	97.3	70.6	71.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Aurad	97.3	97.1	85.4	82.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Basavakalyan	97.1	97.0	58.7	62.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Bhalki	92.8	94.9	75.7	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Bidar	90.3	98.9	68.3	74.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Humnabad	89.1	99.1	69.1	72.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	0.0	0.0	1.8	0.3	97.0	98.0	1.3	1.7	64.0	66.4	12.7	13.6
1	Aurad	0.0	0.0	0.6	0.0	99.2	99.7	0.2	0.3	57.5	62.7	6.7	5.9
2	Basavakalyan	0.0	0.0	1.4	0.3	98.6	99.5	0.0	0.1	65.3	70.0	10.2	13.1
3	Bhalki	0.0	0.0	5.9	0.5	88.9	99.0	5.1	0.5	80.0	85.5	7.1	5.2
4	Bidar	0.0	0.0	0.3	0.5	99.1	95.2	0.6	4.4	57.9	58.2	15.8	16.9
5	Humnabad	0.0	0.0	3.0	0.0	97.0	99.8	0.0	0.2	73.4	77.1	15.6	17.3

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	34.7	41.9	1.1	1.0	83,218	80,874	1,631,609	1,432,885	5.1	5.6	5,844	4,912
1	Aurad	20.4	63.6	0.5	0.5	11,867	11,945	228,481	187,383	5.2	6.4	0	0
2	Basavakalyan	50.0	71.4	0.0	0.0	11,878	16,898	329,889	306,663	3.6	5.5	133	182
3	Bhalki	40.0	11.1	0.1	0.1	9,405	6,567	220,351	191,576	4.3	3.4	679	443
4	Bidar	35.6	40.7	2.4	2.2	36,911	33,855	509,891	461,050	7.2	7.3	4,984	4,272
5	Humnabad	25.0	26.7	0.1	0.1	13,157	11,609	342,997	286,213	3.8	4.1	48	15

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	2,579	3,204	69.4	60.5	103	43	1.7	0.8	51,877	36,453	3.1	2.5
1	Aurad	129	80	0.0	0.0	0	0			5,383	5,222	2.4	2.8
2	Basavakalyan	550	1,426	19.5	11.3	0	0	0.0	0.0	34,870	21,890	10.6	7.1
3	Bhalki	414	510	62.1	46.5	79	10	11.6	2.3	2,462	2,879	1.1	1.5
4	Bidar	1,367	999	78.5	81.0	16	33	0.3	0.8	4,082	3,784	0.8	0.8
5	Humnabad	119	189	28.7	7.4	8	0	16.7	0.0	5,080	2,678	1.5	0.9



Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2016-17  
Provisional Figures for the Period April to December

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	18,791	11,962	1.2	0.8	6,673	5,277	5.0	4.3	1.0	1.2	0.4	0.6
1	Aurad	1,656	428	0.7	0.2	229	214	5.6	5.1	0.7	1.1	0.3	1.5
2	Basavakalyan	13,763	8,525	4.2	2.8	5,217	2,910	0.7	0.4	1.3	1.1	0.3	0.2
3	Bhalki	583	1,139	0.3	0.6	331	367	9.8	4.5	1.6	1.2	1.1	0.4
4	Bidar	1,718	1,679	0.3	0.4	874	1,722	5.5	5.7	1.0	1.4	0.2	0.6
5	Humnabad	1,071	191	0.3	0.1	22	64	1.4	3.1	0.9	1.1	0.5	0.8

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	0.6	0.8	0.3	0.0	0.2	0.0	206	196	2.7	2.7	17.6	18.4
1	Aurad	0.4	1.4	1.5	0.1	1.4	0.0	3	7	0.0	0.0	66.7	0.0
2	Basavakalyan	0.5	0.4	0.0	0.0	0.0	0.0	14	6	0.0	16.7	7.7	16.7
3	Bhalki	1.2	0.5	0.0	0.0	0.0	0.0	8	7	25.0	0.0	12.5	16.7
4	Bidar	0.5	0.8	0.0	0.0	0.0	0.0	173	170	1.9	2.4	18.6	19.5
5	Humnabad	0.6	0.9	0.0	0.0	0.0	0.0	8	6	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bidar	12.2	18.9	1.6	0.5	0.0	0.0	1.6	1.1	0.0	0.0	64.4	58.4
1	Aurad	0.0	25.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	33.3	50.0
2	Basavakalyan	7.7	16.7	15.4	0.0	0.0	0.0	7.7	16.7	0.0	0.0	61.5	33.3
3	Bhalki	0.0	50.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	37.5	33.3
4	Bidar	12.8	18.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	59.8
5	Humnabad	25.0	0.0	12.5	20.0	0.0	0.0	0.0	0.0	0.0	0.0	62.5	80.0