Indicator		1		2		3	3		4		5	6		
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		Newborns	Number of Infants given OPV 0 (Birth Dose)		
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	
	_Delhi	243,151	234,663	99.3	98.9	4,348	4,621	98.2	98.1	228,907	221,050	225,395	217,192	
1	Central	43,743	43,509	99.0	99.4	928	898	97.9	98.0	41,784	42,778	39,262	38,198	
2	East	10,658	10,890	99.8	99.3	80	156	99.3	98.6	9,930	9,898	9,693	9,774	
3	New Delhi	39,727	39,716	98.4	98.0	1,055	1,069	97.4	97.4	38,911	39,360	38,035	39,010	
4	North	9,568	10,553	99.7	105.6	139	146	98.6	98.6	8,287	8,505	9,328	10,231	
5	North East	6,759	5,310	99.9	101.0	65	56	99.0	99.0	6,067	4,864	6,742	5,008	
6	North West	35,436	31,515	99.7	98.9	520	690	98.6	97.9	33,270	29,944	31,924	28,756	
7	Shahdara	31,679	31,974	98.8	97.9	578	742	98.2	97.7	30,737	30,854	31,840	32,048	
8	South	12,488	11,591	101.0	100.9	91	73	99.3	99.4	10,959	9,717	10,638	9,428	
9	South East	9,364	8,026	101.0	101.4	42	49	99.6	99.4	7,872	6,631	7,529	6,349	
10	South West	11,953	11,697	99.6	99.2	146	148	98.8	98.8	10,987	10,428	11,342	10,749	
11	West	31,776	29,882	99.3	96.3	704	594	97.8	98.1	30,103	28,071	29,062	27,641	

		7	7	8	3	9	9	1	0	1	1	12		
1	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3		
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	
	_Delhi	294,128	288,886	92.7	92.6	121.0	123.1	131,945	275,593	140,456	260,521	147,913	247,249	
1	Central	41,950	43,028	89.8	87.8	95.9	98.9	7,948	30,781	9,803	27,146	11,670	25,467	
2	East	15,726	16,049	90.9	89.8	147.6	147.4	10,852	18,112	11,184	17,688	11,364	16,834	
3	New Delhi	42,188	33,939	95.7	98.2	106.2	85.5	10,291	18,330	10,389	16,321	10,255	15,876	
4	North	17,484	20,640	97.5	96.9	182.7	195.6	8,055	26,503	9,602	25,209	10,945	23,939	
5	North East	13,509	12,251	99.7	94.3	199.9	230.7	11,507	22,049	12,031	20,426	11,542	18,832	
6	North West	40,876	39,383	90.1	91.2	115.4	125.0	12,119	32,173	14,383	31,499	16,338	28,850	
7	Shahdara	36,427	35,316	100.5	100.2	115.0	110.5	13,720	24,794	13,972	22,685	14,080	21,109	
8	South	15,188	17,099	85.2	81.3	121.6	147.5	9,211	18,792	10,007	18,076	10,325	17,521	
9	South East	15,221	14,738	80.4	79.1	162.5	183.6	11,415	21,411	12,436	20,570	13,572	19,868	
10	South West	15,634	16,029	94.9	91.9	130.8	137.0	11,334	22,241	12,298	21,870	12,941	21,067	
11	West	39,925	40,414	91.5	92.5	125.6	135.2	25,493	40,407	24,351	39,031	24,881	37,886	

Indicator		1	2	14		1	E	1	16		7	18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number (	Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received accine to ive births	Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Delhi	101,687		93,660		82,596		255,719	238,547	105.2	101.7	243,761	228,444
1	Central	10,647		9,711		8,571		27,388	25,814	62.6	59.3	26,317	24,971
2	East	8,367		7,642		6,813		18,649	16,865	175.0	154.9	18,153	16,003
3	New Delhi	6,330		5,582		5,057		15,025	14,723	37.8	37.1	13,595	13,238
4	North	9,194		8,368		7,301		21,476	22,058	224.5	209.0	20,896	22,355
5	North East	10,210		9,481		8,207		20,515	17,807	303.5	335.3	19,791	17,491
6	North West	12,470		11,662		10,258		31,439	27,268	88.7	86.5	29,482	25,852
7	Shahdara	9,115		7,965		6,894		21,817	19,034	68.9	59.5	20,626	18,755
8	South	5,232		5,054		4,577		17,655	17,809	141.4	153.6	16,729	17,102
9	South East	6,978		6,390		5,520		21,295	19,554	227.4	243.6	19,320	17,930
10	South West	9,117	·	8,817		7,729		21,817	21,010	182.5	179.6	21,120	19,353
11	West	14,027		12,988		11,669		38,643	36,605	121.6	122.5	37,732	35,394

Indicator		% Drop Out between BCG & Measles		2	0	2	21		2	2	3	24	
				Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Events munisation ters)	% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Delhi	13.1	17.4	233,739	92,177	96.1	39.3	33.5	39.4	33	51	93.5	92.5
1	Central	34.7	40.0	23,562	10,297	53.9	23.7	21.0	18.7	1	0	93.0	92.2
2	East	-18.6	-5.1	16,939	5,555	158.9	51.0	25.2	35.5	0	0	96.7	93.4
3	New Delhi	64.4	56.6	14,432	6,113	36.3	15.4	76.3	87.0	0	0	90.7	92.7
4	North	-22.8	-6.9	21,526	5,210	225.0	49.4	37.2	58.4	0	0	91.9	88.0
5	North East	-51.9	-45.4	19,330	7,771	286.0	146.3	42.6	45.7	0	17	95.3	89.7
6	North West	23.1	30.8	31,663	8,395	89.4	26.6	29.8	56.7	8	0	93.1	91.9
7	Shahdara	40.1	46.1	17,823	14,303	56.3	44.7	43.5	45.8	3	0	95.6	94.0
8	South	-16.2	-4.2	16,446	6,913	131.7	59.6	30.8	32.3	2	11	96.3	99.1
9	South East	-39.9	-32.7	16,830	5,851	179.7	72.9	41.4	26.6	10	12	95.8	95.5
10	South West	-39.5	-31.1	18,714	7,232	156.6	61.8	15.3	10.7	3	2	89.9	90.1
11	West	3.2	9.4	36,474	14,537	114.8	48.6	27.0	31.6	6	9	92.7	92.3

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2013-14

Provisional Figures for the Period April to March

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Delhi	33.3	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	17.0	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
2	East	36.1	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	31.8	25.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.0	0.0
4	North	34.0	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	68.0	32.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
6	North West	21.4	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	26.4	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	26.3	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	17.1	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	64.5	51.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	43.0	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3	2	3	3	3	4	35		36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		%  Deaths due to Sepsis to  Total Reported Infant  Deaths		%  Deaths due to Asphyxia  to Total Reported  Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Delhi	0.3	0.2	98.5	98.5	1.2	1.2	2,562	2,375	23.7	22.3	9.7	10.8
1	Central	1.2	0.3	96.9	93.7	1.9	5.8	561	364	23.7	24.0	11.8	14.3
2	East	0.5	0.6	98.5	98.3	0.9	1.1	320	382	21.1	19.4	5.4	5.8
3	New Delhi	0.3	0.2	97.5	97.6	2.0	1.9	804	1,005	33.9	25.8	6.9	9.3
4	North	0.2	0.1	98.2	99.5	1.6	0.4	63	47	7.8	21.9	7.8	9.4
5	North East	0.0	0.1	99.7	99.4	0.3	0.4	16	2	8.3	0.0	41.7	0.0
6	North West	0.2	0.2	98.9	98.4	0.9	1.4	331	268	25.7	22.0	27.9	27.5
7	Shahdara	0.4	0.5	97.8	98.3	1.9	1.2	37	51	15.6	5.0	12.5	15.0
8	South	0.1	0.1	99.5	98.9	0.4	0.9	24	13	8.7	7.7	26.1	7.7
9	South East	0.5	0.4	98.6	99.1	1.0	0.5	50	41	0.0	0.0	0.0	0.0
10	South West	0.2	0.0	99.6	99.5	0.2	0.5	26	18	34.8	17.6	8.7	5.9
11	West	0.3	0.2	98.6	99.3	1.0	0.5	330	184	8.2	18.2	1.5	3.9

		3	7	3	8	3	9	4	0	41		42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Delhi	13.8	13.9	10.2	11.2	0.9	1.8	3.5	5.0	0.0	0.0	38.1	34.9
1	Central	7.8	19.1	4.2	7.7	0.0	0.3	0.4	0.3	0.0	0.0	52.1	34.3
2	East	2.2	8.9	29.3	20.0	0.0	1.1	0.3	1.1	0.0	0.0	41.6	43.6
3	New Delhi	5.4	7.0	11.0	10.6	1.3	2.6	8.5	9.9	0.0	0.0	33.0	34.8
4	North	43.1	37.5	7.8	6.3	3.9	0.0	7.8	3.1	0.0	0.0	21.6	21.9
5	North East	0.0	0.0	8.3	0.0	16.7	0.0	0.0	0.0	0.0	0.0	25.0	100.0
6	North West	24.5	23.9	5.6	6.9	0.7	0.5	2.2	2.8	0.0	0.0	13.4	16.5
7	Shahdara	18.8	15.0	9.4	12.5	0.0	2.5	6.3	7.5	0.0	0.0	37.5	42.5
8	South	26.1	15.4	4.3	38.5	4.3	15.4	8.7	0.0	0.0	0.0	21.7	15.4
9	South East	4.0	4.9	0.0	4.9	0.0	0.0	0.0	0.0	0.0	0.0	96.0	90.2
10	South West	0.0	17.6	4.3	5.9	4.3	17.6	4.3	5.9	0.0	0.0	43.5	29.4
11	West	43.2	33.7	6.4	9.9	1.5	2.2	0.6	1.1	0.0	0.0	38.6	30.9