

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	34,154	34,060	29,270	28,582	31,589	29,467	85.7	83.9	92.5	86.5	28,061	32,241
1	Gangavati	10,876	10,688	9,213	8,465	9,687	8,236	84.7	79.2	89.1	77.1	7,199	9,098
2	Koppal	8,937	8,821	7,840	7,717	8,285	7,680	87.7	87.5	92.7	87.1	9,792	9,374
3	Kushtagi	7,483	7,671	6,352	6,453	7,010	7,073	84.9	84.1	93.7	92.2	6,800	8,615
4	Yelburga	6,858	6,880	5,865	5,947	6,607	6,478	85.5	86.4	96.3	94.2	4,270	5,154

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	30,382	31,285	82.1	94.6	88.9	91.8	8,814	20,452	25.8	60.0	46,046	44,152
1	Gangavati	9,865	9,564	66.2	85.1	90.7	89.5	1,538	3,766	14.1	35.2	12,986	14,714
2	Koppal	7,723	8,418	109.6	106.3	86.4	95.4	2,521	12,374	28.2	140.3	11,616	10,829
3	Kushtagi	7,160	7,459	90.9	112.3	95.7	97.2	3,954	1,885	52.8	24.6	12,607	10,903
4	Yelburga	5,634	5,844	62.3	74.9	82.2	84.9	801	2,427	11.7	35.3	8,837	7,706

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1,824	1,406	4.0	3.2	3.8	4.0	1,276	1,788	217	455	1,059	1,333
1	Gangavati	483	456	3.7	3.1	3.1	2.9	265	459	91	206	174	253
2	Koppal	798	580	6.9	5.4	5.4	6.4	167	249	47	69	120	180
3	Kushtagi	284	215	2.3	2.0	5.1	4.9	513	642	23	66	490	576
4	Yelburga	259	155	2.9	2.0	1.1	1.4	331	438	56	114	275	324

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	17.0	25.4	22	39	1.7	2.2	22,469	21,720	1,571	1,388	6.9	6.3
1	Gangavati	34.3	44.9	13	20	4.9	4.4	6,240	5,994	84	233	1.3	3.9
2	Koppal	28.1	27.7	1	3	0.6	1.2	6,165	5,669	705	698	11.4	12.3
3	Kushtagi	4.5	10.3	2	14	0.4	2.2	6,303	6,376	298	196	4.7	3.1
4	Yelburga	16.9	26.0	6	2	1.8	0.5	3,761	3,681	484	261	12.9	7.1

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	23,962	23,318	70.1	68.4	25,238	25,106	94.9	92.9	95.8	94.7	5.1	7.1
1	Gangavati	7,402	7,167	68.1	67.1	7,667	7,626	96.5	94.0	97.7	96.7	3.5	6.0
2	Koppal	6,469	6,058	72.4	68.7	6,636	6,307	97.5	96.1	98.2	97.1	2.5	3.9
3	Kushtagi	6,330	6,412	84.6	83.6	6,843	7,054	92.5	90.9	92.8	91.8	7.5	9.1
4	Yelburga	3,761	3,681	54.8	53.5	4,092	4,119	91.9	89.4	93.3	92.1	8.1	10.6

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	2,810	2,538	484	442	13.7	12.7	12.5	11.7	32.4	27.7	93.8	93.1
1	Gangavati	644	466	444	320	14.7	11.0	10.3	7.8	38.2	27.3	84.3	83.6
2	Koppal	1,061	885	38	107	17.0	16.4	17.2	15.6	12.5	27.5	95.3	93.6
3	Kushtagi	893	1,060	2	15	14.1	16.8	14.2	16.6	7.4	41.7	99.6	99.4
4	Yelburga	212	127			5.6	3.5	5.6	3.5			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	55.4	59.5	0.1	0.3	6.2	6.9	23,190	23,231	29,397	29,726	91.9	92.5
1	Gangavati	83.5	78.6	0.0	0.0	15.7	16.4	6,392	6,345	9,007	9,029	83.4	83.2
2	Koppal	27.8	43.6	0.4	0.0	4.7	6.4	6,206	5,891	7,967	7,621	93.5	93.4
3	Kushtagi	68.5	68.0	0.0	0.8	0.4	0.6	6,573	6,955	6,845	7,606	96.1	98.6
4	Yelburga	32.1	38.3	0.2	0.1	0.0	0.0	4,019	4,040	5,578	5,470	98.2	98.1

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	116.5	118.4	25,134	24,940	99.6	99.3	497	565	98.1	97.8	25,147	24,571
1	Gangavati	117.5	118.4	7,564	7,551	98.7	99.0	119	103	98.5	98.7	7,563	7,300
2	Koppal	120.1	120.8	6,570	6,271	99.0	99.4	120	143	98.2	97.8	6,632	6,222
3	Kushtagi	100.0	107.8	6,940	6,965	101.4	98.7	187	238	97.4	96.7	6,929	6,911
4	Yelburga	136.3	132.8	4,060	4,153	99.2	100.8	71	81	98.3	98.1	4,023	4,138

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	100.1	98.5	3,951	4,114	15.7	16.7	23,938	23,979	95.2	96.1	1,219	1,625
1	Gangavati	100.0	96.7	1,344	967	17.8	13.2	7,052	7,178	93.2	95.1	222	366
2	Koppal	100.9	99.2	1,165	1,399	17.6	22.5	6,238	6,073	94.9	96.8	168	246
3	Kushtagi	99.8	99.2	927	1,278	13.4	18.5	6,893	6,824	99.3	98.0	527	632
4	Yelburga	99.1	99.6	515	470	12.8	11.4	3,755	3,904	92.5	94.0	302	381

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	95.5	90.8	954	934	9.7	10.9	15.7	12.1	28.8	22.9	44.1	45.7
1	Gangavati	83.8	79.7	988	955	7.7	4.0	19.5	26.8	32.6	24.2	41.1	84.2
2	Koppal	100.6	98.8	922	931	18.8	17.5	3.4	6.5	8.4	12.2	18.3	16.6
3	Kushtagi	102.7	98.4	939	888	5.5	15.8	50.1	12.0	45.8	32.5	131.3	65.7
4	Yelburga	91.2	87.0	972	981	5.7	4.9	20.6	23.1	57.1	43.3	57.9	43.4

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.2	1.4	722	561	179	149	24.8	26.6	57.0	65.8	43.0	34.2
1	Gangavati	0.9	0.9	171	147	87	41	50.9	27.9	55.2	61.0	44.8	39.0
2	Koppal	2.5	3.0	220	205	48	42	21.8	20.5	52.1	54.8	47.9	45.2
3	Kushtagi	1.2	1.1	161	93	42	66	26.1	71.0	66.7	75.8	33.3	24.2
4	Yelburga	0.0	0.1	170	116	2	0	1.2	0.0	50.0		50.0	

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	95.7	94.3	4.3	5.7	0.5	0.4	0.1	0.0	5	35	10,496	9,911
1	Gangavati	97.8	87.2	2.2	12.8	0.8	0.4	0.0	0.0	2	5	3,149	2,924
2	Koppal	100.0	100.0	0.0	0.0	0.5	0.5	0.0	0.0	1	30	2,179	2,388
3	Kushtagi	87.5	95.7	12.5	4.3	0.6	0.9	0.0	0.0	2	0	3,233	2,716
4	Yelburga	100.0		0.0		0.0	0.0	0.5	0.2	0	0	1,935	1,883

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	10,501	9,946	0.0	0.3	100.0	99.6	3,091	3,260	3,812	3,281	3,534	3,405
1	Gangavati	3,151	2,929	0.1	0.2	99.9	99.8	161	281	1,619	1,341	1,307	1,307
2	Koppal	2,180	2,418	0.0	1.2	100.0	98.8	1,077	1,459	746	558	357	401
3	Kushtagi	3,235	2,716	0.1	0.0	99.9	100.0	1,274	1,029	464	426	1,497	1,261
4	Yelburga	1,935	1,883	0.0	0.0	100.0	100.0	579	491	983	956	373	436

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal			0	0	29.4	32.8	36.3	33.0	33.7	34.2	0.0	0.0
1	Gangavati			0	0	5.1	9.6	51.4	45.8	41.5	44.6	0.0	0.0
2	Koppal			0	0	49.4	60.3	34.2	23.1	16.4	16.6	0.0	0.0
3	Kushtagi			0	0	39.4	37.9	14.3	15.7	46.3	46.4	0.0	0.0
4	Yelburga					29.9	26.1	50.8	50.8	19.3	23.2	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.6	0.0	77.2	75.8	15.0	18.5	7.7	5.7	99.7	100.0	98.9	100.0
1	Gangavati	2.0	0.0	72.0	75.9	19.0	16.2	9.0	7.9	98.9	100.0	97.0	100.0
2	Koppal	0.0	0.0	81.0	71.7	16.6	28.1	2.3	0.2	100.0	100.0	100.0	100.0
3	Kushtagi	0.0	0.0	75.3	78.8	11.8	10.7	12.9	10.5	100.0	100.0	100.0	100.0
4	Yelburga	0.0	0.0	84.4	76.7	12.1	20.9	3.5	2.3	100.0	100.0	100.0	100.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	97.3	100.0	0	0	2,330	2,729	64	10	2,394	2,739	482	946
1	Gangavati	92.2	100.0	0	0	440	590	61	3	501	593	91	7
2	Koppal	100.0	100.0	0	0	1,033	1,125	0	0	1,033	1,125	318	115
3	Kushtagi	100.0	100.0	0	0	289	436	3	7	292	443	34	107
4	Yelburga	100.0	100.0	0	0	568	578			568	578	39	717

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	20.6	34.6	2.1	4.3	18.5	21.5	27,705	19,352	360,161	384,980	0	0
1	Gangavati	20.7	1.2	1.5	0.1	13.7	16.8	9,857	5,513	100,556	110,266	0	0
2	Koppal	30.8	10.2	5.2	2.0	32.2	31.8	8,097	5,300	94,136	113,210	0	0
3	Kushtagi	11.8	24.5	0.5	1.7	8.3	14.0	3,949	4,426	94,475	93,160	0	0
4	Yelburga	6.9	124.0	1.0	19.5	22.7	23.5	5,802	4,113	70,994	68,344	0	0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	28,734	29,976	35,396	35,903	114.3	120.2	140.8	144.0	193	202	163	220
1	Gangavati	9,404	9,162	10,858	10,191	124.3	121.3	143.5	135.0	115	89	112	96
2	Koppal	7,770	8,758	9,668	10,103	118.3	139.7	147.2	161.1	31	107	12	118
3	Kushtagi	7,358	7,663	9,072	9,644	106.0	110.0	130.7	138.5	25	4	9	5
4	Yelburga	4,202	4,393	5,798	5,965	103.5	105.8	142.8	143.6	22	2	30	1

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	119	267	31,891	30,947	31,127	30,204	31,313	30,074	30,291	28,759	120.5	115.3
1	Gangavati	72	98	9,667	9,281	9,490	9,240	9,655	9,226	9,212	8,887	121.8	117.7
2	Koppal	9	165	8,667	8,441	8,465	8,283	8,658	8,290	8,547	8,201	130.1	130.8
3	Kushtagi	12	3	7,247	7,163	6,918	6,748	6,745	6,679	6,329	6,142	91.2	88.2
4	Yelburga	26	1	6,310	6,062	6,254	5,933	6,255	5,879	6,203	5,529	152.8	133.1

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	29,848	28,097	14.4	19.9	29,444	26,170	117.1	104.9	16.9	62.5	1,448	729
1	Gangavati	8,968	8,709	15.2	12.8	10,572	8,211	139.8	108.7	22.4	64.2	190	236
2	Koppal	8,457	7,853	11.6	18.8	7,186	6,739	109.4	107.5	3.9	68.2	1,139	445
3	Kushtagi	6,255	6,031	30.2	36.3	5,909	5,730	85.1	82.3	8.5	47.8	64	4
4	Yelburga	6,168	5,504	-7.0	7.3	5,777	5,490	142.3	132.2	31.6	68.4	55	44

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	97.4	97.2	66.7	68.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Gangavati	96.4	97.9	70.1	66.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Koppal	98.9	94.8	62.5	70.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Kushtagi	97.4	98.8	67.4	67.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Yelburga	96.7	97.5	66.8	69.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	0.0	0.0	1.3	3.4	98.5	96.0	0.2	0.6	68.1	68.6	10.4	10.3
1	Gangavati	0.0	0.0	0.2	0.6	99.8	99.4	0.0	0.0	74.6	73.9	6.6	7.6
2	Koppal	0.0	0.0	1.2	6.5	98.8	93.5	0.0	0.0	63.7	65.8	7.7	10.8
3	Kushtagi	0.0	0.0	0.8	2.1	98.7	96.3	0.5	1.6	74.4	74.6	13.8	9.5
4	Yelburga	0.0	0.0	6.0	6.0	93.6	93.8	0.4	0.2	62.8	61.1	15.0	13.0

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	35.1	40.3	0.5	0.5	113,562	96,677	1,251,334	1,145,470	9.1	8.4	3,349	2,515
1	Gangavati	36.4	34.5	0.4	0.5	26,408	24,785	338,427	306,811	7.8	8.1	1,146	93
2	Koppal	34.5	42.3	0.8	0.9	36,824	28,063	382,334	325,715	9.6	8.6	1,254	964
3	Kushtagi	41.1	40.6	0.4	0.4	21,816	19,298	223,576	215,501	9.8	9.0	655	1,304
4	Yelburga	23.9	45.5	0.2	0.1	28,514	24,531	306,997	297,443	9.3	8.2	294	154

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	11,775	11,924	22.1	17.4	297	222	8.8	8.8	159,604	121,213	12.7	10.5
1	Gangavati	1,748	2,051	39.6	4.3	104	39	9.1	41.9	41,959	39,362	12.4	12.8
2	Koppal	6,238	6,055	16.7	13.7	31	53	2.5	5.5	46,217	30,842	12.1	9.5
3	Kushtagi	2,717	2,729	19.4	32.3	158	130	24.1	10.0	46,442	33,993	20.8	15.8
4	Yelburga	1,072	1,089	21.5	12.4	4	0	1.4	0.0	24,986	17,016	8.1	5.7

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	2,421	1,068	0.2	0.1	8,597	9,047	7.0	8.3	2.4	2.6	0.7	0.9
1	Gangavati	379	53	0.1	0.0	2,472	2,398	8.3	12.8	3.5	3.6	0.8	1.2
2	Koppal	1,782	721	0.5	0.2	1,458	1,737	10.2	9.1	2.3	2.2	0.8	0.8
3	Kushtagi	241	2	0.1	0.0	2,757	3,083	3.6	3.4	2.5	2.6	0.9	0.8
4	Yelburga	19	292	0.0	0.1	1,910	1,829	4.6	5.0	1.1	1.6	0.5	0.6

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	1.1	1.3	0.1	1.0	0.0	0.0	146	159	4.3	4.1	29.5	20.3
1	Gangavati	1.3	1.8	0.0	0.1	0.0	0.0	38	51	0.0	2.3	35.1	16.3
2	Koppal	1.2	1.2	0.0	1.6	0.0	0.0	36	33	11.4	0.0	25.7	33.3
3	Kushtagi	1.3	1.2	0.3	1.6	0.0	0.0	36	47	6.1	11.1	39.4	22.2
4	Yelburga	0.6	0.8	0.1	0.2	0.0	0.0	36	28	0.0	0.0	17.6	7.4

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Koppal	19.4	30.4	2.2	3.4	0.7	0.7	0.0	0.7	0.0	0.0	43.9	40.5
1	Gangavati	16.2	25.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.6	55.8
2	Koppal	25.7	42.4	5.7	0.0	2.9	0.0	0.0	0.0	0.0	0.0	28.6	24.2
3	Kushtagi	12.1	22.2	0.0	4.4	0.0	0.0	0.0	2.2	0.0	0.0	42.4	37.8
4	Yelburga	23.5	37.0	2.9	11.1	0.0	3.7	0.0	0.0	0.0	0.0	55.9	40.7