		1	2	3	4	5	6	7	8	9	10	11	12	13
	Indicators	Total number of pregnant women Registere d for ANC	Number of Pregnant women registere d within first trimester	% 1st Trimeste r registrati on to Total ANC Registrati ons	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons	% Pregnant women received TT2+ TT Booster to Total ANC Registrati on	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registrati on	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n	% Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	118,762	82,102	69.1	159,273	123,038	23,179	134.1	123.1	161,202	135.7	89,157	2,876	47.6
1	Anekal	7,268	5,305	73.0	8,387	7,361	1,295	115.4	119.1	7,719	106.2	5,198	40	25.6
2	ВВМР	50,438	31,813	63.1	90,635	62,695	10,530	179.7	145.2	92,423	183.2	55,115	2,265	46.7
3	Bangalore East	14,043	10,362	73.8	14,896	12,660	2,819	106.1	110.2	13,586	96.7	10,313	47	42.3
4	Bangalore North	28,717	20,855	72.6	29,177	23,261	5,681	101.6	100.8	31,107	108.3	10,046	274	48.9
5	Bangalore South	18,296	13,767	75.2	16,178	17,061	2,854	88.4	108.8	16,367	89.5	8,485	250	68.3

		14	15	16	17	18	19	20	21	22	23	24	25	26
	Indicators	% New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	6.1	8	5	3	62.5	42,666	834	1.9	37,140	5,780	15.5	79,806	67.1
1	Anekal	1.9	1	1	0	100.0	1,225	6	0.5	4,187	0	0.0	5,412	74.5
2	ВВМР	11.6	7	4	3	57.1	36,493	798	2.2	16,824	5,780	34.4	53,317	105.7
3	Bangalore East	0.7	0	0	0		1,399	26	1.9	2,722		0.0	4,121	29.3
4	Bangalore North	1.8	0	0	0		2,024	4	0.2	4,099	0	0.0	6,123	21.3
5	Bangalore South	3.5	0	0	0		1,525	0	0.0	9,308	0	0.0	10,833	59.2

		27	28	29	30	31	32	33	34	35	36	37	38	39
	Indicators	Total reported deliveries	% Institutio nal deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducte d at public facilities	Number of C-section deliveries conducte d at private facilities	% C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries	% C-section s conducte d at public facilities to Deliveries conducte d at public facilities	% C-section s conducte d at Private facilities to Deliveries conducte d at private facilities	% Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries	% Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	79,814	100.0	100.0	0.0	13,107	9,520	28.3	30.7	25.6	53.5	46.5	3,820	49,478
1	Anekal	5,413	100.0	100.0	0.0	48	579	11.6	3.9	13.8	22.6	77.4	1	4,233
2	ВВМР	53,324	100.0	100.0	0.0	12,771	4,638	32.7	35.0	27.6	68.4	31.6	3,801	13,148
3	Bangalore East	4,121	100.0	100.0	0.0	188	1,202	33.7	13.4	44.2	33.9	66.1	14	8,742
4	Bangalore North	6,123	100.0	100.0	0.0	78	1,017	17.9	3.9	24.8	33.1	66.9	0	11,075
5	Bangalore South	10,833	100.0	100.0	0.0	22	2,084	19.4	1.4	22.4	14.1	85.9	4	12,280

		40	41	42	43	44	45	46	47	48	49	50	51	52
	Indicators	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	7750.0	62.0	79,018	99.0	992	98.8	78,974	99.9	7,900	10.0	73,562	93.0	926
1	Anekal	100.0	78.2	5,422	100.2	2	100.0	5,422	100.0	365	6.7	5,417	99.9	911
2	ВВМР	4300.0	24.7	52,530	98.5	967	98.2	52,484	99.9	6,543	12.5	47,067	89.6	942
3	Bangalore East		212.1	4,120	100.0	8	99.8	4,120	100.0	170	4.1	4,114	99.9	999
4	Bangalore North		180.9	6,114	99.9	12	99.8	6,116	100.0	454	7.4	6,112	100.0	900
5	Bangalore South		113.4	10,832	100.0	3	100.0	10,832	100.0	368	3.4	10,852	100.2	851

		53	54	55	56	57	58	59	60	61	62	63	64	65
	Indicators	% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	7.8	34.5	123,608	104.1	72,728	61.2	42,168	35.5	2,520	2.1	86,766	125	73.1
1	Anekal	0.2	545.5	5,251	72.2	6,691	92.1	1,722	23.7	3	0.0	3,784	0	52.1
2	ВВМР	11.7	32.4	70,081	138.9	29,815	59.1	36,060	71.5	2,486	4.9	66,610	113	132.1
3	Bangalore East	0.1	2200.0	9,012	64.2	9,209	65.6	1,111	7.9	2	0.0	4,330	1	30.8
4	Bangalore North	0.4	84.0	28,279	98.5	14,763	51.4	1,147	4.0	17	0.1	7,450	5	25.9
5	Bangalore South	0.0	66.7	10,985	60.0	12,250	67.0	2,128	11.6	12	0.1	4,592	6	25.1

		66	67	68	69	70	71	72	73	74	75	76	77	78
	Indicators	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	0.1	95.3	60	51	1,667	2,439	73.9	86.3	13.7	51.6	48.4	2.1	88
1	Anekal	0.0		0	0	77	21	45.4	85.7	14.3	32.8	67.2	0.3	2
2	ВВМР	0.1	97.6	57	51	957	1,640	77.8	82.7	17.3	48.9	51.1	3.3	3
3	Bangalore East	0.1		0		275	241	60.0	97.5	2.5	58.5	41.5	1.7	56
4	Bangalore North	0.0	0.0	1	0	250	370	74.3	91.4	8.6	51.1	48.9	1.3	14
5	Bangalore South	0.0		2	0	108	167	61.4	94.0	6.0	97.1	2.9	0.9	13

		79	80	81	82	83	84	85	86	87	88	89	90	91
	Indicators	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterlisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on	% Laparosc opic sterlisati ons to Total Female Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	28,375	28,463	0.3	99.7					17,405	11,058	61.1	38.9	68.0
1	Anekal	2,435	2,437	0.1	99.9					1,859	578	76.3	23.7	47.3
2	ВВМР	20,548	20,551	0.0	100.0					12,721	7,830	61.9	38.1	71.8
3	Bangalore East	2,003	2,059	2.7	97.3					1,055	1,004	51.2	48.8	65.5
4	Bangalore North	1,109	1,123	1.2	98.8					424	699	37.8	62.2	75.6
5	Bangalore South	2,280	2,293	0.6	99.4					1,346	947	58.7	41.3	54.2

		92	93	94	95	96	97	98	99	100	101	102	103	104
	Indicators	% Mini Lap Sterlisati ons to Total Female Sterilisati ons	% Post Partum Sterlisati ons to Total Female Sterilisati ons	% Post Abortion Sterlisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on (Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	10.4	19.8	1.6	32.1	25.3	69.4	29.8	0	0	0	0	2	0
1	Anekal	16.7	36.0	0.0	47.2	4.9	1.5		0	0	0	0	0	0
2	ВВМР	9.5	18.2	0.4	23.1	29.5	100.0	100.0	0	0	0	0	2	0
3	Bangalore East	4.0	30.4	0.1	68.2	12.5	12.5	100.0	0	0	0	0	0	0
4	Bangalore North	7.8	12.0	4.7	77.1	1.2	29.3	0.0	0	0	0	0	0	0
5	Bangalore South	19.0	12.1	14.7	56.9	32.7	13.8	15.2	0	0	0	0	0	0

		105	106	107	108	109	110	111	112	113	114	115	116	117
	Indicators	Total cases of complicat ion following Female Sterlisati on	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutio nal Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permane nt)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man (weekly pills) distribute d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	2	15,536	13,700	48.3	17.6	50.6	17,816	11,076	344	208,823	374	1,716,607	1,004
1	Anekal	0	693	1,177	24.8	14.0	43.4	1,523	329	18	21,193	25	211,991	6
2	ВВМР	2	9,786	11,144	65.3	17.5	50.5	11,517	9,244	169	46,914	58	340,168	901
3	Bangalore East	0	1,007	317	17.1	12.3	39.1	1,097	208	19	30,045	72	201,464	16
4	Bangalore North	0	2,339	204	14.5	16.8	69.4	2,138	384	21	46,492	170	414,171	59
5	Bangalore South	0	1,711	858	26.2	29.4	52.8	1,541	911	117	64,179	49	548,813	22

		118	119	120	121	122	123	124	125	126	127	128	129	130
	Indicators	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)	Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program)	Pregnanc y testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	532	14	1	20	55,557	78,623	98,046	75,782	99.5	124.1	95.9	751	578
1	Anekal	0	0	0	0	4,462	5,439	5,695	5,416	100.3	105.0	99.9	0	0
2	ВВМР	464	11	0	20	24,245	51,133	61,178	49,321	97.3	116.5	93.9	746	569
3	Bangalore East	10	0	0	0	7,611	4,332	6,999	4,102	105.1	169.9	99.6	2	6
4	Bangalore North	20	2	0	0	8,947	6,488	11,094	6,114	106.1	181.5	100.0	1	1
5	Bangalore South	38	1	1	0	10,292	11,231	13,080	10,829	103.7	120.8	100.0	2	2

		131	132	133	134	135	136	137	138	139	140	141	142	143
	Indicators	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	534	113,063	112,644	115,615	8,260	101,582	139.0	111,345	91.6	147.3	126.8	7	1
1	Anekal	0	5,846	6,041	6,540	517	6,471	128.9	6,957	90.9	125.0	108.4	0	0
2	ВВМР	528	53,060	51,766	51,560	5,239	41,575	89.1	48,515	91.4	94.3	84.7	7	0
3	Bangalore East	4	16,021	16,175	16,819	721	14,238	363.1	14,914	89.7	443.4	192.5	0	0
4	Bangalore North	0	21,020	21,619	22,575	1,000	22,228	379.9	23,185	91.0	377.3	169.7	0	0
5	Bangalore South	2	17,116	17,043	18,121	783	17,070	164.8	17,774	94.0	172.7	127.8	0	1

		144	145	146	147	148	149	150	151	152	153	154	155	156
	Indicators	Adverse Events Following Imunisati on (Others)	% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	1	98.4	55.9	982	1,766	266	8	0	0	132	132	23	982
1	Anekal	0	97.7	78.6	0	10	0	0	0	0	0	0	0	0
2	ВВМР	0	97.5	48.8	944	1,633	266	8	0	0	99	99	13	944
3	Bangalore East	0	98.7	65.1	0	23	0	0	0	0	8	8	0	0
4	Bangalore North	0	99.4	60.7	27	44	0	0	0	0	24	24	10	27
5	Bangalore South	1	98.4	42.4	11	56	0	0	0	0	1	1	0	11

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3nd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	9,449	1,761	101,582	0	0	0	1,397	105,297	60.0	22.0	35.6	1.5	334,551
1	Anekal	338	144	6,471	0	0	0	18	6,407	82.7	7.6	94.1	0.5	7,054
2	ВВМР	5,961	1,246	41,575	0	0	0	1,071	46,485	66.9	25.7	35.0	2.7	174,487
3	Bangalore East	369	9	14,238	0	0	0	26	14,243	48.9	11.8	50.0	0.0	48,230
4	Bangalore North	2,214	322	22,228	0	0	0	144	21,641	54.7	21.2	42.4	0.2	58,319
5	Bangalore South	567	40	17,070	0	0	0	138	16,521	51.3	21.7		0.0	46,461

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathi c)	Ayush OPD (Number)	OPD (Ayush+Al lopathic)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	4,962,649	22,464	4,985,113	6.7	33,999	59,364	36.4	3,964	11.6	0.4	88,998	1.8	2.2
1	Anekal	280,637	1,827	282,464	2.5	467	72	86.6	5	1.1	0.6	2,887	1.0	1.1
2	ВВМР	2,747,583	20,030	2,767,613	6.3	24,733	54,162	31.3	1,953	7.9	0.7	51,672	1.9	2.8
3	Bangalore East	658,818	0	658,818	7.3	3,301	3,165	51.1	21	0.6	0.0	8,420	1.3	0.7
4	Bangalore North	898,292	206	898,498	6.5	2,120	1,125	65.3	175	8.3	0.0	9,815	1.1	0.7
5	Bangalore South	377,319	401	377,720	12.3	3,378	840	80.1	1,810	53.6	0.1	16,204	4.3	1.7

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Urban	1.3	61.7	0.8	1.1	0.0	0.0	1,000	25.5	13.1	2.5	0.6	2.7	0.1
1	Anekal	0.6	45.5	0.4	0.5	0.0	0.0	4	0.0	0.0	0.0	0.0	0.0	0.0
2	ВВМР	1.9	75.9	1.4	1.6	0.3	0.1	979	25.8	13.3	2.3	0.6	2.8	0.1
3	Bangalore East	1.4	49.5	0.7	1.0	0.0	0.0	2	50.0	0.0	0.0	0.0	0.0	0.0
4	Bangalore North	0.3	32.7	0.2	0.3	0.0	0.0	9	0.0	0.0	22.2	0.0	0.0	0.0
5	Bangalore South	0.3	84.3	0.1	0.2	0.0	0.0	6	16.7	16.7	0.0	0.0	0.0	0.0

		196	197	198
	Indicators	Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Bangalore Urban	49,581		
1	Anekal	4,535		
2	ВВМР	26,012		_
3	Bangalore East	3,713		
4	Bangalore North	5,107		
5	Bangalore South	10,214		