

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to March

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	Number of Women registered under JSY	% 1st Trimester registration to Total ANC Registrations	% JSY registration to Total ANC Registration	Number of pregnant women received 3 ANC check ups	TT2 or Booster given to Pregnant women (numbers)	% Pregnant Woman received 3 ANC check ups to Total ANC Registrations	% Pregnant women received TT2 or Booster to Total ANC Registration	Number of Pregnant women given 100 IFA tablets	% Pregnant women given 100 IFA to Total ANC Registration	Number having Hb level<11 (tested cases)	Number having severe anaemia (Hb<7) treated at institution
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	33,203	26,908	23,217	81.0	69.9	36,747	30,759	110.6	92.6	31,306	94.2	28,048	926
1	Gangavati	10,331	7,812	7,611	75.6	73.7	9,783	9,710	94.7	94.0	9,372	90.7	9,484	454
2	Koppal	8,851	7,497	6,126	84.7	69.2	8,608	7,777	97.3	87.9	8,420	95.1	6,630	136
3	Kushtagi	7,428	6,013	4,923	81.0	66.3	9,582	6,876	129.0	92.6	7,412	99.8	6,285	195
4	Yelburga	6,593	5,586	4,557	84.7	69.1	8,774	6,396	133.1	97.0	6,102	92.6	5,649	141

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11	% New cases detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Mothers paid JSY incentive for home deliveries	% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Institutional deliveries (Public Insts. +Pvt . Insts.)	% Institutional Deliveries to total ANC registration
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	3.3	3.5	2,211	614	1,597	27.7	28	1.3	20,458	2,232	10.9	22,596	68.0
1	Gangavati	4.8	4.7	670	277	393	41.3	0	0.0	6,118	309	5.1	7,672	74.3
2	Koppal	2.1	3.7	476	117	359	24.6	15	3.2	4,497	598	13.3	5,072	57.3
3	Kushtagi	3.1	2.4	626	106	520	16.9	4	0.6	5,027	681	13.5	5,036	67.8
4	Yelburga	2.5	2.6	439	114	325	26.0	9	2.1	4,816	644	13.4	4,816	73.0

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries	% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	24,807	91.1	93.6	8.9	1,602	774	10.5	7.8	36.2	90.5	44.5	0.6	9.5
1	Gangavati	8,342	92.0	95.3	8.0	378	660	13.5	6.2	42.5	79.7	54.2	0.0	20.3
2	Koppal	5,548	91.4	93.5	8.6	204	114	6.3	4.5	19.8	88.7	45.6	0.0	11.3
3	Kushtagi	5,662	88.9	90.8	11.1	343	0	6.8	6.8	0.0	99.8	41.1	0.0	0.2
4	Yelburga	5,255	91.6	93.8	8.4	677		14.1	14.1		100.0	34.5	2.7	0.0

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		Women received post partum check-up within 48 hours of delivery	Post - Natal Care / Women got a post partum check up between 48 hours and 14 days	% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries	Total Number of reported live births	% Total Reported Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	21,618	26,036	87.1	105.0	24,535	98.9	648	97.4	24,066	98.1	3,139	13.0	22,444
1	Gangavati	6,207	7,579	74.4	90.9	8,313	99.7	202	97.6	8,086	97.3	904	11.2	7,211
2	Koppal	5,414	6,238	97.6	112.4	5,588	100.7	143	97.5	5,353	95.8	737	13.8	5,234
3	Kushtagi	4,750	6,325	83.9	111.7	5,388	95.2	138	97.5	5,459	101.3	787	14.4	5,453
4	Yelburga	5,247	5,894	99.8	112.2	5,246	99.8	165	97.0	5,168	98.5	711	13.8	4,546

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% Newborns breast fed within 1 hour of birth to Total live birth	Number of New Borns visited within 24 hrs of Home Delivery	% newborns visited within 24hrs of home delivery to total reported home deliveries	Sex Ratio at birth (Female Live Births/ Male Births *1000)	% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended	% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	% Post - Natal Care / PNC maternal complications attended to Total Deliveries	Total Number of Abortions (Spontaneous/ Induced) Reported	Total Number of MTPs (Public) reported	% MTPs (Public) to Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	91.4	1,484	67.1	935	8.6	33.5	55.9	71.7	1.0	571	160	28.0	77.5
1	Gangavati	86.7	386	57.6	935	7.2	40.9	46.4	60.4	0.7	169	80	47.3	61.3
2	Koppal	93.7	286	60.1	916	4.6	67.2	47.9	51.1	1.5	158	23	14.6	87.0
3	Kushtagi	101.2	498	79.6	946	6.9	42.1	82.6	220.1	1.3	106	53	50.0	96.2
4	Yelburga	86.7	314	71.5	945	16.8	14.9	70.8	21.5	0.7	138	4	2.9	100.0

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	% Number of Wet Mount Tests conduce d to Number of new RTI/ STI female cases for which treatmen t initiated	Number of Vasectom ies Conducte d (Public + Pvt.)	Number of Tubecto mies Conducte d (Public + Pvt.)	Total Sterilisati on Conducte d	% Male Sterilisati on (Vasecto mies) to Total sterilisati on	% Tubecto mies to Total sterilisati on	Total Sterilisati on (Tubecto mies and Vasectom ies) conduce d at PHC	Total Sterilisati on (Tubecto mies and Vasectom ies) conduce d at CHC	Total Sterilisati on (Tubecto mies and Vasectom ies) conduce d at SDH/DH
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	22.5	78.0	22.0	0.5	2.7	95	9,435	9,530	0.9	99.0	3,478	3,121	2,598
1	Gangavati	38.8	64.5	35.5	0.8	0.7	7	2,948	2,955	0.2	99.8	492	1,169	1,132
2	Koppal	13.0	100.0	0.0	0.3	7.0	82	2,324	2,406	3.4	96.6	1,417	525	293
3	Kushtagi	3.8	98.1	1.9	0.7	0.0	6	2,285	2,291	0.3	99.7	1,063	430	798
4	Yelburga	0.0	100.0	0.0	0.1	1.9	0	1,878	1,878	0.0	100.0	506	997	375

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at PHC to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at CHC to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on	% Laparosc opic sterilisati ons to Total Female Sterilisati ons	% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal		0	36.5	32.7	27.3	0.0	3.5	74.2	20.4	5.3	99.4	88.3	87.0
1	Gangavati		0	16.6	39.6	38.3	0.0	5.5	70.8	22.7	6.4	98.4	87.6	76.3
2	Koppal		0	58.9	21.8	12.2	0.0	7.1	70.4	27.3	2.3	99.5	77.6	60.4
3	Kushtagi		0	46.4	18.8	34.8	0.0	0.0	87.4	8.4	4.2	100.0	100.0	100.0
4	Yelburga			26.9	53.1	20.0	0.0	0.0	68.2	22.9	8.8	100.0	100.0	100.0

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		Total cases of deaths following Sterilisation (Male + Female)	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	Total IUCD Insertions done (public+pvt)	PP IUCD Insertions done (public facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)	Oral Pills distributed	Condom pieces distributed	Centchroman Pills distributed	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	1	3,634	278	3,912		0.0	0.0	29.1	34,233	286,289	1,365	28,599	34,795
1	Gangavati	0	635	32	667		0.0	0.0	18.4	6,435	85,176	106	9,630	10,504
2	Koppal	0	1,389	210	1,599		0.0	0.0	39.9	12,987	74,392	231	6,716	9,076
3	Kushtagi	0	687	36	723		0.0	0.0	24.0	6,362	83,296	833	6,282	8,390
4	Yelburga	1	923		923		0.0	0.0	33.0	8,449	43,425	195	5,971	6,825

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	% Infants 0 to 11 months old who received Measles vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles	Vitamin - A dose 1
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	116.6	141.8	30,519	29,914	31,458				29,073	118.4	27,302	16.4	28,980
1	Gangavati	115.8	126.4	9,306	9,278	9,512				8,883	106.9	7,622	15.4	8,799
2	Koppal	120.2	162.4	8,344	8,197	9,445				8,166	146.1	7,815	10.0	8,070
3	Kushtagi	116.6	155.7	6,773	6,618	6,506				6,360	118.0	6,359	24.2	6,828
4	Yelburga	113.8	130.1	6,096	5,821	5,995				5,664	108.0	5,506	17.0	5,283

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	118.1	51.0	803	94.1	63.5	0.0	0.0	0.0	0.0	0.0	2.7	96.1	1.2
1	Gangavati	105.8	76.7	223	97.0	59.3	0.0	0.0	0.0	0.0	0.0	3.1	96.8	0.1
2	Koppal	144.4	64.2	515	96.3	65.3	0.0	0.0	0.0	0.0	0.0	1.1	97.7	1.2
3	Kushtagi	126.7	16.3	12	99.4	70.7	0.0	0.0	0.0	0.0	0.0	5.0	92.7	2.3
4	Yelburga	100.7	33.0	53	84.8	61.0	0.0	0.0	0.0	0.0	0.0	1.6	97.7	0.8

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)	OPD (Number)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	Ayush OPD (Number)
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	64.7	12.3	37.5	0.5	88,138	1,113,030	7.9	8,577	7,224	54.3		0.0	98,648
1	Gangavati	70.2	9.1	38.1	0.7	22,227	314,030	7.1	205	1,855	10.0		0.0	26,749
2	Koppal	62.5	10.4	45.1	0.8	20,919	309,956	6.7	195	3,384	5.4		0.0	25,475
3	Kushtagi	65.5	12.8	30.2	0.3	17,193	194,193	8.9	5,202	1,250	80.6		0.0	27,640
4	Yelburga	61.0	16.1	22.2	0.2	27,799	294,851	9.4	2,975	735	80.2		0.0	18,784

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	Adolescent counselled (Number)	% Hb < 7 mg to Total Hb Tests Conducted	% Male HIV Positive to Total Males Tested	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodium Vivax test positive to Total Blood Smears Examined	% Plasmodium Falciparum test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	8.8	1,870	0.2	7,991	6.9	8.8	5.4	6.2	1.0	0.0	166	4.7	20.1
1	Gangavati	8.5	464	0.1	2,069	7.4	7.0	2.7	3.5	1.7	0.0	65	1.8	28.6
2	Koppal	8.2	156	0.1	2,474	9.4	4.3	2.4	2.9	1.0	0.0	26	13.0	8.7
3	Kushtagi	14.2	2	0.0	1,542	5.4	7.8	6.0	6.6	0.4	0.0	52	4.0	18.0
4	Yelburga	6.4	1,248	0.4	1,906	4.3	22.0	13.9	15.6	0.9	0.0	23	5.0	15.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to March

Indicators		157	158	159	160	161	162
		% Deaths due to LBW to Total Reported Infant Deaths	% Deaths due to Pneumonia to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	30.2	6.0	1.3	3.4	0.0	34.2
1	Gangavati	37.5	0.0	0.0	0.0	0.0	32.1
2	Koppal	21.7	8.7	4.3	0.0	0.0	43.5
3	Kushtagi	32.0	10.0	0.0	6.0	0.0	30.0
4	Yelburga	15.0	10.0	5.0	10.0	0.0	40.0