

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	3,678	3,789	3,195	3,195	86.8	84.3	3,150	3,406	3,023	3,234	663	707
1	Devanahalli	822	772	720	679	87.6	88.0	848	607	667	648	149	115
2	Doddaballapur	1,013	1,027	850	850	83.9	82.8	654	992	836	939	125	132
3	Hosakote	1,138	1,152	1,047	1,099	92.0	95.4	1,059	1,006	974	1,112	295	319
4	Nelamanagala	705	838	578	567	82.0	67.7	589	801	546	535	94	141

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	85.6	89.8	100.2	104.0	3,908	2,365	106.2	62.4	3,633	3,504	19	85
1	Devanahalli	103.2	78.6	99.3	98.8	955	351	116.2	45.5	1,081	910	10	11
2	Doddaballapur	64.6	96.6	94.9	104.3	1,080	940	106.6	91.5	903	843	1	25
3	Hosakote	93.1	87.3	111.5	124.2	1,265	523	111.2	45.4	1,076	912	4	12
4	Nelamanagala	83.5	95.6	90.8	80.7	608	551	86.2	65.8	573	839	4	37

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	37.3	39.2	1.5	6.0	1	1	1	0	0	1	100.0	0.0
1	Devanahalli	90.9	84.6	0.7	1.3	0	0	0	0	0	0		
2	Doddaballapur	7.1	22.7	0.8	3.4	1	1	1	0	0	1	100.0	0.0
3	Hosakote	44.4	17.1	2.1	12.1	0	0	0	0	0	0		
4	Nelamanagala	23.5	154.2	2.7	5.4	0	0	0	0	0	0		

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	1,163	1,229	45	30	3.8	2.4	648	839	63	131	9.7	15.6
1	Devanahalli	152	155	1	1	0.7	0.6	55	100	0	0	0.0	0.0
2	Doddaballapur	604	536	28	7	4.6	1.3	142	164	0	0	0.0	0.0
3	Hosakote	254	325	2	18	0.8	5.5	338	442	46	123	13.6	27.8
4	Nelamanagala	153	213	14	4	9.2	1.9	113	133	17	8	15.0	6.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	1,811	2,068	49.2	54.5	1,812	2,069	99.9	100.0	100.0	100.0	0.1	0.0
1	Devanahalli	207	255	25.2	33.0	207	255	100.0	100.0	100.0	100.0	0.0	0.0
2	Doddaballapur	746	700	73.6	68.2	747	701	99.9	99.9	100.0	99.9	0.1	0.1
3	Hosakote	592	767	52.0	66.6	592	767	100.0	100.0	100.0	100.0	0.0	0.0
4	Nelamanagala	266	346	37.7	41.3	266	346	100.0	100.0	100.0	100.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	286	285	433	545	39.7	40.1	24.6	23.2	66.8	65.0	64.2	59.4
1	Devanahalli	48	18	36	61	40.6	31.0	31.6	11.6	65.5	61.0	73.4	60.8
2	Doddaballapur	201	179	105	114	41.0	41.9	33.3	33.4	73.9	69.5	81.0	76.6
3	Hosakote	22	44	196	252	36.8	38.6	8.7	13.5	58.0	57.0	42.9	42.4
4	Nelamanagala	15	44	96	118	41.7	46.8	9.8	20.7	85.0	88.7	57.5	61.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	35.8	40.6	314	1,241	2,396	2,849	1400.0	4100.0	132.2	137.7	1,804	2,057
1	Devanahalli	26.6	39.2	54	172	478	485			230.9	190.2	207	252
2	Doddaballapur	19.0	23.4	7	459	495	832	700.0	5900.0	66.3	118.7	742	700
3	Hosakote	57.1	57.6	252	527	859	867			145.1	113.0	589	759
4	Nelamanagala	42.5	38.4	1	83	564	665			212.0	192.2	266	346

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	99.6	99.4	10	13	99.4	99.4	1,746	2,057	96.8	100.0	153	157
1	Devanahalli	100.0	98.8	0	3	100.0	98.8	205	253	99.0	100.4	15	23
2	Doddaballapur	99.3	99.9	7	1	99.1	99.9	742	700	100.0	100.0	39	53
3	Hosakote	99.5	99.0	3	9	99.5	98.8	589	759	100.0	100.0	86	76
4	Nelamanagala	100.0	100.0	0	0	100.0	100.0	210	345	78.9	99.7	13	5

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	8.7	7.6	1,806	2,055	100.1	99.9	976	926	15.2	5.4	12.3	23.9
1	Devanahalli	7.3	9.1	206	253	99.5	100.4	1,010	813	1.0	0.8	0.0	50.0
2	Doddaballapur	5.3	7.6	742	700	100.0	100.0	942	944	1.6	1.4	100.0	80.0
3	Hosakote	14.6	10.0	589	759	100.0	100.0	1,003	946	44.1	12.3	8.4	8.5
4	Nelamanagala	6.2	1.4	269	343	101.1	99.1	985	933	0.4	2.0	0.0	142.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	3,512	1,561	95.5	41.2	2,788	2,150	75.8	56.7	567	685	15.4	18.1
1	Devanahalli	803	248	97.7	32.1	667	573	81.1	74.2	21	21	2.6	2.7
2	Doddaballapur	993	550	98.0	53.6	586	413	57.8	40.2	83	0	8.2	0.0
3	Hosakote	1,080	305	94.9	26.5	1,145	909	100.6	78.9	269	70	23.6	6.1
4	Nelamanagala	636	458	90.2	54.7	390	255	55.3	30.4	194	594	27.5	70.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	10	9	0.3	0.2	2,105	1,535	8	167	57.2	40.5	0.0	2.5
1	Devanahalli	0	1	0.0	0.1	663	647	8	21	80.7	83.8	0.0	2.5
2	Doddaballapur	2	0	0.2	0.0	278	627	0	1	27.4	61.1	0.0	0.0
3	Hosakote	8	2	0.7	0.2	931	190	0	0	81.8	16.5	0.0	0.0
4	Nelamanagala	0	6	0.0	0.7	233	71	0	145	33.0	8.5	0.0	32.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions (Spontaneous) Reported		Total Number of MTPs (Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural		0.0	1	3	0	0	167	252	121	124	56.3	56.0
1	Devanahalli			0	1	0	0	24	53	54	41	71.8	43.6
2	Doddaballapur			1	1	0	0	26	28	45	44	63.4	61.1
3	Hosakote			0	0	0	0	85	113	8	10	51.4	63.7
4	Nelamanagala		0.0	0	1	0	0	32	58	14	29	37.3	39.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	93.4	88.7	6.6	11.3	56.3	38.6	43.7	61.4	3.3	3.3	0	0
1	Devanahalli	96.3	100.0	3.7	0.0	88.5	100.0	11.5	0.0	6.6	5.3	0	0
2	Doddaballapur	86.7	70.5	13.3	29.5	100.0	100.0	0.0	0.0	4.4	4.3	0	0
3	Hosakote	100.0	90.0	0.0	10.0	8.9	5.1	91.1	94.9	0.7	0.9	0	0
4	Nelamanagala	100.0	100.0	0.0	0.0	73.7	76.3	26.3	23.7	2.0	3.5	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	887	1,203	887	1,203	0.0	0.0	100.0	100.0				
1	Devanahalli	185	162	185	162	0.0	0.0	100.0	100.0				
2	Doddaballapur	333	392	333	392	0.0	0.0	100.0	100.0				
3	Hosakote	234	307	234	307	0.0	0.0	100.0	100.0				
4	Nelamanagala	135	342	135	342	0.0	0.0	100.0	100.0				

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural					80	89	807	1,114	9.0	7.4	91.0	92.6
1	Devanahalli					8	3	177	159	4.3	1.9	95.7	98.1
2	Doddaballapur					0	3	333	389	0.0	0.8	100.0	99.2
3	Hosakote					47	60	187	247	20.1	19.5	79.9	80.5
4	Nelamanagala					25	23	110	319	18.5	6.7	81.5	93.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	79.9	78.9	8.6	7.3	11.3	13.7	0.1	0.0	93.9	96.9	63.2	69.3
1	Devanahalli	73.0	86.4	14.1	9.9	12.4	3.7	0.5	0.0	100.0	100.0	84.6	81.3
2	Doddaballapur	77.2	71.9	5.1	8.9	17.7	19.1	0.0	0.0	100.0	100.0	100.0	100.0
3	Hosakote	82.5	77.5	10.7	6.2	6.8	16.3	0.0	0.0	86.5	89.1	36.0	47.4
4	Nelamanagala	91.9	84.5	5.9	5.3	2.2	10.2	0.0	0.0	86.3	99.0	0.0	22.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		97		98		99		100		101		102	
		% Post Partum sterlisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterlisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	92.1	80.1	0.0		0	0	0	0	0	0	0	0
1	Devanahalli	87.0	100.0	0.0		0	0	0	0	0	0	0	0
2	Doddaballapur	100.0	96.0			0	0	0	0	0	0	0	0
3	Hosakote	68.8	52.0			0	0	0	0	0	0	0	0
4	Nelamanagala	100.0	82.9			0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0	0	0	0	1	0	734	1,013	50	140	32.6	36.2
1	Devanahalli	0	0	0	0	1	0	116	146		5	40.5	38.4
2	Doddaballapur	0	0	0	0	0	0	178	241	0	0	28.7	39.4
3	Hosakote	0	0	0	0	0	0	243	367	18	122	17.3	15.8
4	Nelamanagala	0	0	0	0	0	0	197	259	32	13	50.8	61.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods (IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	20.6	29.8	46.9	48.9	502	762	262	374	20	17	8,622	17,588
1	Devanahalli	30.9	36.1	38.5	48.2	69	93	47	58	0	0	1,388	1,330
2	Doddaballapur	8.4	17.7	34.8	38.1	126	141	51	95	1	5	2,306	10,844
3	Hosakote	16.5	17.8	52.7	61.4	213	431	42	58	6	0	3,347	3,904
4	Nelamanagala	65.4	74.2	62.9	44.3	94	97	122	163	13	12	1,581	1,510

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman (weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	119	151	117,460	166,790	82	268	18	0	12	0	2	0
1	Devanahalli	66	92	22,550	19,939	21	120	0	0	0	0	0	0
2	Doddaballapur	26	22	30,361	64,282	7	136	15	0	12	0	1	0
3	Hosakote	2	37	37,785	58,091	48	0	0	0	0	0	0	0
4	Nelamanagala	25	0	26,764	24,478	6	12	3	0	0	0	1	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	37	0	5,010	3,372	1,816	1,774	1,987	2,181	1,798	1,966	100.7	86.2
1	Devanahalli	0	0	745	555	211	221	258	244	206	220	101.9	87.7
2	Doddaballapur	36	0	853	632	742	509	770	720	741	658	100.0	72.7
3	Hosakote	0	0	1,702	1,845	601	743	633	797	589	740	102.0	97.9
4	Nelamanagala	1	0	1,710	340	262	301	326	420	262	348	98.5	87.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	110.1	106.0	99.7	95.6	10	99	1	3	1	1	3,530	3,689
1	Devanahalli	124.6	96.8	99.5	87.3	0	0	0	0	0	0	744	699
2	Doddaballapur	103.8	102.9	99.9	94.0	9	0	1	0	0	0	1,042	1,017
3	Hosakote	107.5	105.0	100.0	97.5	0	0	0	0	0	0	1,046	1,225
4	Nelamanagala	122.6	121.4	98.5	100.6	1	99	0	3	1	1	698	748

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	3,563	3,608	3,547	3,578	109	101	3,582	3,256	204.6	163.1	3,600	3,191
1	Devanahalli	810	697	738	672	0	6	810	648	391.3	259.5	798	645
2	Doddaballapur	1,028	1,014	1,019	995	39	4	1,007	869	141.0	124.7	1,010	804
3	Hosakote	1,037	1,185	1,067	1,199	60	91	967	1,043	174.4	149.4	1,025	1,046
4	Nelamanagala	688	712	723	712	10	0	798	696	303.8	201.2	767	696

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Abcess)		Adverse Events Following Imunisation (Deaths)		Adverse Events Following Imunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	94.5	95.4	169.9	233.0	13.0	193.9	6	2	0	0	0	0
1	Devanahalli	100.0	97.5	368.1	463.9	3.9	240.7	4	0	0	0	0	0
2	Doddaballapur	94.9	99.4	132.3	135.6	34.1	139.5	2	2	0	0	0	0
3	Hosakote	90.5	88.6	99.8	260.7	5.4	188.6	0	0	0	0	0	0
4	Nelamanagala	96.9	100.0	275.6	200.9	0.0	204.5	0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	98.2	97.7	67.7	66.8	265	98	264	492	47	44	0	0
1	Devanahalli	96.6	97.6	75.3	79.4	260	50	141	106	35	3	0	0
2	Doddaballapur	98.8	97.7	72.0	71.7	0	11	0	86	0	0	0	0
3	Hosakote	100.0	99.6	69.2	70.4	3	0	2	3	8	0	0	0
4	Nelamanagala	96.3	95.5	52.0	43.5	2	37	121	297	4	41	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0	0	1	0	2	10	2	10	0	0	265	98
1	Devanahalli	0	0	0	0	2	0	2	0	0	0	260	50
2	Doddaballapur	0	0	0	0	0	3	0	3	0	0	0	11
3	Hosakote	0	0	1	0	0	0	0	0	0	0	3	0
4	Nelamanagala	0	0	0	0	0	7	0	7	0	0	2	37

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	1,315	1,455	73	122	3,582	3,256	13	0	11	0	11	0
1	Devanahalli	534	279	22	0	810	648	5	0	5	0	5	0
2	Doddaballapur	69	496	1	16	1,007	869	0	0	0	0	0	0
3	Hosakote	205	144	5	45	967	1,043	5	0	6	0	6	0
4	Nelamanagala	507	536	45	61	798	696	3	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	74	352	3,528	2,811	57.0	57.6	10.0	10.0	20.0	21.2	0.1	0.1
1	Devanahalli	5	16	748	698	66.5	64.1	6.2	3.4	0.0		0.0	0.0
2	Doddaballapur	30	67	1,026	691	56.1	59.1	4.7	5.0	19.0	28.6	0.3	0.1
3	Hosakote	22	201	1,029	793	54.8	55.0	13.4	13.2	25.0	20.0	0.0	0.1
4	Nelamanagala	17	68	725	629	57.2	61.2	4.5	7.6	20.0	16.7	0.4	0.2

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	Bangalore Rural	36,410	35,165	461,487	395,207	4,416	3,952	465,903	399,159	7.8	8.8	2,677	3,124
1	Devanahalli	5,330	4,746	73,872	61,386	732	0	74,604	61,386	7.1	7.7	25	41
2	Doddaballapur	7,373	6,178	112,928	84,112	1,408	1,386	114,336	85,498	6.4	7.2	6	97
3	Hosakote	21,125	21,271	208,938	194,569	1,004	1,231	209,942	195,800	10.1	10.9	2,644	2,953
4	Nelamanagala	2,582	2,970	65,749	55,140	1,272	1,335	67,021	56,475	3.9	5.3	2	33

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	9,060	8,897	22.8	26.0	134	66	5.0	2.1	0.9	0.9	9,437	5,716
1	Devanahalli	40	25	38.5	62.1	12	2	48.0	4.9	1.0	0.0	2,845	1,276
2	Doddaballapur	74	361	7.5	21.2	25	31	416.7	32.0	1.2	1.6	1,224	1,610
3	Hosakote	8,865	8,456	23.0	25.9	95	17	3.6	0.6	0.5	0.6	2,216	871
4	Nelamanagala	81	55	2.4	37.5	2	16	100.0	48.5	1.9	2.4	3,152	1,959

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	2.0	1.4	2.3	3.6	0.6	0.4	76.7	83.4	5.7	0.4	2.4	0.4
1	Devanahalli	3.8	2.1	1.2	2.4	0.4	0.2	74.3	52.1	0.5	0.5	0.4	0.3
2	Doddaballapur	1.1	1.9	3.1	2.7	1.0	0.8	61.6	69.9	3.7	0.6	1.9	0.7
3	Hosakote	1.1	0.4	3.1	2.6	0.7	0.0	76.8	102.3	1.0	0.0	0.8	0.0
4	Nelamanagala	4.7	3.5	1.0	11.9	0.4	1.0	100.9	102.7	17.7	0.7	7.0	0.9

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0.0	0.0	0.0	0.0	8	5	0.0	0.0	0.0	40.0	0.0	0.0
1	Devanahalli	0.0	0.0	0.0	0.0	2	1	0.0	0.0	0.0	0.0	0.0	0.0
2	Doddaballapur	0.0	0.0	0.0	0.0	3	2	0.0	0.0	0.0	50.0	0.0	0.0
3	Hosakote	0.0	0.0	0.0	0.0	2	2	0.0	0.0	0.0	50.0	0.0	0.0
4	Nelamanagala	0.0	0.1	0.0	0.0	1	0	0.0		0.0		0.0	

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2018-19
Provisional Figures for the Period April to June
These indicators are under compilation (83,84,85,86,197,198)

Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bangalore Rural	0.0	0.0	0.0	0.0	0.0	0.0	648	839				
1	Devanahalli	0.0	0.0	0.0	0.0	0.0	0.0	55	100				
2	Doddaballapur	0.0	0.0	0.0	0.0	0.0	0.0	142	164				
3	Hosakote	0.0	0.0	0.0	0.0	0.0	0.0	338	442				
4	Nelamanagala	0.0		0.0		0.0		113	133				