

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	8,807	9,264	6,760	7,083	76.7	76.4	8,071	6,942	7,452	6,062	4,166	3,205
1	Aurad	1,458	1,692	1,108	1,303	76.0	77.0	1,178	1,053	1,162	1,321	544	473
2	Basavakalyan	1,829	1,902	1,375	1,387	75.2	72.9	1,381	861	1,565	1,417	980	728
3	Bhalki	1,394	1,469	1,203	1,145	86.3	77.9	1,705	1,111	1,282	1,062	611	530
4	Bidar	2,454	2,434	1,694	1,883	69.0	77.4	2,380	2,637	2,316	1,396	1,079	808
5	Humnabad	1,672	1,767	1,380	1,365	82.5	77.2	1,427	1,280	1,127	866	952	666

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	91.6	74.9	131.9	100.0	12,662	5,601	143.7	60.4	12,555	10,292	444	110
1	Aurad	80.8	62.2	117.0	106.0	2,182	937	149.7	55.4	1,492	1,611	8	8
2	Basavakalyan	75.5	45.3	139.1	112.8	2,700	1,697	147.6	89.2	1,413	1,433	121	14
3	Bhalki	122.3	75.6	135.8	108.4	1,993	741	143.0	50.4	1,978	1,565	20	27
4	Bidar	97.0	108.3	138.3	90.6	3,865	1,457	157.5	59.9	6,287	3,878	277	33
5	Humnabad	85.3	72.4	124.3	86.7	1,922	769	115.0	43.5	1,385	1,805	18	28

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	78.6	21.0	2.9	8.1	49	24	36	9	13	15	73.4	37.5
1	Aurad	17.4	7.5	0.8	0.7	5	10	0	4	5	6	0.0	40.0
2	Basavakalyan	550.0	9.9	1.8	2.9	2	3	1	2	1	1	50.0	66.7
3	Bhalki	42.6	30.3	1.6	3.9	0	2	0	0	0	2		0.0
4	Bidar	67.4	20.9	6.6	16.1	40	6	35	3	5	3	87.5	50.0
5	Humnabad	46.2	90.3	1.6	13.0	2	3	0	0	2	3	0.0	0.0

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	4,878	5,239	1,278	1,575	26.1	30.0	1,631	1,702	262	185	16.0	10.8
1	Aurad	621	623	48	77	7.7	12.4						
2	Basavakalyan	971	932	254	101	26.2	10.8	91	218	0	110	0.0	50.5
3	Bhalki	467	515	59	26	12.6	5.0	420	477	43	75	10.2	15.7
4	Bidar	1,793	2,006	652	1,221	36.4	60.9	981	914	219	0	22.3	0.0
5	Humnabad	1,026	1,163	265	150	25.8	12.9	139	93	0	0	0.0	0.0

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	6,509	6,941	73.9	74.9	6,558	6,965	99.3	99.7	99.8	99.8	0.7	0.3
1	Aurad	621	623	42.6	36.8	626	633	99.2	98.4	99.2	99.1	0.8	1.6
2	Basavakalyan	1,062	1,150	58.1	60.5	1,064	1,153	99.8	99.7	99.9	99.9	0.2	0.3
3	Bhalki	887	992	63.6	67.5	887	994	100.0	99.8	100.0	99.8	0.0	0.2
4	Bidar	2,774	2,920	113.0	120.0	2,814	2,926	98.6	99.8	99.8	99.9	1.4	0.2
5	Humnabad	1,165	1,256	69.7	71.1	1,167	1,259	99.8	99.8	99.8	99.8	0.2	0.2

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	655	587	836	464	22.9	15.1	13.4	11.2	51.3	27.3	74.9	75.5
1	Aurad	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Basavakalyan	53	25	22	0	7.1	2.2	5.5	2.7	24.2	0.0	91.4	81.0
3	Bhalki	0	0	170	179	19.2	18.0	0.0	0.0	40.5	37.5	52.6	51.9
4	Bidar	565	557	558	255	40.5	27.8	31.5	27.8	56.9	27.9	64.6	68.7
5	Humnabad	37	5	86	30	10.6	2.8	3.6	0.4	61.9	32.3	88.1	92.6

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	25.1	24.5	1,948	2,375	6,420	5,884	3975.5	9895.8	97.9	84.5	6,560	7,182
1	Aurad	0.0	0.0	78	188	992	976	1560.0	1880.0	158.5	154.2	611	665
2	Basavakalyan	8.6	19.0	538	880	827	870	6900.0	9333.3	77.7	75.5	1,080	1,314
3	Bhalki	47.4	48.1	335	360	708	738		8000.0	79.8	74.2	902	1,009
4	Bidar	35.4	31.3	905	818	2,702	2,392	2262.5	3633.3	96.0	81.7	2,791	2,933
5	Humnabad	11.9	7.4	92	129	1,191	908	4600.0	4300.0	102.1	72.1	1,176	1,261

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	100.0	103.1	48	30	99.3	99.6	6,272	6,967	95.6	97.0	603	683
1	Aurad	97.6	105.1	5	10	99.2	98.5	599	644	98.0	96.8	33	55
2	Basavakalyan	101.5	114.0	9	3	99.2	99.8	1,080	1,312	100.0	99.8	96	182
3	Bhalki	101.7	101.5	1	6	99.9	99.4	772	964	85.6	95.5	59	75
4	Bidar	99.2	100.2	5	5	99.8	99.8	2,714	2,845	97.2	97.0	313	318
5	Humnabad	100.8	100.2	28	6	97.7	99.5	1,107	1,202	94.1	95.3	102	53



Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	9.6	9.8	5,895	6,282	89.8	87.4	888	889	9.5	9.0	52.7	57.1
1	Aurad	5.5	8.5	587	634	96.1	95.3	863	1,021	1.0	0.9	0.0	133.3
2	Basavakalyan	8.9	13.9	1,040	1,294	96.3	98.5	996	952	2.2	3.5	34.8	0.0
3	Bhalki	7.6	7.8	679	911	75.3	90.3	864	940	0.1	0.1	2300.0	2600.0
4	Bidar	11.5	11.2	2,538	2,261	90.9	77.1	829	806	20.8	19.1	51.1	56.4
5	Humnabad	9.2	4.4	1,051	1,182	89.4	93.7	973	919	1.1	1.8	7.7	43.5

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	9,726	1,677	110.4	18.1	6,006	2,122	68.2	22.9	1,887	915	21.4	9.9
1	Aurad	1,200	145	82.3	8.6	662	339	45.4	20.0	907	277	62.2	16.4
2	Basavakalyan	1,968	371	107.6	19.5	1,185	380	64.8	20.0	0	460	0.0	24.2
3	Bhalki	1,800	265	129.1	18.0	1,332	547	95.6	37.2	386	39	27.7	2.7
4	Bidar	3,746	868	152.6	35.7	1,577	591	64.3	24.3	365	139	14.9	5.7
5	Humnabad	1,012	28	60.5	1.6	1,250	265	74.8	15.0	229	0	13.7	0.0

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	51	52	0.6	0.6	4,686	2,596	22	60	53.2	28.0	0.7	0.0
1	Aurad	36	0	2.5	0.0	1,323	726	6	0	90.7	42.9	0.1	0.0
2	Basavakalyan	0	0	0.0	0.0	1,617	1,007	0	0	88.4	52.9	0.0	0.0
3	Bhalki	8	0	0.6	0.0	914	350	15	0	65.6	23.8	0.0	0.0
4	Bidar	7	52	0.3	2.1	332	101	0	18	13.5	4.1	6.0	1.0
5	Humnabad	0	0	0.0	0.0	500	412	1	42	29.9	23.3	2.0	0.0

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions ( Spontaneous) Reported		Total Number of MTPs ( Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar		566.7	6	4	0	0	77	170	46	75	60.7	47.4
1	Aurad			1	0	0	0	13	18	5	0	27.8	0.0
2	Basavakalyan			1	0	0	0	3	2	8	0	72.7	0.0
3	Bhalki			1	1	0	0	4	0	1	1	88.9	100.0
4	Bidar		566.7	3	3	0	0	34	129	29	73	60.0	48.4
5	Humnabad			0	0	0	0	23	21	3	1	50.0	56.3

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	67.4	54.7	32.6	45.3	38.7	49.0	61.3	51.0	0.5	0.8	5	3
1	Aurad	80.0		20.0		100.0		0.0		0.3	0.0	5	0
2	Basavakalyan	87.5		12.5		100.0		0.0		0.4	0.0	0	2
3	Bhalki	0.0	100.0	100.0	0.0	3.1	20.0	96.9	80.0	0.1	0.1	0	0
4	Bidar	62.1	53.4	37.9	46.6	56.9	60.3	43.1	39.7	1.2	3.0	0	1
5	Humnabad	66.7	100.0	33.3	0.0	13.0	3.7	87.0	96.3	0.2	0.1	0	0

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1,792	2,590	1,797	2,593	0.2	0.1	99.7	99.9				
1	Aurad	212	131	217	131	2.3	0.0	97.7	100.0				
2	Basavakalyan	239	461	239	463	0.0	0.4	100.0	99.6				
3	Bhalki	117	111	117	111	0.0	0.0	100.0	100.0				
4	Bidar	1,083	1,521	1,083	1,522	0.0	0.1	100.0	99.9				
5	Humnabad	141	366	141	366	0.0	0.0	100.0	100.0				

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar					925	1,838	872	755	51.5	70.9	48.5	29.1
1	Aurad							217	131	0.0	0.0	100.0	100.0
2	Basavakalyan					0	196	239	267	0.0	42.3	100.0	57.7
3	Bhalki					71	106	46	5	60.7	95.5	39.3	4.5
4	Bidar					818	1,353	265	169	75.5	88.9	24.5	11.1
5	Humnabad					36	183	105	183	25.5	50.0	74.5	50.0

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	20.9	19.6	65.2	74.2	13.2	4.4	0.6	1.7	32.0	15.6	46.9	28.9
1	Aurad	0.5	0.0	99.5	98.5	0.0	1.5	0.0	0.0	100.0		100.0	100.0
2	Basavakalyan	27.2	15.6	70.7	65.9	2.1	9.1	0.0	9.3	100.0	100.0	100.0	36.8
3	Bhalki	10.3	0.9	88.9	85.6	0.9	13.5	0.0	0.0	0.0	0.0	44.2	5.3
4	Bidar	27.4	28.1	50.5	68.1	21.1	3.7	1.0	0.1	18.2	0.0	3.7	12.9
5	Humnabad	0.0	1.9	97.9	98.1	2.1	0.0	0.0	0.0		100.0	73.9	49.0



Indicators		97		98		99		100		101		102	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	83.1	66.1	18.2	95.6	0	1	0	0	0	1	1	0
1	Aurad		100.0			0	0	0	0	0	0	0	0
2	Basavakalyan	100.0	95.2		100.0	0	0	0	0	0	0	0	0
3	Bhalki	0.0	0.0			0	0	0	0	0	0	0	0
4	Bidar	82.9	60.7	18.2	0.0	0	1	0	0	0	1	1	0
5	Humnabad	100.0				0	0	0	0	0	0	0	0

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	0	2	0	0	0	0	1,679	1,658	32	63	71.6	62.1
1	Aurad	0	0	0	0	0	0	329	405			62.3	70.9
2	Basavakalyan	0	0	0	0	0	0	339	356	8	50	78.8	75.3
3	Bhalki	0	0	0	0	0	0	287	370	1	3	33.4	49.7
4	Bidar	0	2	0	0	0	0	392	190	19	5	92.9	57.9
5	Humnabad	0	0	0	0	0	0	332	337	4	5	81.6	53.7

## Performance of Key HMIS Indicators for Karnataka-&gt; Bidar ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods ( IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	24.6	19.6	48.7	39.8	330	660	1,226	1,054	155	7	9,360	7,436
1	Aurad	33.0	46.1	60.3	75.6	121	118	205	287	3	0	1,604	2,439
2	Basavakalyan	27.5	28.8	59.2	46.7	50	111	275	292	22	3	988	570
3	Bhalki	20.6	35.7	71.1	77.1	75	189	96	184	117	0	2,711	1,223
4	Bidar	20.3	5.5	27.5	11.4	29	81	375	110	7	4	2,260	1,365
5	Humnabad	26.4	15.6	70.4	48.3	55	161	275	181	6	0	1,797	1,839

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman ( weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	439	208	57,072	42,973	1,152	157	121	119	80	3	32	9
1	Aurad	0	0	12,225	10,962	63	67	2	1	0	0	0	0
2	Basavakalyan	0	4	9,392	10,283	3	0	16	0	6	0	0	0
3	Bhalki	38	32	11,519	9,404	107	70	43	1	5	0	1	7
4	Bidar	353	165	14,368	5,108	624	14	54	117	68	3	30	2
5	Humnabad	48	7	9,568	7,216	355	6	6	0	1	0	1	0

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	26	0	5,950	4,834	5,402	6,583	7,546	7,836	3,681	6,204	82.3	91.7
1	Aurad	0	0	1,495	1,565	605	551	1,061	870	588	555	99.0	82.9
2	Basavakalyan	0	0	1,134	482	788	1,305	1,125	1,228	711	1,291	73.0	99.3
3	Bhalki	5	0	1,060	998	741	912	1,135	1,075	474	747	82.2	90.4
4	Bidar	19	0	1,310	981	2,127	2,620	2,743	3,059	1,128	2,424	76.2	89.3
5	Humnabad	2	0	951	808	1,141	1,195	1,482	1,604	780	1,187	97.0	94.8

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	115.0	109.1	56.1	86.4	87	99	56	53	65	55	10,021	8,595
1	Aurad	173.6	130.8	96.2	83.5	58	32	30	17	15	22	1,696	1,488
2	Basavakalyan	104.2	93.5	65.8	98.2	1	8	0	0	21	0	1,925	1,864
3	Bhalki	125.8	106.5	52.5	74.0	19	7	16	3	15	4	1,700	1,348
4	Bidar	98.3	104.3	40.4	82.6	9	32	0	14	14	8	2,906	2,278
5	Humnabad	126.0	127.2	66.3	94.1	0	20	10	19	0	21	1,794	1,617

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	9,248	8,310	9,442	8,290	511	739	8,002	7,070	129.7	108.7	8,185	6,957
1	Aurad	1,532	1,387	1,598	1,451	24	42	1,442	1,336	239.9	207.2	1,421	1,308
2	Basavakalyan	1,739	2,029	1,676	1,789	86	37	1,441	1,192	141.4	93.5	1,424	1,170
3	Bhalki	1,532	1,299	1,639	1,355	46	267	1,235	1,038	142.0	129.3	1,242	1,113
4	Bidar	2,884	2,235	2,936	2,316	303	250	2,355	2,232	95.2	84.6	2,577	2,061
5	Humnabad	1,561	1,360	1,593	1,379	52	143	1,529	1,272	134.4	112.2	1,521	1,305

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abcess )		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	93.2	90.6	113.5	122.8	4.6	191.3	9	7	2	0	2	0
1	Aurad	97.7	95.2	225.9	182.4	3.2	102.5	0	0	0	0	0	0
2	Basavakalyan	92.4	97.0	127.3	145.1	2.5	227.1	0	0	0	0	0	0
3	Bhalki	95.9	75.2	116.5	231.8	0.0	239.3	2	0	0	0	0	0
4	Bidar	89.0	91.8	79.3	65.7	10.9	223.4	6	7	2	0	2	0
5	Humnabad	96.5	91.1	121.2	113.8	1.7	97.7	1	0	0	0	0	0



Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	93.5	90.4	76.9	85.2	245	49	220	60	53	25	0	0
1	Aurad	94.6	92.8	85.6	88.4	25	0	37	12	4	0	0	0
2	Basavakalyan	94.1	94.4	78.4	77.4	214	18	178	35	41	4	0	0
3	Bhalki	96.6	94.1	89.2	86.2	2	12	3	7	4	21	0	0
4	Bidar	89.2	83.0	61.3	81.5	1	18	2	1	4	0	0	0
5	Humnabad	96.1	91.4	80.4	96.5	3	1	0	5	0	0	0	0

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	0	0	0	0	2	4	2	4	11	18	245	49
1	Aurad	0	0	0	0	0	0	0	0	0	6	25	0
2	Basavakalyan	0	0	0	0	0	0	0	0	3	0	214	18
3	Bhalki	0	0	0	0	0	0	0	0	4	0	2	12
4	Bidar	0	0	0	0	2	3	2	3	4	2	1	18
5	Humnabad	0	0	0	0	0	1	0	1	0	10	3	1

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	2,370	1,865	477	420	8,002	7,070	18	13	9	11	9	11
1	Aurad	530	376	28	5	1,442	1,336	0	0	0	0	0	0
2	Basavakalyan	615	378	226	224	1,441	1,192	0	2	0	0	0	0
3	Bhalki	315	184	5	45	1,235	1,038	0	4	0	4	0	4
4	Bidar	708	724	205	124	2,355	2,232	18	0	9	0	9	0
5	Humnabad	202	203	13	22	1,529	1,272	0	7	0	7	0	7

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	787	567	7,001	5,229	64.2	58.6	13.0	8.6	41.1	42.1	0.7	0.5
1	Aurad	37	72	1,363	1,173	68.0	69.0	8.8	15.0	20.0	25.0	0.1	0.1
2	Basavakalyan	4	29	1,246	813	55.3	56.8	18.4	29.3	66.7		0.0	0.0
3	Bhalki	27	185	1,017	736	73.2	79.0	12.2	7.7	25.0	0.0	0.1	0.0
4	Bidar	530	85	2,134	1,453	61.4	53.7	15.3	4.4	41.2	43.6	2.2	0.8
5	Humnabad	189	196	1,241	1,054	65.2	69.5	10.0	12.2	66.7	0.0	0.0	0.1

Performance of Key HMIS Indicators for Karnataka-> Bidar ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	39,792	54,683	557,379	429,840	31,253	15,998	588,632	445,838	6.8	12.3	1,878	1,527
1	Aurad	9,112	5,153	74,317	68,744	3,674	5,375	77,991	74,119	11.7	7.0	0	25
2	Basavakalyan	6,409	4,393	129,640	56,667	10,482	2,580	140,122	59,247	4.6	7.4	38	34
3	Bhalki	4,554	2,814	74,664	51,865	7,443	457	82,107	52,322	5.5	5.4	150	160
4	Bidar	12,184	34,936	168,931	140,976	5,677	3,511	174,608	144,487	7.0	24.2	1,678	1,277
5	Humnabad	7,533	7,387	109,827	111,588	3,977	4,075	113,804	115,663	6.6	6.4	12	31

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	674	483	73.6	76.0	207	126	11.0	8.2	5.3	3.5	5,707	4,113
1	Aurad	89	77	0.0	24.5	0	10		40.0	4.7	7.3	1,505	672
2	Basavakalyan	78	37	32.8	47.9	5	2	13.2	5.9	7.5	4.4	921	780
3	Bhalki	35	0	81.1	100.0	11	22	7.3	13.8	9.1	0.9	517	397
4	Bidar	379	222	81.6	85.2	172	91	10.3	7.1	3.3	2.4	1,392	1,315
5	Humnabad	93	147	11.4	17.4	19	1	158.3	3.2	3.5	3.5	1,372	949

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	1.0	0.9	5.0	5.0	1.2	1.0	92.8	57.8	0.6	1.4	0.9	1.2
1	Aurad	1.9	0.9	3.5	4.3	0.3	0.2	95.9	32.0	1.2	0.6	0.8	0.4
2	Basavakalyan	0.7	1.3	12.8	0.8	4.6	0.7	54.1	35.5	0.2	0.7	2.5	0.7
3	Bhalki	0.6	0.8	1.6	4.0	0.4	0.9	103.8	36.4	0.3	0.2	0.4	0.5
4	Bidar	0.8	0.9	4.9	7.1	0.9	1.6	124.3	97.4	0.8	2.6	0.8	2.1
5	Humnabad	1.2	0.8	3.3	2.7	0.3	0.7	77.0	69.6	0.4	0.3	0.3	0.5

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	4.5	0.0	1.0	0.0	77	103	1.3	1.0	24.7	40.8	3.9	1.9
1	Aurad	0.0	0.0	0.0	0.0	4	7	25.0	0.0	0.0	14.3	25.0	0.0
2	Basavakalyan	6.7	0.0	4.8	0.0	7	2	0.0	0.0	0.0	0.0	28.6	100.0
3	Bhalki	0.0	0.0	0.0	0.0	0	5		0.0		20.0		0.0
4	Bidar	11.5	0.0	0.0	0.0	62	86	0.0	1.2	30.6	45.3	0.0	0.0
5	Humnabad	0.0	0.0	0.0	0.0	4	3	0.0	0.0	0.0	33.3	0.0	0.0



Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bidar	0.0	0.0	1.3	0.0	0.0	0.0	1,631	1,710				
1	Aurad	0.0	0.0	0.0	0.0	0.0	0.0						
2	Basavakalyan	0.0	0.0	0.0	0.0	0.0	0.0	91	218				
3	Bhalki		0.0		0.0		0.0	420	477				
4	Bidar	0.0	0.0	0.0	0.0	0.0	0.0	981	922				
5	Humnabad	0.0	0.0	25.0	0.0	0.0	0.0	139	93				